

ThinkSystem Vendor Agnostic Read Intensive SATA SSDs

Product Guide

The ThinkSystem Vendor Agnostic Read Intensive SATA SSDs are general-purpose SSDs with an average endurance of 1 drive write per day. Vendor Agnostic SSDs are non-vendor-specific drives which can streamline and simplify the ordering and delivery of SATA SSDs. The drives offered in the Vendor Agnostic SSD program consists of SSDs that are readily available, ensuring the shortest supply lead time.



Figure 1. ThinkSystem Vendor Agnostic Read Intensive SATA SSDs

Did you know?

Lenovo Read Intensive SSDs are suitable for read-intensive and general-purpose data center workloads. Overall, these SSDs provide outstanding IOPS/watt and cost/IOPS for enterprise solutions and are an excellent choice for applications such as web serving, hyperscale cloud, content delivery, caching, databases, and analytics.

Part number information

The following table lists the part numbers and feature codes.

Table 1. Ordering part numbers and feature codes

Part number	Feature	Description
2.5-inch hot-swap drives		
4XB7A90872	BYLQ	ThinkSystem 2.5" VA 240GB Read Intensive SATA 6Gb HS SSD v2
4XB7A90873	BYLR	ThinkSystem 2.5" VA 480GB Read Intensive SATA 6Gb HS SSD v2
4XB7A90874	BYLS	ThinkSystem 2.5" VA 960GB Read Intensive SATA 6Gb HS SSD v2
4XB7A90875	BYLT	ThinkSystem 2.5" VA 1.92TB Read Intensive SATA 6Gb HS SSD v2
4XB7A90876	BYLU	ThinkSystem 2.5" VA 3.84TB Read Intensive SATA 6Gb HS SSD v2
4XB7A90877	BYLV	ThinkSystem 2.5" VA 7.68TB Read Intensive SATA 6Gb HS SSD v2
3.5-inch hot-swap drives		
4XB7A90878	BYLW	ThinkSystem 3.5" VA 240GB Read Intensive SATA 6Gb HS SSD v2
4XB7A90879	BYLJ	ThinkSystem 3.5" VA 480GB Read Intensive SATA 6Gb HS SSD v2
4XB7A90880	BYLY	ThinkSystem 3.5" VA 960GB Read Intensive SATA 6Gb HS SSD v2
4XB7A90881	BYLZ	ThinkSystem 3.5" VA 1.92TB Read Intensive SATA 6Gb HS SSD v2
4XB7A90882	BYM0	ThinkSystem 3.5" VA 3.84TB Read Intensive SATA 6Gb HS SSD v2
4XB7A90883	BYM1	ThinkSystem 3.5" VA 7.68TB Read Intensive SATA 6Gb HS SSD v2
2.5-inch non-hot-swap drives		
4XB7B04138	C8DT	ThinkSystem ST50/ST45 Series 2.5" VA 480GB Read Intensive SATA 6Gb NHS SSD
4XB7B04139	C8DS	ThinkSystem ST50/ST45 Series 2.5" VA 960GB Read Intensive SATA 6Gb NHS SSD
4XB7B04140	C8DR	ThinkSystem ST50/ST45 Series 2.5" VA 1.92TB Read Intensive SATA 6Gb NHS SSD
4XB7B04141	C8DQ	ThinkSystem ST50/ST45 Series 2.5" VA 3.84TB Read Intensive SATA 6Gb NHS SSD
3.5-inch non-hot-swap drives		
4XB7B04142	C8DP	ThinkSystem ST50/ST45 Series 3.5" VA 480GB Read Intensive SATA 6Gb NHS SSD
4XB7B04143	C8DN	ThinkSystem ST50/ST45 Series 3.5" VA 960GB Read Intensive SATA 6Gb NHS SSD
4XB7B04144	C8DM	ThinkSystem ST50/ST45 Series 3.5" VA 1.92TB Read Intensive SATA 6Gb NHS SSD
4XB7B04145	C8DL	ThinkSystem ST50/ST45 Series 3.5" VA 3.84TB Read Intensive SATA 6Gb NHS SSD

The part numbers include the following items:

- One 2.5-inch solid-state drive
- Hot-swap drives include either a 2.5-inch or 2.5-inch ThinkSystem hot-swap tray
- Non-hot-swap drives include a drive carrier
- Documentation flyer

Features

The Vendor Agnostic SSDs have the following features:

- Low cost SSD for read-intensive workloads from industry leading SSD vendors
- 6 Gbps SATA interface
- Advanced ECC Engine and End-to-End Data Protection
- TLC V-NAND stacks the vertical NAND layers in three dimensions, solving the cell-to-cell

interference that causes data corruption in planar NAND.

- Power-loss protection (PLP) architecture
- Supports Self-Monitoring, Analysis and Reporting Technology (S.M.A.R.T).

Read-Intensive (Entry) SSDs and Write-Intensive (Performance) SSDs have similar read and write IOPS performance, but the key difference between them is their endurance (or lifetime) (that is, how long they can perform write operations because SSDs have a finite number of program/erase (P/E) cycles). Read-Intensive SSDs have a better cost/IOPS ratio but lower endurance compared to Write-Intensive SSDs. SSD write endurance is typically measured by the number of program/erase (P/E) cycles that the drive incurs over its lifetime, listed as the total bytes of written data (TBW) in the device specification.

The TBW value assigned to a solid-state device is the total bytes of written data (based on the number of P/E cycles) that a drive can be guaranteed to complete (% of remaining P/E cycles = % of remaining TBW). Reaching this limit does not cause the drive to immediately fail. It simply denotes the maximum number of writes that can be guaranteed. A solid-state device will not fail upon reaching the specified TBW. At some point based on manufacturing variance margin, after surpassing the TBW value, the drive will reach the end-of-life point, at which the drive will go into a read-only mode. Because of such behavior by Read-Intensive solid-state drives, careful planning must be done to use them only in read-intensive or mix-use up to 70% read/30% write environments to ensure that the TBW of the drive will not be exceeded before the required life expectancy.

Technical specifications

The following table lists the technical specifications of the ThinkSystem Vendor Agnostic Read Intensive SATA SSDs.

Performance and endurance values: The numbers listed in the table for performance and endurance are the minimums for Vendor Agnostic SSDs.

Table 2. Technical specifications

Feature	240 GB drive	480 GB drive	960 GB drive	1.92 TB drive	3.84 TB drive	7.68 TB drive
Interface	6 Gbps SATA	6 Gbps SATA	6 Gbps SATA	6 Gbps SATA	6 Gbps SATA	6 Gbps SATA
Capacity	480 GB	480 GB	960 GB	1.92 TB	3.84 TB	7.68 TB
SED encryption	No	No	No	No	No	No
Endurance (drive writes per day for 5 years)	1.5 DWPD	1 DWPD	1 DWPD	1 DWPD	1 DWPD	0.6 DWPD
Endurance (total bytes written)	657 TB	876 TB	1752 TB	3504 TB	7008 TB	8410 TB
Data reliability (UBER)	< 1 in 10 ¹⁷ bits read	< 1 in 10 ¹⁷ bits read	< 1 in 10 ¹⁷ bits read	< 1 in 10 ¹⁷ bits read	< 1 in 10 ¹⁷ bits read	< 1 in 10 ¹⁷ bits read
MTBF	2,000,000 hours	2,000,000 hours	2,000,000 hours	2,000,000 hours	2,000,000 hours	2,000,000 hours
IOPS reads (4 KB blocks)	39,500	71,000	81,000	82,000	83,000	77,000
IOPS writes (4 KB blocks)	10,000	15,000	28,000	28,000	27,000	9,500
Sequential read rate (128 KB blocks)	420 MBps	480 MBps	480 MBps	480 MBps	480 MBps	480 MBps
Sequential write rate (128 KB blocks)	210 MBps	320 MBps	460 MBps	460 MBps	460 MBps	460 MBps
Shock, non-operating	1,500 G (Max) at 0.5 ms	1,500 G (Max) at 0.5 ms	1,500 G (Max) at 0.5 ms	1,500 G (Max) at 0.5 ms	1,500 G (Max) at 0.5 ms	1,500 G (Max) at 0.5 ms
Vibration, non-operating	20 G (20-2000 Hz)	20 G (20-2000 Hz)	20 G (20-2000 Hz)	20 G (20-2000 Hz)	20 G (20-2000 Hz)	20 G (20-2000 Hz)

Server support

The following tables list the ThinkSystem servers that are compatible.

Table 3. Server support (Part 1 of 4)

Part Number	Description	AMD V3				2S Intel V3/V4				4S 8S Intel V3			Multi Node V3/V4		1S V3						
		SR635 V3 (7D9H / 7D9G)	SR655 V3 (7D9F / 7D9E)	SR645 V3 (7D9D / 7D9C)	SR665 V3 (7D9B / 7D9A)	ST650 V3 (7D7B / 7D7A)	SR630 V3 (7D72 / 7D73)	SR650 V3 (7D75 / 7D76)	SR630 V4 (7DG8 / 7DG9)	SR650 V4 (7DGC / 7DGD)	SR650a V4 (7DGC / 7DGD)	SR850 V3 (7D97 / 7D96)	SR860 V3 (7D94 / 7D93)	SR950 V3 (7DC5 / 7DC4)	SD535 V3 (7DD8 / 7DD1)	SD530 V3 (7DDA / 7DD3)	SD550 V3 (7DD9 / 7DD2)	ST45 V3 (7DH4 / 7DH5)	ST50 V3 (7DF4 / 7DF3)	ST250 V3 (7DCF / 7DCE)	SR250 V3 (7DCM / 7DCL)
2.5-inch hot-swap drives																					
4XB7A90872	ThinkSystem 2.5" VA 240GB Read Intensive SATA 6Gb HS SSD v2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	N	Y	N	N	Y	Y	
4XB7A90873	ThinkSystem 2.5" VA 480GB Read Intensive SATA 6Gb HS SSD v2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	N	Y	N	N	Y	Y	
4XB7A90874	ThinkSystem 2.5" VA 960GB Read Intensive SATA 6Gb HS SSD v2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	N	Y	N	N	Y	Y	
4XB7A90875	ThinkSystem 2.5" VA 1.92TB Read Intensive SATA 6Gb HS SSD v2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	N	Y	N	N	Y	Y	
4XB7A90876	ThinkSystem 2.5" VA 3.84TB Read Intensive SATA 6Gb HS SSD v2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	N	Y	N	N	Y	Y	
4XB7A90877	ThinkSystem 2.5" VA 7.68TB Read Intensive SATA 6Gb HS SSD v2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	N	Y	N	N	N	N	
3.5-inch hot-swap drives																					
4XB7A90878	ThinkSystem 3.5" VA 240GB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	Y	N	Y	N	N	N	N	N	N	N	N	Y	Y	
4XB7A90879	ThinkSystem 3.5" VA 480GB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	N	Y	N	N	N	N	N	N	N	N	N	Y	Y	
4XB7A90880	ThinkSystem 3.5" VA 960GB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	N	Y	N	N	N	N	N	N	N	N	N	Y	Y	
4XB7A90881	ThinkSystem 3.5" VA 1.92TB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	N	Y	N	N	N	N	N	N	N	N	N	Y	Y	

Part Number	Description	AMD V3				2S Intel V3/V4				4S 8S Intel V3			Multi Node V3/V4		1S V3						
		SR635 V3 (7D9H / 7D9G)	SR655 V3 (7D9F / 7D9E)	SR645 V3 (7D9D / 7D9C)	SR665 V3 (7D9B / 7D9A)	ST650 V3 (7D7B / 7D7A)	SR630 V3 (7D72 / 7D73)	SR650 V3 (7D75 / 7D76)	SR630 V4 (7DG8 / 7DG9)	SR650 V4 (7DGC / 7DGD)	SR650a V4 (7DGC / 7DGD)	SR850 V3 (7D97 / 7D96)	SR860 V3 (7D94 / 7D93)	SR950 V3 (7DC5 / 7DC4)	SD535 V3 (7DD8 / 7DD1)	SD530 V3 (7DDA / 7DD3)	SD550 V3 (7DD9 / 7DD2)	ST45 V3 (7DH4 / 7DH5)	ST50 V3 (7DF4 / 7DF3)	ST250 V3 (7DCF / 7DCE)	SR250 V3 (7DCM / 7DCL)
		4XB7A90882	ThinkSystem 3.5" VA 3.84TB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	N	Y	N	N	N	N	N	N	N	N	N	Y
4XB7A90883	ThinkSystem 3.5" VA 7.68TB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	N	Y	N	N	N	N	N	N	N	N	N	N	N	N
2.5-inch non-hot-swap drives																					
4XB7B04138	ThinkSystem ST50/ST45 Series 2.5" VA 480GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N
4XB7B04139	ThinkSystem ST50/ST45 Series 2.5" VA 960GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N
4XB7B04140	ThinkSystem ST50/ST45 Series 2.5" VA 1.92TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N
4XB7B04141	ThinkSystem ST50/ST45 Series 2.5" VA 3.84TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N
3.5-inch non-hot-swap drives																					
4XB7B04142	ThinkSystem ST50/ST45 Series 3.5" VA 480GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N
4XB7B04143	ThinkSystem ST50/ST45 Series 3.5" VA 960GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N
4XB7B04144	ThinkSystem ST50/ST45 Series 3.5" VA 1.92TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N
4XB7B04145	ThinkSystem ST50/ST45 Series 3.5" VA 3.84TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N

Table 4. Server support (Part 2 of 4)

Part Number	Description	GPU Rich					Edge					Super Computing							
		SR670 V2 (7Z22 / 7Z23)	SR675 V3 (7D9Q / 7D9R)	SR680a V3 (7DHE)	SR685a V3 (7DHC)	SR780a V3 (7DJ5)	SE100 (7DGR)	SE350 (7Z46 / 7D1X)	SE350 V2 (7DA9)	SE360 V2 (7DAM)	SE450 (7D8T)	SE455 V3 (7DBY)	SC750 V4 (7DDJ)	SC777 V4 (7DKA)	SD665 V3 (7D9P)	SD665-N V3 (7DAZ)	SD650 V3 (7D7M)	SD650-I V3 (7D7L)	SD650-N V3 (7D7N)
2.5-inch hot-swap drives																			
4XB7A90872	ThinkSystem 2.5" VA 240GB Read Intensive SATA 6Gb HS SSD v2	Y	Y	N	N	N	N	N	N	N	Y	Y	N	N	N	N	N	N	N
4XB7A90873	ThinkSystem 2.5" VA 480GB Read Intensive SATA 6Gb HS SSD v2	Y	Y	N	N	N	N	N	N	N	Y	Y	N	N	N	N	N	N	N
4XB7A90874	ThinkSystem 2.5" VA 960GB Read Intensive SATA 6Gb HS SSD v2	Y	Y	N	N	N	N	N	N	N	Y	Y	N	N	N	N	N	N	N
4XB7A90875	ThinkSystem 2.5" VA 1.92TB Read Intensive SATA 6Gb HS SSD v2	Y	Y	N	N	N	N	N	N	N	Y	Y	N	N	N	N	N	N	N
4XB7A90876	ThinkSystem 2.5" VA 3.84TB Read Intensive SATA 6Gb HS SSD v2	Y	Y	N	N	N	N	N	N	N	Y	Y	N	N	N	N	N	N	N
4XB7A90877	ThinkSystem 2.5" VA 7.68TB Read Intensive SATA 6Gb HS SSD v2	Y	Y	N	N	N	N	N	N	N	Y	Y	N	N	N	N	N	N	N
3.5-inch hot-swap drives																			
4XB7A90878	ThinkSystem 3.5" VA 240GB Read Intensive SATA 6Gb HS SSD v2	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90879	ThinkSystem 3.5" VA 480GB Read Intensive SATA 6Gb HS SSD v2	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90880	ThinkSystem 3.5" VA 960GB Read Intensive SATA 6Gb HS SSD v2	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90881	ThinkSystem 3.5" VA 1.92TB Read Intensive SATA 6Gb HS SSD v2	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90882	ThinkSystem 3.5" VA 3.84TB Read Intensive SATA 6Gb HS SSD v2	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90883	ThinkSystem 3.5" VA 7.68TB Read Intensive SATA 6Gb HS SSD v2	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
2.5-inch non-hot-swap drives																			
4XB7B04138	ThinkSystem ST50/ST45 Series 2.5" VA 480GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04139	ThinkSystem ST50/ST45 Series 2.5" VA 960GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04140	ThinkSystem ST50/ST45 Series 2.5" VA 1.92TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N

Part Number	Description	GPU Rich					Edge					Super Computing							
		SR670 V2 (7Z22 / 7Z23)	SR675 V3 (7D9Q / 7D9R)	SR680a V3 (7DHE)	SR685a V3 (7DHC)	SR780a V3 (7DJ5)	SE100 (7DGR)	SE350 (7Z46 / 7D1X)	SE350 V2 (7DA9)	SE360 V2 (7DAM)	SE450 (7D8T)	SE455 V3 (7DBY)	SC750 V4 (7DDJ)	SC777 V4 (7DKA)	SD665 V3 (7D9P)	SD665-N V3 (7DAZ)	SD650 V3 (7D7M)	SD650-I V3 (7D7L)	SD650-N V3 (7D7N)
4XB7B04141	ThinkSystem ST50/ST45 Series 2.5" VA 3.84TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
3.5-inch non-hot-swap drives																			
4XB7B04142	ThinkSystem ST50/ST45 Series 3.5" VA 480GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04143	ThinkSystem ST50/ST45 Series 3.5" VA 960GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04144	ThinkSystem ST50/ST45 Series 3.5" VA 1.92TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04145	ThinkSystem ST50/ST45 Series 3.5" VA 3.84TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N

Table 5. Server support (Part 3 of 4)

Part Number	Description	1S Intel V2		2S Intel V2		AMD V1				Dense V2			4S V2	8S				
		ST50 V2 (7D8K / 7D8J)	ST250 V2 (7D8G / 7D8F)	SR250 V2 (7D7R / 7D7Q)	ST650 V2 (7Z75 / 7Z74)	SR630 V2 (7Z70 / 7Z71)	SR650 V2 (7Z72 / 7Z73)	SR635 (7Y98 / 7Y99)	SR655 (7Y00 / 7Z01)	SR655 Client OS	SR645 (7D2Y / 7D2X)	SR665 (7D2W / 7D2V)	SD630 V2 (7D1K)	SD650 V2 (7D1M)	SD650-N V2 (7D1N)	SN550 V2 (7Z69)	SR850 V2 (7D31 / 7D32)	SR860 V2 (7Z59 / 7Z60)
2.5-inch hot-swap drives																		
4XB7A90872	ThinkSystem 2.5" VA 240GB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	Y	Y	N
4XB7A90873	ThinkSystem 2.5" VA 480GB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	Y	Y	N
4XB7A90874	ThinkSystem 2.5" VA 960GB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	Y	Y	N
4XB7A90875	ThinkSystem 2.5" VA 1.92TB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	Y	Y	N

Part Number	Description	1S Intel V2			2S Intel V2			AMD V1				Dense V2				4S V2	8S	
		ST50 V2 (7D8K / 7D8J)	ST250 V2 (7D8G / 7D8F)	SR250 V2 (7D7R / 7D7Q)	ST650 V2 (7Z75 / 7Z74)	SR630 V2 (7Z70 / 7Z71)	SR650 V2 (7Z72 / 7Z73)	SR635 (7Y98 / 7Y99)	SR655 (7Y00 / 7Z01)	SR655 Client OS	SR645 (7D2Y / 7D2X)	SR665 (7D2W / 7D2V)	SD630 V2 (7D1K)	SD650 V2 (7D1M)	SD650-N V2 (7D1N)	SN550 V2 (7Z69)	SR850 V2 (7D31 / 7D32)	SR860 V2 (7Z59 / 7Z60)
4XB7A90876	ThinkSystem 2.5" VA 3.84TB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	Y	Y	N
4XB7A90877	ThinkSystem 2.5" VA 7.68TB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	Y	Y	N
3.5-inch hot-swap drives																		
4XB7A90878	ThinkSystem 3.5" VA 240GB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	N	N	N
4XB7A90879	ThinkSystem 3.5" VA 480GB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	N	N	N
4XB7A90880	ThinkSystem 3.5" VA 960GB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	N	N	N
4XB7A90881	ThinkSystem 3.5" VA 1.92TB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	N	N	N
4XB7A90882	ThinkSystem 3.5" VA 3.84TB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	N	N	N
4XB7A90883	ThinkSystem 3.5" VA 7.68TB Read Intensive SATA 6Gb HS SSD v2	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	N	N	N
2.5-inch non-hot-swap drives																		
4XB7B04138	ThinkSystem ST50/ST45 Series 2.5" VA 480GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04139	ThinkSystem ST50/ST45 Series 2.5" VA 960GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04140	ThinkSystem ST50/ST45 Series 2.5" VA 1.92TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04141	ThinkSystem ST50/ST45 Series 2.5" VA 3.84TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
3.5-inch non-hot-swap drives																		
4XB7B04142	ThinkSystem ST50/ST45 Series 3.5" VA 480GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04143	ThinkSystem ST50/ST45 Series 3.5" VA 960GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N

Part Number	Description	1S Intel V2			2S Intel V2			AMD V1				Dense V2			4S V2	8S			
		ST50 V2 (7D8K / 7D8J)	ST250 V2 (7D8G / 7D8F)	SR250 V2 (7D7R / 7D7Q)	ST650 V2 (7Z75 / 7Z74)	SR630 V2 (7Z70 / 7Z71)	SR650 V2 (7Z72 / 7Z73)	SR635 (7Y98 / 7Y99)	SR655 (7Y00 / 7Z01)	SR655 Client OS	SR645 (7D2Y / 7D2X)	SR665 (7D2W / 7D2V)	SD630 V2 (7D1K)	SD650 V2 (7D1M)	SD650-N V2 (7D1N)	SN550 V2 (7Z69)	SR850 V2 (7D31 / 7D32)	SR860 V2 (7Z59 / 7Z60)	SR950 (7X11 / 7X12)
4XB7B04144	ThinkSystem ST50/ST45 Series 3.5" VA 1.92TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04145	ThinkSystem ST50/ST45 Series 3.5" VA 3.84TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N

Table 6. Server support (Part 4 of 4)

Part Number	Description	4S V1			1S Intel V1			2S Intel V1						Dense V1					
		SR850 (7X18 / 7X19)	SR850P (7D2F / 2D2G)	SR860 (7X69 / 7X70)	ST50 (7Y48 / 7Y50)	ST250 (7Y45 / 7Y46)	SR150 (7Y54)	SR250 (7Y52 / 7Y51)	ST550 (7X09 / 7X10)	SR530 (7X07 / 7X08)	SR550 (7X03 / 7X04)	SR570 (7Y02 / 7Y03)	SR590 (7X98 / 7X99)	SR630 (7X01 / 7X02)	SR650 (7X05 / 7X06)	SR670 (7Y36 / 7Y37)	SD530 (7X21)	SD650 (7X58)	SN550 (7X16)
2.5-inch hot-swap drives																			
4XB7A90872	ThinkSystem 2.5" VA 240GB Read Intensive SATA 6Gb HS SSD v2	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90873	ThinkSystem 2.5" VA 480GB Read Intensive SATA 6Gb HS SSD v2	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90874	ThinkSystem 2.5" VA 960GB Read Intensive SATA 6Gb HS SSD v2	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90875	ThinkSystem 2.5" VA 1.92TB Read Intensive SATA 6Gb HS SSD v2	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90876	ThinkSystem 2.5" VA 3.84TB Read Intensive SATA 6Gb HS SSD v2	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90877	ThinkSystem 2.5" VA 7.68TB Read Intensive SATA 6Gb HS SSD v2	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
3.5-inch hot-swap drives																			
4XB7A90878	ThinkSystem 3.5" VA 240GB Read Intensive SATA 6Gb HS SSD v2	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90879	ThinkSystem 3.5" VA 480GB Read Intensive SATA 6Gb HS SSD v2	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N

Part Number	Description	4S V1		1S Intel V1				2S Intel V1						Dense V1						
		SR850 (7X18 / 7X19)	SR850P (7D2F / 2D2G)	SR860 (7X69 / 7X70)	ST50 (7Y48 / 7Y50)	ST250 (7Y45 / 7Y46)	SR150 (7Y54)	SR250 (7Y52 / 7Y51)	ST550 (7X09 / 7X10)	SR530 (7X07 / 7X08)	SR550 (7X03 / 7X04)	SR570 (7Y02 / 7Y03)	SR590 (7X98 / 7X99)	SR630 (7X01 / 7X02)	SR650 (7X05 / 7X06)	SR670 (7Y36 / 7Y37)	SD530 (7X21)	SD650 (7X58)	SN550 (7X16)	SN850 (7X15)
4XB7A90880	ThinkSystem 3.5" VA 960GB Read Intensive SATA 6Gb HS SSD v2	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90881	ThinkSystem 3.5" VA 1.92TB Read Intensive SATA 6Gb HS SSD v2	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90882	ThinkSystem 3.5" VA 3.84TB Read Intensive SATA 6Gb HS SSD v2	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7A90883	ThinkSystem 3.5" VA 7.68TB Read Intensive SATA 6Gb HS SSD v2	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
2.5-inch non-hot-swap drives																				
4XB7B04138	ThinkSystem ST50/ST45 Series 2.5" VA 480GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04139	ThinkSystem ST50/ST45 Series 2.5" VA 960GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04140	ThinkSystem ST50/ST45 Series 2.5" VA 1.92TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04141	ThinkSystem ST50/ST45 Series 2.5" VA 3.84TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
3.5-inch non-hot-swap drives																				
4XB7B04142	ThinkSystem ST50/ST45 Series 3.5" VA 480GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04143	ThinkSystem ST50/ST45 Series 3.5" VA 960GB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04144	ThinkSystem ST50/ST45 Series 3.5" VA 1.92TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
4XB7B04145	ThinkSystem ST50/ST45 Series 3.5" VA 3.84TB Read Intensive SATA 6Gb NHS SSD	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N

Operating system support

SAS and SATA SSDs operate transparently to users, storage systems, applications, databases, and operating systems.

Operating system support is based on the controller used to connect to the drives. Consult the controller product guide for more information:

- RAID controllers: <https://lenovopress.com/servers/options/raid>
- SAS HBAs: <https://lenovopress.com/servers/options/hba>

Warranty

The ThinkSystem Vendor Agnostic Read Intensive SATA SSDs carry a one-year, customer-replaceable unit (CRU) limited warranty. When the SSDs are installed in a supported server, these drives assume the system's base warranty and any warranty upgrades.

Solid State Memory cells have an intrinsic, finite number of program/erase cycles that each cell can incur. As a result, each solid state device has a maximum amount of program/erase cycles to which it can be subjected. The warranty for Lenovo solid state drives (SSDs) is limited to drives that have not reached the maximum guaranteed number of program/erase cycles, as documented in the Official Published Specifications for the SSD product. A drive that reaches this limit may fail to operate according to its Specifications.

Physical specifications

The Vendor Agnostic SSDs have the following dimensions (without the hot-swap tray):

- Height: 7 mm (0.3 in.)
- Width: 70 mm (2.8 in.)
- Depth: 100 mm (4.0 in.)

Operating environment

The Vendor Agnostic SSDs are supported in the following environment:

- Temperature:
 - Operating: 0 to 70 °C (32 to 158 °F)
 - Non-operating: -40 °C to 85 °C (-40 to 185 °F)
- Relative humidity: 5 to 95% (noncondensing)
- Maximum altitude: 3,050 m (10,000 ft)

Agency approvals

The Vendor Agnostic SSDs conform to the following regulations:

- UL
- TUV
- FCC
- CE Mark
- C-Tick Mark
- BSMI (Taiwan)
- KCC (Korea EMI)

Related publications and links

For more information, see the following documents:

- Lenovo ThinkSystem SSD Portfolio comparison:
<https://lenovopress.com/lp1261-lenovo-thinksystem-ssd-portfolio>
- Lenovo RAID Introduction
<https://lenovopress.com/lp0578-lenovo-raid-introduction>

Related product families

Product families related to this document are the following:

- [Drives](#)

Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service. Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc.
8001 Development Drive
Morrisville, NC 27560
U.S.A.
Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk. Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2025. All rights reserved.

This document, LP2191, was created or updated on April 9, 2025.

Send us your comments in one of the following ways:

- Use the online Contact us review form found at:
<https://lenovopress.lenovo.com/LP2191>
- Send your comments in an e-mail to:
comments@lenovopress.com

This document is available online at <https://lenovopress.lenovo.com/LP2191>.

Trademarks

Lenovo and the Lenovo logo are trademarks or registered trademarks of Lenovo in the United States, other countries, or both. A current list of Lenovo trademarks is available on the Web at <https://www.lenovo.com/us/en/legal/copytrade/>.

The following terms are trademarks of Lenovo in the United States, other countries, or both:

Lenovo®

ThinkSystem®

The following terms are trademarks of other companies:

AMD is a trademark of Advanced Micro Devices, Inc.

Intel® is a trademark of Intel Corporation or its subsidiaries.

Other company, product, or service names may be trademarks or service marks of others.