



MCIO 8X Dust cover

ELECTRICAL CHARACTER:

- a. 100% OPEN&SHORT TESTING;
- b. WITHSTANDING VOLTAGE:DC 300V 0.01Sec;
- c. INSULATION RESISTANCE:10M Ohm(Min);
- d. CONDUCTIVE RESISTANCE:2 Ohm(Max).
- e.Impedance: 85 Ohm
- f.Electrical and mechanical performance should meet the PCIE5.0 industrial standard.

7	LATCH	AQ-3-MS21008	STAINLESS STEEL	2	pcs
6	EXPANDO	AQ-3-MS76001	PET BALCK \varnothing : 10mm	A/R	mm
5	ACETATE TAPE	AQ-3-MS77001	W=25±5mm,BLACK	A/R	mm
4	MOLDING	AQ-3-GL10501	PA,BALCK	A/R	9
3	HUDSING	AQ-3-MS64011	PA66+30%GF,BALCK	2	PCS
2	PCBA	AQ-3-MS31027	MCIO 8I PCB, PIN:30u Au, 85±10 ohm	2	PCS
1	CABEL	AQ-3-MS40208	E517287 <30AWG*2C+2D>AL+MYLAR, \varnothing :1.0*1.85MM,85±5 ohm	A/R	mm
NO.	PART NAME	PART NO.	SPEC DESCRIPTION	QT'Y	UNIT

