

Real power. Unreal performance.



FIRECUDA™

FireCuda X1070

Real power. Unreal performance.

Lightning-fast and optimized for handheld gaming and PCs, FireCuda X1070 SSD serves up PCIe Gen4 speeds for seamless booting, loading and multitasking. With generous space for all your games and streams, it offers high-capacity storage without a premium price tag. Ruggedly durable, it's built for sustained throughput and thermal balance, ensuring smooth gameplay for extended gaming sessions.



Key Features

Ferocious speeds

Built on PCIe Gen4, FireCuda X1070 delivers blazing-fast speeds for booting, loading, and multitasking.

Game wherever

Designed for Xbox on PC and handhelds, FireCuda X1070 is agile enough for handheld gaming and powerful enough for full desktop builds.

Plug and play

Seamless integration with all PCIe Gen4 motherboards. Just install and go — no extra setup required.

Real power. Unreal performance.



FIRECUDA X1070

Store everything

High-capacity storage for your entire game library and content creation files.

Stays cool

Custom-engineered for sustained throughput and thermal balance, ensuring smooth gameplay even during extended sessions.

Smart monitoring

Includes Seagate's SeaTools SSD software for quick drive health checks, performance tuning, and firmware updates.



RETAIL PACKAGING		BOX DIMENSIONS	MASTER CARTON DIMENSIONS	PALLET DIMENSIONS
Length (in/mm)		0.945in/24mm	11.496in/292mm	47.992in/1219mm
Width (in/mm)		4.291in/109mm	6.024in/153mm	40in/1016mm
Depth (in/mm)		6.102in/155mm	5.512in/140mm	44.488in/1130mm
Weight (lb/kg)		0.132lb/0.06kg	1.852lb/0.84kg	385.809lb/175kg
QUANTITIES				
Boxes per Master Carton		10		
Master Cartons per Pallet		168		
Pallet Layers		7		

SYSTEM REQUIREMENTS	WHAT'S INCLUDED
• M.2 (M key) slot, PCIe® G4 x4 interface (backwards compatible with PCIe G3 interface) • Windows® 11 • Linux • ROG Xbox Ally, ROG Xbox Ally X	• Seagate® FireCuda® X1070 SSD • 1-month Xbox Ultimate Game Pass trial¹ • 2-month Adobe Creative Cloud Pro trial² • 3-year Rescue Data Recovery Services³

REGION	ORDERING MODEL NUMBER	CAPACITY	LIMITED WARRANTY (YEARS)	UPC CODE	EAN CODE	MULTI-PACK UPC
WW	ZP1000GS3A001	1000GB	5	763649187470	8719706441155	10763649187477
WW	ZP2000GS3A001	2000GB	5	763649187487	8719706441162	10763649187484
WW	ZP4000GS3A001	4000GB	5	763649187494	8719706441179	10763649187491

1 Xbox Game Pass offer only valid for new customers and does not stack
2 Terms and conditions apply. Please visit <https://www.seagate.com/products/adobe-creative-cloud-offer/>
3 Rescue Data Recovery Services not available in all countries

Real power. Unreal performance.

FIRECUDA X1070

SPECIFICATIONS	4TB	2TB	1TB
Standard Model	ZP4000GS30001	ZP2000GS30001	ZP1000GS30001
Interface	PCIe Gen4 ×4 NVMe 1.4	PCIe Gen4 ×4 NVMe 1.4	PCIe Gen4 ×4 NVMe 1.4
Form Factor	M.2 2280	M.2 2280	M.2 2280
PERFORMANCE			
Sequential Read (Max, MB/s) ¹	7200	7200	7200
Sequential Write (Max, MB/s) ¹	6500	6500	6000
Random Read (Max, IOPS) ¹	900,000	900,000	850,000
Random Write (Max, IOPS) ¹	900,000	1,000,000	900,000
ENDURANCE/RELIABILITY			
Total Bytes Written (TB)	2400	1200	600
Mean Time Between Failures (MTBF, hours)	1,800,000	1,800,000	1,800,000
Rescue Data Recovery Services (years) ²	3	3	3
Warranty, Limited (years)	5	5	5
POWER MANAGEMENT			
Active Power, Average (W)	5.7	4.7	4.6
Idle Power PS3, Average (mW)	20	20	20
Low Power L1.2 mode (mW)	2.5	2.5	2.5
ENVIRONMENTAL			
Temperature, Operating Internal (°C)	0 to 70	0 to 70	0 to 70
Temperature, Nonoperating (°C)	-40 to 85	-40 to 85	-40 to 85
Shock, Nonoperating: 0.5ms (Gs)	1500	1500	1500
SPECIAL FEATURES			
TRIM	Yes	Yes	Yes
S.M.A.R.T.	Yes	Yes	Yes
RoHS Compliance	Yes	Yes	Yes
PHYSICAL			
Length (mm/in, max)	80.15mm/3.155in	80.15mm/3.155in	80.15mm/3.155in
Width (mm/in, max)	22.15mm/0.872in	22.15mm/0.872in	22.15mm/0.872in
Height (mm/in, max)	2.25mm/0.088in	2.25mm/0.088in	2.20mm/0.086in
Weight (g/lb)	7.1g/0.015lb	6.0g/0.013lb	6.0g/0.013lb

1 Fresh out of box (FOB) performance obtained on newly formatted drive. Performance may vary based on SSD's firmware version, system hardware, and configuration. Performance based on CrystalDiskMark v.8.0.4 on Windows 11 (64 bit) host with PCIe Gen4 motherboard.

2 Rescue Data Recovery Services not available in all countries.

SEAGATE.COM

© 2026 Seagate Technology LLC. All rights reserved. Seagate, Seagate Technology, and the Spiral logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. FireCuda, the FireCuda logo, the Rescue logo, and SeaTools are either trademarks or registered trademarks of Seagate Technology LLC or one of its affiliated companies in the United States and/or other countries. Microsoft, Xbox, Xbox "Sphere" Design, Xbox Series X|S, Windows 11, and Xbox Game Pass are trademarks of the Microsoft group of companies. Adobe, Creative Cloud, and Adobe Premiere are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. The PCIe word mark and/or PCIExpress design mark are registered trademarks and/or service marks of PCI-SIG. The NVMe mark is a trademark or registered trademark of NVM Express, Inc. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Quantitative usage examples for various applications are for illustrative purposes. Actual quantities will vary based on various factors, including file size, file format, features, and application software. Actual data rates may vary depending on operating environment and other factors, such as chosen interface and drive capacity. Seagate reserves the right to change, without notice, product offerings or specifications. DS31.1-2603US