

2D Wireless Barcode Scanner

USER MANUAL



SC440




WIRELESS 2D BARCODE SCANNER


—— make scanning easy



Parts Instruction




Receiver Pairing








Scan the "Receiver Pairing Code" on the base
Factory Default: barcode scanner paired with base

Indicator Description



Indicator Description

| Indicator Type | Details Description |
|--|---|
| Battery  | Four bars , charging flash |
| Wireless status  | Bluetooth/2.4G connection |
| Pairing  | Bluetooth/2.4G quick flash |
| Scanner ring light  | One flash for one successful scanning |
| Base ring light  | One flash for one successful data transferring Slow flash for pairing mode |

Product Introduction

This is the simple user's manual, for detailed manual, please download from our website or contact the supplier. (With * is the Default Setting)



Factory Default

If scanner cannot be used normally due to an error setting, try to scan the "Factory Default" code above.

Buzzer Description

| Voice Type | Details Description |
|------------------------------|--------------------------------|
| One medium long high voice | Successful scanning or pairing |
| Three continuous short voice | Alarm prompt |

Wireless Transmission Mode



*2.4G



Bluetooth



Bluetooth BLE



Bluetooth SPP

Data Transfer Mode



* Immediate mode



Inventory mode



Clear all data



Upload data



Upload all data

Interface Type



* USB-HID



USB Virtual Com Port
(Driver is needed for USB Virtual Com Port)

Sleep Time



Sleep Immediately



* 1 min



5 min



30 min

Language



*USA



France



Germany



Turkey Q



Poland

Language



Brazil



Italy



Spain



Universal language

*For more languages setting, please refer to the full manual.

Terminator



NONE



*CR



LF



TAB



CR/LF

Receiver Pairing



2.4G Receiver Pairing

Scanning the "Receiver Pairing" code, scanner will enter the automatic pairing mode for 1 minute, then re-insert the receiver to the host. There will be a sound heard when pairing successfully.



Bluetooth HID Pairing

Scan the "Bluetooth HID Pairing" barcode, the scanner is ready to be connected by other bluetooth devices.



Scanner Version Information