

HP Color LaserJet Enterprise M751dn (T3U44A)



Overview

Count on productivity, premium quality, maximum uptime, and the strongest security[1]

HP LaserJet printers power office productivity with a smart, streamlined design that's reliable and hassle-free. Count on premium quality, maximum uptime, and the strongest security[1]—all intended to drive successful organizations forward.

Professional color printing

Print premium, professional-quality documents with vivid color images and graphics.

The world's most secure printing[1]

Each printer in your fleet checks its operating code and repairs itself from attacks.

Minimal interruptions. Maximum productivity.

Change the toner and drum in seconds. Both are easily accessible and come already installed out of the box.

Features

Premium color using Enhanced print mode

Original HP toner and drums with JetIntelligence—
and HP ColorSphere 3

Wide range of paper-handling accessories

Fast first-page printing with first page out as fast as
5.7 seconds

Fast, easy supplies replacement

Minimal maintenance with long-life supplies

[1] Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://hp.com/go/PrintersThatProtect>. For more information: <http://hp.com/go/printersecurityclaims>

Specifications

Print Resolution Technologies	HP ImageREt 4800, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)
Print quality black (best)	Up to 1200 x 1200 dpi
Print quality color (best)	Up to 1200 x 1200 dpi
Print speed black (ISO, A4)	Up to 41 ppm
Print speed black (ISO, letter)	Up to 40 ppm
Print Speed Color (ISO)	Up to 41 ppm
Print speed color (ISO)	Up to 40 ppm
Print speed	Print speed up to 40 ppm (black) and 40 ppm (color)
Bottom margin (A4)	5 mm
Left margin (A4)	5 mm
Right margin (A4)	5 mm
Top margin (A4)	5 mm
Functions	Print
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 150,000 pages
Duty cycle (monthly, letter)	Up to 150,000 pages ^[9]
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Replacement cartridges	HP 658A Black LaserJet Toner Cartridge (~7,000 pages); HP 658A Cyan LaserJet Toner Cartridge (~6,000 pages); HP 658A Magenta LaserJet Toner Cartridge (~6,000 pages); HP 658A Yellow LaserJet Toner Cartridge (~6,000 pages); HP 658X Black LaserJet Toner Cartridge (~33,000 pages); HP 658X Cyan LaserJet Toner Cartridge (~28,000 pages); HP 658X Magenta LaserJet Toner Cartridge (~28,000 pages); HP 658X Yellow LaserJet Toner Cartridge (~28,000 pages); HP 660A Original LaserJet Imaging Drum (~65,000 pages, universal for all 4 colors) ^[6]
Supplies feature	HP JetIntelligence Cartridge
Connectivity, standard	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2)
Connectivity, optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, (Dual band Wireless Station and Wi-Fi Direct functionality); HP Jetdirect 2900nw Print Server J8031A (Dual band Wireless Station)
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)

Wireless capability	Optional, enabled with purchase of a wireless hardware accessory: HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, (Dual band Wireless Station and Wi-Fi Direct functionality); HP Jetdirect 2900nw Print Server J8031A (Dual band Wireless Station)
Mobile printing capability	HP ePrint; Apple AirPrint™; Google Cloud Print™; Mopria™ Certified
Network protocols, supported	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print
Software included	No software solutions are included in the Box, only on http://hp.com , http://123.hp.com ;
Compatible Operating Systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave ^[11]
Technical features	HP Auto-On/Auto-Off
Sustainable impact specifications	Mercury free
Energy star certified	Yes
Ecolabels	CECP; Blue Angel; EPEAT® Silver registered; ENERGY STAR® certified ^[12]
Blue Angel compliant	Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Display area (imperial)	2.7 in
Display area (metric)	6.86 cm
Display	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad
Minimum dimensions (W x D x H)	556 x 589 x 399 mm <i>(Without paper trays extended)</i>
Minimum dimensions (W x D x H)	21.9 x 23.2 x 15.7 in <i>(Without paper trays extended)</i>
Weight	45.1 kg ^[3] <i>(With print cartridges)</i>
Weight	99.4 lb <i>(With print cartridges)</i>
Power consumption	870 watts (max. printing), 850 watts (typical printing) 48 watts (Ready), 0.6 watts (Sleep), 0.6 watts (HP Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Off) ^[4]
Power supply type	Built-in 115V or 220V Power Supply
What's in the box	HP Color LaserJet Enterprise M751dn printer; Four preinstalled HP LaserJet toner cartridges; Four preinstalled HP Original LaserJet Imaging Drums (~65,000 pages each color); Guide (Getting started Guide); Power cord ^[1,6] ^[1,6]
Manufacturer Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (Warranty Code 4G; Warranty ID A001)

Additional specifications

Accessories	HP LaserJet 550-sheet Paper Tray T3V27A, HP LaserJet Stand T3V28A, HP LaserJet 2x550-sheet Paper Tray and Stand T3V29A, HP LaserJet 2700-sheet HCI Paper Tray and Stand T3V30A, HP High-Performance Secure Hard Disk (FIPS Drive) B5L29A, HP Internal USB Ports B5L28A, HP Foreign Interface Harness B5L31A, HP 1GB DDR3x32 144-Pin 800MHz SODIMM E5K48A Accy, HP 2 GB DDR3x32 144-Pin 800MHz SODIMM Accy E5K49A, HP SmartCard NIPRNet Solution for US Government CC543B, HP SmartCard SIPRNet Solution for US Government F8B30A, HP Jetdirect 2900nw Print Server J8031A, HP Jetdirect 3100w BLE/NFC/Wireless Accy 3JN69A, HP USB Universal Card Reader X3D03A, HP HIP2 Keystroke Reader Y7C05A, HP Legic Reader 4QL32A, HP FIPS-140-2 Secure Hard Disk Drive 5EL03A, TAA compliant DIMM 2NR09A, HP Accessibility Assistant 2MU47A
Acoustic power emissions (active, printing)	6.6 B(A)
Acoustic power emissions (ready)	4.5 B(A)
Acoustic pressure emissions bystander (active, printing)	51 dB(A)
Acoustic pressure emissions bystander (ready)	30 dB(A)
Automatic paper sensor	Yes
Business filter	cMPS
Cable included	No, please purchase USB cable separately
Cartons per layer	1
Color or black	Color
Compatible Network Operating Systems	Windows 11; Windows Server; Linux; Citrix; UNIX; Novell
Component type	Printer
Control panel	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad
Count of layers in pallet	4
Country of origin	Made in Japan

Downloadable software

From <http://123.hp.com>, HP Easy Start (Guided Software Install for Windows and Mac); From <http://hp.com> for Windows OS, Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support; From <http://hp.com> for Mac OS, HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin; For Mobile OS, iOS For more information see <http://hp.com/go/businessmobileprinting>, Android For more information see <http://hp.com/go/businessmobileprinting>; From <http://hp.com> for printer administrators, Printer Administrator Resource Kit (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, HP ePrint Software (Mobile Driver for Windows), SAP Print Drivers for more information see <http://support.hp.com/us-en/document/c05051702>, HP Web JetAdmin, HP JetAdvantage Security Manager, HPLIP Linux Printer Driver for more information see <http://hplipopensource.com/hplip-web/index.html>, Unix Model Script Printer Driver for more information see <http://hp.com/go/unixmodelscripts>, ReadIris

Driver updates

Current HP printer drivers and software can be obtained from the HP Customer Care Web site: In the US, go to <http://www.hp.com/support/colorljM751>; Outside the US, go to <http://www.hp.com/support> 1 Select the country/region 2 Select Software and Drivers 3 Select Printer 4 Enter a product name/number 5 The operating system is automatically detected 6 Select a driver or other software 7 Then select DOWNLOAD

Duty cycle note

Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

Dynamic security

Dynamic security enabled printer

Electromagnetic compatibility

CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A/ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries.

Engine life

600000

Envelope Feeder

No

FCC Class A emissions

FCC Class A emissions - for use in commercial environments, not residential environments

Finished output handling

Sheetfed

First page out black (A4, ready)

As fast as 5.7 sec

First page out black (A4, sleep)

As fast as 11.5 sec

First page out black (letter, ready)

As fast as 5.7 sec

First page out black (letter, sleep)

As fast as 11.5 sec

First page out color (A4, ready)

As fast as 6.1 sec

First page out color (A4, sleep)

As fast as 11.5 sec

First page out color (letter, ready)

As fast as 6.1 sec

First page out color (letter, sleep)

As fast as 11.5 sec

Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts
Input capacity	Up to 650 sheets (80 g/m ² paper)
Internal Storage	Optional 500 GB HDD: HP Secure High Performance Hard Disk drive 500 GB B5L29A; HP FIPS-140-2 Secure Hard Disk Drive 5EL03A
Mac compatible	Yes
Maximum Memory	3.5 GB
Maximum dimensions (W x D x H)	41.4 x 39.1 x 17.4 in
Maximum dimensions (W x D x H)	1051 x 992 x 443 mm
Maximum input capacity (sheets)	Up to 4450 sheets (80 g/m ² paper)
Maximum metric depth	992
Maximum metric height	443
Maximum metric width	1051
Maximum output capacity (sheets)	Up to 250 sheets
Maximum print area	310 x 447 mm
Media size, tray 1	A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS), Dpostcard (JIS), Envelopes: B5, C5, C6, DL
Media size, tray 2	A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS)
Media size, tray 3	Optional 1x550 and 2x550 tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional 2700-sheet HCl paper tray and stand: A4

Media sizes supported	100-sheet multipurpose Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS), Dpostcard (JIS), Envelopes: B5, C5, C6, DL; 550-sheet input Tray 2: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional 1x550 and 2x550 tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional 2700-sheet HCI paper tray and stand: A4100-sheet multipurpose Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS), Dpostcard (JIS), Envelopes: B5, C5, C6, DL; 550-sheet input Tray 2: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional 1x550 and 2x550 tray and stand: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS); Oficio 216x340, 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional 2700-sheet HCI paper tray and stand: A4Standard Media Sizes Supported for all Tray(s) (metric)
Media sizes supported	100-sheet multipurpose Tray 1: Statement, 3 x 5 index card, 4 x 6 index card, 5 x 7 index card, 5 x 8 index card, Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; 550-sheet input Tray 2: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in; Optional 1x550 and 2x550 tray and stand: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in, 12 x 18; Optional 2700-sheet HCI paper tray and stand: Letter
Media sizes supported, key	10 x 15 cm; A4; A3; Envelopes
Media sizes supported, key	4 x 6 in; Letter; Legal; 11 x 17 in; Envelopes
Media sizes, custom	100 -sheet multipurpose Tray 1: 2.5 x 5 to 12.6 x 18 in; 550-sheet input Tray 2: 5.8 x 5.8 to 11.7 x 17 in; Optional 1x550 and 2x550 tray and stand: 5.8 x 5.8 to 12.6 x 18 in; Optional 2700-sheet HCI paper tray and stand: 11 x 8.27 to 11.7 x 8.5 in
Media sizes, custom	100-sheet multipurpose Tray 1: 64 x 127 to 320 x 457.2 mm; 550-sheet input Tray 2: 148 x 148 to 297 x 431.8 mm; Optional 1x550 and 2x550 tray and stand: 148 x 148 to 320 x 457.2 mm; Optional 2700-sheet HCI paper tray and stand: 279.4 x 210 mm to 297 x 215.9
Media type and capacity, tray 1	Sheets: 100 (80 g/m ²); Transparencies: 50; Envelopes: 10; Labels: 50
Media type and capacity, tray 2	Sheets: 550 (80 g/m ²); Transparencies: 200; Labels: 200
Media type and capacity, tray 3	Sheets: 550 (80 g/m ²); Transparencies: 200; Labels: 200
Media types	Paper (plain, heavy, extra heavy, glossy, light, recycle, tough), envelopes, labels, glossy film, cardstock, transparencies
Media weight (tray 1)	60 to 300 g/m ² plain papers, up to 220 g/m ² glossy/coated
Media weight (tray 2)	60 to 256 g/m ² plain papers, up to 220 g/m ² glossy/coated
Media weight (tray 3)	60 to 256 g/m ² plain papers, up to 220 g/m ² glossy/coated
Media weight, supported	100-sheet multipurpose Tray 1: 60 to 300 g/m ² , 550-sheet input Tray 2: 60 to 256 g/m ² , Optional 1x550 and 2x550 tray and stand: 60 to 256 g/m ² , Optional 2700-sheet HCI paper tray and stand: 60 to 256 g/m ²

Media weight, supported	100-sheet multipurpose Tray 1: 16 to 80 lb, 550-sheet input Tray 2: 16 to 68 lb, Optional 1x550 and 2x550 tray and stand: 16 to 68 lb, Optional 2700-sheet HCI paper tray and stand: 16 to 68 lb
Memory	1.5 GB
Memory Slots	1 slot, 144-pin DDR3 x32 SODIMM
Memory card compatibility	Not available
Memory upgrade	Expandable to 3.5 GB through 1 GB 144-pin DDR3 x32 SODIMM
Metric depth	589
Metric height	399
Metric width	556
Minimum System Requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com;
Minimum System Requirements for Macintosh	2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com;
Model number	M751dn
Number of print cartridges	4 toner cartridges (1 each for black, cyan, magenta, yellow)
Number of users	5-20 Users
Operating humidity range	10 to 80% RH
Operating temperature range	50 to 90.5°F
Operating temperature range	10 to 32.5°C
Orderable supplies	HP LaserJet Toner Collection Unit 3WT90A, HP LaserJet 110V Fuser Kit 3WT87A, HP LaserJet 220V Fuser Kit 3WT88A, HP LaserJet Image Transfer Belt Kit 3WT89A
Output capacity	Up to 250 sheets
Package dimensions (W x D x H)	30.95 x 28.98 x 21.98 in
Package dimensions (W x D x H)	786 x 736 x 558 mm
Package weight	52.9 kg
Package weight	116.6 lb
Pallet dimensions	31.1 x 29.92 x 92.9 in
Pallet dimensions (W x D x H)	790 x 760 x 2359 mm
Pallet weight	221.5 kg
Pallet weight	488.4 lb
Paper handling input, optional	Add up to two: 1x550-sheet paper tray; Add up to one: 2x550-sheet paper tray and stand, 2,700 (1,600+1,100) sheet high capacity input paper tray and stand, or Cabinet stand
Paper handling input, standard	100-sheet multipurpose tray, 550-sheet input tray
Paper handling output, standard	250-sheet output bin
Paper trays, maximum	6
Paper trays, standard	2

Plug and play	HP Smart Install
Power	Input voltage: 100 V to 127 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 12 A; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 6 A
Print Technology	Laser
Print colors	Yes
Print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Print quality black (normal)	Up to 600 x 600 dpi
Print resolution black (fine lines)	Up to 1200 x 1200 dpi
Print resolution color (fine lines)	Up to 1200 x 1200 dpi
Print resolution color (normal)	Up to 600 x 600 dpi
Print speed black (Landscape, A5)	Up to 35 ppm
Print speed black (normal, A3)	Up to 26 ppm
Print speed black (normal, tabloid)	Up to 26 ppm
Print speed color (Landscape, A5)	Up to 35 ppm
Print speed color (normal, A3)	Up to 26 ppm
Print speed color (normal, tabloid)	Up to 26 ppm
Print speed duplex (A3)	Up to 18 ipm
Print speed duplex (A3)	Up to 18 ipm
Print speed duplex (A4)	Up to 41 ipm
Print speed duplex (A4)	Up to 41 ipm
Print speed duplex (letter)	Up to 40 ipm
Print speed duplex (letter)	Up to 40 ipm
Print speed duplex (tabloid)	Up to 18 ipm
Print speed duplex (tabloid)	Up to 18 ipm
Print speed footnote (A5)	[15]
Print technology	Laser
Printer Management	HP Printer Assistant; HP Utility (Mac); HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Printer black pages (MPV black)	788
Printer color pages (MPV color)	1463
Processor speed	1.2 GHz
Product long name specifications	HP Color LaserJet Enterprise M751dn, Color Printer for Business, Print, JetIntelligence cartridge; Two-sided printing; Print from mobile device; Two-sided scanning

Product short name specifications	HP LaserJet Enterprise M751dn Color Printer, Ethernet Only; Duplex
Quantity per pallet	4
RMN number	BOISB-1813-00
Recommended media weight (duplex)	16 to 43 lb
Recommended media weight (duplex)	60 to 163 g/m ²
Recommended monthly page volume	Up to 40,000 ^[10]
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	15 to 27°C
Recommended operating temperature range	59 to 80.6°F
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
Standard input capacity (envelopes)	Up to 10
Standard media sizes (duplex)	A3; A4; A4-R; A5; 8K; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); B4 (JIS); B5 (JIS); Oficio; RA3; RA4; SRA3; SRA4
Standard media sizes (duplex, imperial)	Letter; Executive; Tabloid; Ledger; Oficio (8.5 x 13 in)
Standard output capacity (envelopes)	Up to 50 envelopes
Standard output capacity (transparencies)	Up to 150 sheets
Storage device and direct print support	USB printing; Right-side facing USB/Flash drive
Storage temperature range	-4 to 104°F
Storage temperature range	-20 to 40°C
Target user and print volume	For teams up to 20 users; Prints up to 40,000 pages/month
Tariff numbers	8443321000 (EU Base HTS); 8443321010 (AM Base HTS); 84433231 (AP Base HTS)

Top key features	Two-sided printing
Tray capacity	650
Typical electricity consumption (TEC) footnote	BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
Typical electricity consumption (TEC) number	1.93 kWh/Week (Blue Angel); 0.551 kWh/Week (Energy Star 3.0) ^[5]
UNSPSC code	43212105
UPC number	(201) 192018848061; (AB0) 192018847910; (AB2) 192018847927; (ABJ) 192018847934; (ABT) 192018847972; (ABY) 192018847989; (AC4) 192018848030; (AC8) 192018848047; (ACJ) 192018847941; (ACQ) 192018847996; (AKV) 192018848054; (B13) 192018848009; (B19) 192018848016; (BAZ) 192018848023; (BBU) 192018847958; (BGJ) 192018848085; (BGM) 192018847965
Warm-up time	131 sec
Web address for additional information	Solutions: http://www.hp.com/go/gsc ; Fonts and IPDS Emulation: http://www.hp.com/go/laserjetfonts ; HP Web Jetadmin: http://www.hp.com/go/wja ; HP Universal Print Driver: http://www.hp.com/go/upd ; HP JetAdvantage Security Manager: http://www.hp.com/go/securitymanager ; HP JetAdvantage On Demand Cloud Solutions: http://www.hp.com/go/JetAdvantageondemand

[1] Standard cartridges included; yields 7,000 black and 6,000 color composite (C/M/Y) pages. Drums included; yields 65,000 black and color pages.

[3] With print cartridges.

[4] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

[5] Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

[6] Average black declared yields based on ISO/IEC 19752 and continuous printing. Average color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

[9] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[10] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

[11] Solution software available on 123.hp.com

[12] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Color Laser Toner Printer Cartridges

HP 660A Original LaserJet Imaging Drum	W2004A ★
HP 658A Black Original LaserJet Toner Cartridge	W2000A
HP 658A Cyan Original LaserJet Toner Cartridge	W2001A
HP 658A Magenta Original LaserJet Toner Cartridge	W2003A
HP 658A Yellow Original LaserJet Toner Cartridge	W2002A
HP 658X High Yield Black Original LaserJet Toner Cartridge	W2000X
HP 658X High Yield Cyan Original LaserJet Toner Cartridge	W2001X
HP 658X High Yield Magenta Original LaserJet Toner Cartridge	W2003X
HP 658X High Yield Yellow Original LaserJet Toner Cartridge	W2002X

HP Laser Printer Supply Kits

HP LaserJet 110V Fuser Kit	4YL16A ★
HP LaserJet 3WT88A 220V Fuser Kit	3WT88A ★
HP LaserJet 3WT89A Transfer Kit	3WT89A ★
HP LaserJet 3WT90A Toner Collection Unit	3WT90A ★
HP LaserJet 3WT90A Toner Collection Unit	3WT90A ★
HP LaserJet 110V Fuser Kit	3WT87A

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m ² , A4 (210 x 297 mm), 150 sheets	CG965A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper Glossy 200 g/m ² A4 (210 x 297 mm) 150 sheets	7MV83A
HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN10A
HP Professional Business Paper Matte 200 g/m ² A4 (210 x 297 mm) 150 sheets	7MV80A
HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets	4WN05A

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P

HP Paper for Multiple Uses

HP Recycled Paper

HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN07A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	4WN11A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	7MV81A
HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in	7MV82A

HP Paper Designed for Inkjet Printers

HP Inkjet Photo Paper

HP Professional Business Paper, Glossy, 48 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets	6MF93A
---	--------

Accessories

Memory

★ : Recommended

DDR3 Memory

HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM	E5K48A ★
HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM	E5K49A ★
HP 2GB 144-Pin DDR3 TAA Version DIMM	2NR09A ★

Paper Handling

Input Trays

HP Color LaserJet 2x550-sheet Feeder and Stand	T3V29A ★
HP LaserJet 2700-sheet High Capacity Paper Tray and Stand	T3V30A ★
HP LaserJet 550-sheet Paper Tray	T3V27A ★

Fax Upgrades

HP MFP Analog Fax Accessory 700	2EH31A
---------------------------------	--------

Cables/Cable Kits/Cable Adapters

Printer Cables

HP Foreign Interface Harness	B5L31A ★
------------------------------	----------

Port Cables and Cable Adapters

HP Internal USB Ports	B5L28A ★
-----------------------	----------

Security and Protection

Smart Cards and SmartCard Readers

HP HIP2 Keystroke Reader	Y7C05A ★
HP Legic Secure USB Reader	4QL32A ★
HP SmartCard NIPRNet Solution for US Government	CC543B ★
HP SmartCard SIPRNet Solution for US Government	F8B30A ★
HP USB Universal Card Reader	X3D03A ★

PC Drives and Storage

EIO Hard Drives

HP High-Performance Secure Hard Disk

B5L29A ★

HP TAA Version Secure Hard Disk Drive

5EL03A ★

Network Print Servers

External Print Servers

HP Jetdirect 2900nw Print Server

J8031A ★

HP Jetdirect 3100w BLE/NFC/Wireless Accessory

3JN69A ★

Internal Print Servers

HP Jetdirect LAN Accessory

8FP31A ★

Cabinets and Stands

Printer Cabinets and Stands

HP LaserJet Printer Stand

T3V28A ★

Accessory Bundles

Printer Accessibility Accessories

HP Accessibility Assistant

2MU47A

Data Security Accessories

HP Removable Hard Drive Enclosure

2NR12A

Solutions

Imaging and Printing Solutions

★ : Recommended

Printing SW Solution Licenses

HP HID Mobile Access Mifare DES Fire Keystroking Reader	35H11A ★
HP SIM for HID iClass for HIP2 Reader	Y7C07A ★

HP Document and Workflow Solutions

HP Document and Workflow Solutions Printing Security

HP Access Control Secure Printing and Job Accounting Solution	HPACSOLUTION
HP Secure Print and Insights	HPJETADSECUREPRINT
HP Security Manager	HPJETADSECMGR
Pharos Blueprint	HP3PHAROSBPRNT

HP Document and Workflow Solutions Mobile Printing

HP Roam for Business	HPROAM
----------------------	--------

HP Document and Workflow Solutions Print Management

HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN
Kofax ControlSuite	HP_CSUITE
LRS VPSX for Output Management	HP3PLRS

Services

HP Care Pack Services

★ : Recommended

Imaging and Printing Hardware Support Onsite Svc

HP 1 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet M751	UB6X4PE
HP 1 year Post Warranty Next Business Day w/DMR Service for Color LaserJet M751	UB5D2PE
HP 3 year 4 hour 9x5 w/DMR Service for Color LaserJet M751	UB5C6E
HP 3y NBD w/DMR CLJ M751 SVC	UB5C3E
HP 4 year 4 hour 9x5 w/DMR Service for Color LaserJet M751	UB5C7E
HP 4 year Next Business Day w/DMR Service for Color LaserJet M751	UB5C4E
HP 5 year 4 hour 9x5 w/DMR Service for Color LaserJet M751	UB5C8E
HP 5 year Next Business Day w/DMR Service for Color LaserJet M751	UB5C5E

Imaging and Printing Commercial Care Pack Services

HP 1 year Post Warranty Parts Exchange Service for Color LaserJet M751	UB6X6PE
HP 3 year Parts Exchange Service for Color LaserJet M751	UB5C9E
HP 4 year Parts Exchange Service for Color LaserJet M751	UB5D0E
HP 5 year Parts Exchange Service for Color LaserJet M751	UB5D1E
HP Installation Service with Network Configuration for A3 E7xxxx/E8xxxx (1 unit)	U9PR6E
HP Installation Service with network configuration for Workgroup Printer(1 unit)	U9JT2E

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Aug 28, 2024 6:08 PM UTC+0000