

**Honeywell**

You are browsing the product catalog for

Pakistan



HANDHELD COMPUTERS

CK65 Handheld Computer

The CK65 mobile computer boosts supply chain productivity by accelerating and error-proofing work in distribution centers and manufacturing.

Overview



Feedback

Powerfully Reliable

- The CK65 is built on the Mobility Edge™ platform, a durable, stable and secure foundation for effective, long-lasting solutions.
- The CK65 is a recipient of the prestigious STIG (Security Technical Implementation Guide) designation from the Defense Information Systems Agency (DISA) for its security capabilities. This recognition from DISA and the U.S. Department of Defense acknowledges the advanced security applications and tools the CK65 encompasses, ensuring your data is kept safe and secure throughout the life of the device.
- The CK65 device provides future-proof investment protection with support for four Android generations, starting with Android 8 (O). Security updates are also available for up to two years after the last Google patch through Honeywell Sentinel.

Optimized Ergonomics

- The perfect blend of keypad and touchscreen, ergonomics and durability, the CK65 is light enough to be used all day yet durable enough to withstand the wear and tear of daily use in rigorous workflows.
- The CK65 features Honeywell's latest imaging technology with the FlexRange XLR scan engine. The FlexRange XLR scan engine allows the CK65 to be used in quick, up-close scan operations, while still maintaining accuracy and speedy scanning at distances of up to 80 feet.
- The large touchscreen is accompanied by a 51 or 53-key alphanumeric, 38 or 42-key numeric function, or 30-key large numeric keypads to support legacy key-centric and newer touch applications. Keypads allow workers to optimize the efficiency of data entry in many environments.

Ultra Durable

- The CK65's ruggedized construction withstands multiple 3 m (10 ft) drops to concrete across the temperature range and 3,000 1.0 m (3.3 ft) tumbles. IP65 and IP68 ratings against dust and water spray.
- The CK65 even offers cold storage models for freezer environments and non-incendive (NI)/ATEX models for areas with hazardous gasses.
- Equipped with a 7,000-mAh extended smart battery, the CK65 is capable of up to 28 hours* of continuous operation so workers can maintain optimal productivity.

*** 28-hour battery life test conditions: 1 scan every 10 seconds, backlight set to 50%, transaction sent to host & response received for each scan, BT off, good read beep enabled, volume set to 50%**

Specifications

FEATURES

Application

- Distribution
- Manufacturing
- Order Picking

Housing Grade

- Standard

Features

- Long-Life Smart Battery
- Ultra-Rugged

Camera

- Yes

Camera Position

- Rear

SOFTWARE & FIRMWARE

Operating System

- Android 10 upgradable to Android 14*

Platform

- Mobility Edge

Operating System Type

- Android

MEMORY & DATA

Memory

- 32 GB Flash/2 GB RAM
- 32 GB Flash/4 GB RAM

HARDWARE

Processor

- 2.2 GHz Qualcomm 64-bit Snapdragon octa-core

Display Size

- 10.16 cm
- 4 in

Display Resolution

- 480 x 800

Scan Range

- FlexRange FR
- Long Range
- Standard Range

Network

- WLAN

ENVIRONMENTAL

Storage Temperature Range

- - 22 - 158 °F
- - 30 - 70 °C

Operating Temperature

- - 20 - 50 °C
- - 4 - 122 °F

Operating Humidity

- 0 - 95 %

STANDARDS & APPROVALS

Tumble Specifications

- 3000 1.0 m (3.3 ft) tumbles

Drop Specifications

- 3 m (10 ft) to concrete at room temperature, 2.4 m (8 ft) across operating range

SERVICE TERMS

Warranty Duration

- 1 yr

ERP

Brand

- Honeywell

OTHERS

Scan Distance

- Long Range (0-20m)
- Mid Range (0-5m)
- Standard Range (0-1m)

Keypad

- Alphanumeric
- Numeric

Environment

- Cold Storage
- Hazardous Area
- Standard

Durability

- Ultra-Rugged 2.4 m (8 ft)

Connectivity

- Wi-Fi & Cellular



Please sign in to view part numbers available for purchase based on your account

[Sign In](#)



CK65-L0N-BLC210F



Part Number	CK65-L0N-BLC210F
Description	CK65, 4GB32GB Memory, Alphanumeric, FlexRange XLR, Camera, SCP, GMS, Disinfectant Ready, FCC
	SIGN IN

Rows

[Previous](#) [1](#) [Next](#)

Product Number



Please sign in to view part numbers available for purchase based on your account

[Sign In](#)

Feedback

213-064-001

KIT, Protective Rubber Boot for CK65 Computers with 6703 or FlexRange engine (color is orange)

213-064-001

KIT, Protective Rubber Boot for CK65 Computers with 6703 or FlexRange engine (color is orange)

213-065-001

KIT, 5 self-adhesive glass screen protectors for CK65. Not compatible with CK3XCK3R, not compatible with Cold Storage version of CK65

213-065-001

KIT, 5 self-adhesive glass screen protectors for CK65. Not compatible with CK3XCK3R, not compatible with Cold Storage version of CK65

3011-8248-001

AC ADAPTER 12V30W,1.35 X 3.5MM,LEVEL VI

3011-8248-001

AC ADAPTER 12V30W,1.35 X 3.5MM,LEVEL VI

318-063-001

BATTERY, Li-Ion, CK65 One (1) extended rechargeable 7000 mAh smart battery pack. Std temp range.

318-063-001

BATTERY, Li-Ion, CK65 One (1) extended rechargeable 7000 mAh smart battery pack. Std temp range.

318-063-002

BATTERY, LI-ION, CK65, COLD STORAGE

318-063-002

BATTERY, LI-ION, CK65, COLD STORAGE

318-063-003

Battery, Li-Ion, CK65 NIATEX

318-063-003

Battery, Li-Ion, CK65 NIATEX

500109-0679

DSPL, 12.1 COLOR, SVGA TFT LVDS

500109-0679

DSPL, 12.1 COLOR, SVGA TFT LVDS

715-549-002FRE

CK65 NI or ATEX IO Cover replacement cap.

715-549-002FRE

CK65 NI or ATEX IO Cover replacement cap.

851-064-415

Univ Pwr Supply,13V,7.7A,Lvl,VI,9006AE02

851-064-415

Univ Pwr Supply,13V,7.7A,Lvl,VI,9006AE02

8754-870650-01

Ck65 Handstrap Kit, 5 pk

8754-870650-01

Ck65 Handstrap Kit, 5 pk

Honeywell
Industrial Automation
855 S Mint St
Charlotte, NC 28202
800-582-4263

Product name
© Current year Honeywell International Inc.
All rights reserved.

This document was generated on (YYYY-MM-DD, HH:mm:ss). Subject to change without notice.