Product data sheet

Specifications

Green Premium™

APC KVM 2G, Digital/IP, 1 Remote/1 Local User, 16 Ports with Virtual Media - FIPS 140-2

KVM1116R

Overview

Lead time	Usually in Stock

Main

Main Input Voltage	24 V DC 100 V 120 V 208 V 230 V 240 V
Product or Component Type	Switch
number of rack unit	1U

Physical

Color	Black
Height	1.7 in (4.3 cm)
Width	16.7 in (42.4 cm)
Depth	7.4 in (18.8 cm)
Net Weight	5.71 lb(US) (2.59 kg)
Mounting Location	Front
Mounting preference	No preference
Mounting Mode	Not rack-mountable

Input

Input Frequency	50/60 Hz

Conformance

Product Certifications	C-tick CE EAC TAA compliance UL-AR VCCI Class A VDE
Standards	FCC Part 15 class A ICES-003 UL 60950-1

Environmental

Ambient Air Temperature for Operation	32…122 °F (0…50 °C)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Operating altitude	0...10000 ft
Relative Humidity	0…80 %
Ambient Air Temperature for Storage	-4…140 °F (-20…60 °C)
Storage altitude	0…50000 ft (0.0000000000…15240.0000000000 m)
Storage Relative Humidity	0…80 %

Ordering and shipping details

GTIN	731304340195
Country of origin	TW

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.7 in (14.6 cm)
Package 1 Width	13.0 in (33 cm)
Package 1 Length	24.4 in (61.9 cm)
Package 1 Weight	8.80 lb(US) (3.99 kg)

Contractual warranty

Warranty	2 years repair or replace

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Compliant with Exemptions

Environmental Disclosure   Product Environmental Profile

Circularity Profile   End of Life Information