

# HPE Aruba Networking CX 6200F 48G Class-4 PoE 4SFP+ 740W Switch (JL728B)



## What's new

- Enterprise-class connectivity with support for ACLs, robust QoS, and common protocols such as static and Access OSPF routing.
- Scalability with 8 member VSF stacking. 24 and 48-port fixed and modular switch models can stack together for up to 384 ports.
- Models include modular switches with 1/10GbE uplinks, LRM, and MACSec 256, fixed switches with either 1/10GbE SFP+ or 1GbE SFP uplinks, and options that support 30W to 60W of PoE per port.
- Intelligent monitoring and visibility via Aruba Network Analytics Engine.
   Aruba NetEdit support for automation, configuration and verification. One touch deployment

## **Overview**

The HPE Aruba Networking CX 6200 Switch Series is a next-gen family of stackable access switches ideal for enterprise branch offices, campuses, and SMB networks. With a cloud-centric design that combines a fully programmable OS with the HPE Aruba Network Analytics Engine, the HPE Aruba Networking CX 6200 extends industry-leading monitoring and troubleshooting capabilities to the access layer. Support of Aruba NetEdit and the Aruba CX Mobile App verify that configurations are flawless and easy to deploy.

Make your network ready for tomorrow's unpredictable demands with a powerful Aruba Gen7 ASIC architecture to deliver fast, non-blocking performance. Aruba Virtual Stacking Framework (VSF) allows for stacking of up to 8 switches, providing scale and simplified management. This series includes fixed (CX 6200F) and modular (CX 6200M) switches with

Page 2

- using the Aruba CX Mobile App.
- Aruba Dynamic Segmentation enables enhanced security and simple access for users and IoT.
- Flexible, modular switch models support hot-swappable, redundant power supplies and fans for enhanced resiliency.

built-in high speed uplinks and up to 1440W of PoE to support IoT devices such as security cameras and wireless APs.

### **Features**

### **Automation and Analytics**

The HPE Aruba Networking CX 6200 Switch Series delivers unparalleled visibility with built-in analytics for real-time monitoring and troubleshooting to help fix problems faster. The Aruba Network Analytics Engine (NAE) automatically interrogates and analyzes events that can impact network health.

Advanced telemetry and automation provide the ability to easily identify and troubleshoot network, system, application, and security related issues easily through the use of Python agents and REST APIs.

The Time Series Database (TSDB) stores configuration and operational state data, making it available to quickly resolve network issues.

Aruba NetEdit introduces automation that allows for rapid network-wide changes, and ensures policy conformance post network updates. Intelligent capabilities include search, edit, validation (including conformance checking), deployment, and audit features.

The Aruba CX Mobile App simplifies connecting, stacking, and managing HPE Aruba Networking CX 6200 switches. Switch information can be imported into Aruba NetEdit for simplified configuration management and to continuously validate the conformance of configurations anywhere in the network.

### **Performance and Power**

The HPE Aruba Networking CX 6200 Switch Series uses a fully distributed architecture with Aruba Gen7 ASICs that delivers very low latency, increased packet buffering, and adaptive power consumption. All switching and routing are wire-speed to meet the demands of bandwidth-intensive applications.

Aruba Virtual Switching Framework (VSF) allows you to quickly grow your network using high performance front-plane stacking. Create 8 member stacks using built-in SFP+ ports with flexibility to create stacks that span longer distances using long-range transceivers.

Deploy wireless access points and IoT devices with HPE Aruba Networking CX 6200 models that support up to 1440W IEEE 802.3at Class 6 Power over Ethernet for up to 60W per port.

Flexible, modular switch models support hot-swappable, redundant power supplies and fans for enhanced resiliency.

### **Smarter Segmentation**

The HPE Aruba Networking CX 6200 Switch Series supports Aruba Dynamic Segmentation that automatically applies and enforces user, device, and application-aware policies on Aruba wired and wireless infrastructures.

Automated device profiling, role-based access control, and Layer 7 firewall features deliver enhanced visibility and performance for a better overall experience for both IT and end-users alike.

Switch-to-switch tunnels with VXLAN for low-latency and high performance use cases.



**Data sheet** Page 3

# **Technical specifications**

# HPE Aruba Networking CX 6200F 48G Class-4 PoE 4SFP+ 740W Switch

| Product Number              | JL728B   |
|-----------------------------|--|
| Differentiator              | Next-generation family of stackable access switches ideal for enterprise branch offices, campuses and SMB networks. 48x 10/100/1000BASE-T and 4x 1/10G SFP ports. 740W of available Class 4 PoE power.                         |
| Ports                       | 48x ports 10/100/1000BASE-T Class 4 PoE Ports, supporting up to 30W per port 4x 100M/1/10G SFP+ ports Supports PoE Standards IEEE 802.3af, 802.3at 1x USB-C Console Port 1x RJ-45 Console Port 1x OOBM 1x USB Type-A Host port |
| Memory and processor        | Quad Core ARM Cortex™ A72 @ 1.8 GHz  |
| Latency                     | 1 Gbps: 2.28 μSec<br>10 Gbps: 1.46 μSec  |
| Throughput                  | Up to 130.9 Mpps   |
| Routing/switching capacity  | 176 Gbps   |
| PoE capability              | 740W   |
| Stacking capabilities       | 8 members  |
| Power supply name           | Fixed power supply<br>Up to 740W of Class 4 PoE Power  |
| Input voltage               | 100V-120V/200V-240V  |
| Power consumption           | 76W at 230 VAC   |
| Product dimensions (metric) | 4.39 x 44.2 cm x 32.7 cm   |
| Weight                      | 5.10 kg, max, depending on model   |



For additional technical information, available models and options, please reference the QuickSpecs

### **Aruba Global Services**

Aruba Global Services simplifies and accelerates the network technology lifecycle, enabling your network to scale with better predictability and cost-effectiveness. Whether you operate your own network and need to improve your IT efficiencies or you want to offload some of the burden, we have the services you need to reach your goals.

Learn more about what Aruba Global Services has to offer at: arubanetworks.com/services/



# **Support Services from Aruba**

Support services reduce complexity and increase your team's productivity, ensuring you keep pace with technology advances and software releases, and obtain break-fix support required to keep your network running. Access to premium services means you have the right help at the right time.

### **Professional Services from Aruba**

With deep intellectual capital and purpose-built tools, our team delivers a range of standard and custom professional services designed to accelerate your value from Aruba technology.

#### **QuickStart Services** include:

- Planning, audit and assessment
- Intelligent Operations
- Architecture review and design

### **Proactive Engineering Services** include:

- Customer Experience Management
- Deployment, migration, and knowledge transfer
- Network optimization


Our Education Services allow your team to come up to speed quickly.


# **Aruba Network as-a-Service (NaaS)**

Our NaaS solution, Aruba Managed Connectivity Services, part of the HPE GreenLake services family, simplifies network operations, accelerates equipment handling, and increases the value of your Aruba network. If you need expert guidance and automation-based operations for your team, please explore the NaaS approach from Aruba <a href="https://example.com/here/">here.</a>

Make the right purchase decision. Contact our presales specialists.

Find a partner







Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.



