

VA2233-H - 22" 1080P VA MONITOR WITH HDMI, VGA

Key Features

- Frameless Design
- Smooth & Fluid Gaming: AMD FreeSync™ Technology
- Full HD 1080p Resolution
- VESA-Compatible Mount
- 3-Year Limited Warranty



22
DISPLAY



MVA
PANEL



1920 x 1080
RESOLUTION



Product Description

With flexible connectivity, wide-angle viewing, and amazing screen performance, the ViewSonic® VA2233-H delivers solid multimedia features and a sleek design at a great value. Featuring 3-sided frameless design and MVA panel technology, the VA2233-H delivers stunning brightness and contrast at nearly any viewing angle. Whether for working at the office, or enjoying entertainment at home, the VA2233-H features an HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. Equipped with AMD FreeSync™ technology*, this monitor's variable refresh rate capabilities virtually eliminate screen tearing and stuttering for a smoother viewing experience. A three-year limited warranty, along with one of the industry's best pixel performance policies, makes the VA2233-H a great overall value choice. *AMD FreeSync supported via HDMI only

Specifications

UPC	766907021080
Screen Size	22
Viewable Area (in.)	21.5
Panel Type	MVA
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	3,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8 bit true
Aspect Ratio	16:9
Response Time (Typical GTG)	4ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
VGA	1
HDMI 1.4 In	1
Eco Mode (Conserve)	11
Eco Mode (optimized)	13
Consumption (typical)	16
Consumption (max)	19
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.3
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3 (power), Key 4, Key 5
On Screen Display	Input Select, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	VGA: 24 ~ 86 KHz / HDMI 1.4: 24 ~ 86 KHz

Frequency Vertical	VGA: 48 ~ 75 Hz / HDMI 1.4: 48 ~ 75 Hz
Tilt (Forward/Back)	3° / 20°
Net (lbs)	5.7
Net Without Stand (lbs)	5.1
Gross (lbs)	7.9
Net (kg)	2.6
Net Without Stand (kg)	2.3
Gross (kg)	3.6
Packaging (in.)	21.9 " (W) x 13.8 " (H) x 4.7 " (D)
Physical (in.)	19.4 " (W) x 14.4 " (H) x 6.5 " (D)
Physical Without Stand (in.)	19.4 " (W) x 11.3 " (H) x 1.6 " (D)
Packaging (mm)	555 mm (W) x 350 mm (H) x 120 mm (D)
Physical (mm)	492 mm (W) x 367 mm (H) x 165 mm (D)
Physical Without Stand (mm)	492 mm (W) x 288 mm (H) x 40 mm (D)
Regulations	RoHS, REACH, WEEE
Package Contents	LCD Display, Power Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907021080



Contact Sales
ViewSonic.com
 888.881.8781
 email:
salesinfo@viewsonic.com