

Overview

Print for your business like a Pro.

Say hello to the professional color inkjet printer for your growing business from the World's #1 Printer Company, paired with the easiest-to-use print app. Enjoy easy cloud sharing and multi-device printing with extra performance features.[1,2]

Empower your team with a productivity powerhouse

Always ready for high volumes, get an HP OfficeJet Pro printer equipped with two 250-page input trays.

Our best technology to stay connected and secure[3]

Stay connected with our most reliable Wi-Fi® - dual-band, self-healing - that automatically reconnects.[3]

Always be ready to print. Never run out of ink.[8]

With an Instant Ink subscription, you can get ink delivered directly to your door before you run out.[8]

Driving innovation with 40% recycled plastic[11]

Choose printers made with at least 40% recycled plastic.[11]

[1] Based on 2022 Q4 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2022 Q4 Release. Includes shipments of all printing devices (inkjet printers, laser printers, copiers and multifunction devices, including production units).

[2] Compared to OEM printing apps for the majority of top-selling, network-capable inkjet/laser printers and all-in-ones for the home and office, priced ≤\$450 USD. Printers selected by market share as reported by IDC Quarterly Hardcopy Peripherals Tracker – Final Historical CYQ1 2023. Claim based on research of printer manufacturer's print apps and Keypoint Intelligence hands-on testing and study commissioned by HP, July 2023. For details, please see: keypointintelligence.com/HPSmartapp. Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.

[3] HP OfficeJet Pro 9100 printer series has self-healing Wi-Fi and HP Wolf Pro Security, HP's best and most reliable technologies to stay connected and secure. Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations

only. Learn more at www.hp.com/go/mobileprinting. HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details.

[8] Based on plan usage, Internet connection to eligible HP printer, valid payment method, email address, and delivery service in your geographic area.

[11] Percentage of recycled plastic is calculated by plastic total weight.

Specifications

Print Resolution Technologies	HP Thermal Inkjet	
Print quality black (best)	1200 x 1200 rendered dpi	
Print quality color (best)	Up to 4800 x 1200 optimized dpi on HP Advance Photo Paper 1200 x 1200 dpi input	
Print speed black (ISO, A4)	Up to 25 ppm	
Print speed black (ISO, letter)	Up to 25 ppm	
Print Speed Color (ISO)	Up to 20 ppm	
Print speed color (ISO)	Up to 20 ppm	
Print speed	Print speed up to 25 ppm (black) and 20 ppm (color)	
Functions	Print, copy, scan, fax	
Duplex printing	Automatic	
Duty cycle (monthly, A4)	Up to 30,000 pages	
Duty cycle (monthly, letter)	Up to 30,000 pages ^[7]	
Printer smart software features	Orientation: Portrait/Landscape; Print on Both Sides: None/Flip on Long Edge/Flip on Short Edge; Page Order: Front to Back/Back to Front; Pages per Sheet: 1, 2, 4, 6, 9, 16; Quality Settings: Draft/Normal/Best; Printing Shortcuts; Print in Grayscale: Off/High Quality Grayscale/Black Ink Only; Pages per Sheet Layout: Right then Down/Down then Right/Left then Down/Down then Left; Print in Max DPI: No/Yes; HP Real Life Technologies: Off/On; Booklet: None/Booklet-Left Binding/Booklet-Right Binding; Pages to Print: Print All Pages/Print Odd Pages Only/Print Even Pages Only; Borderless Printing: Off/On; Page Borders: Off/On	
Copier smart software features	Two-Sided; Lighter/Darker; ID Copy; Resize; Quality; Paper Size; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Enhancements	
Scanner advanced features	OCR (Optical Character Recognition); Smart Tasks shortcuts: 1-click customizable scan to cloud destinations, email, and print, create editable, searchable documents by scanning from phone or printer; Smart Tasks destinations: Dropbox, Google Drive, One drive, email recipients	
Energy savings feature technology	HP Auto-On/Auto-Off Technology; HP Auto-Off Technology; Schedule On and Schedule Off	
Replacement cartridges	HP 937 Black Original Ink Cartridge (~1250 pages) 4S6W5N; HP 937 Cyan Original Ink Cartridge (~800 pages) 4S6W2N; HP 937 Magenta Original Ink Cartridge (~800 pages) 4S6W3N; HP 937 Yellow Original Ink Cartridge (~800 pages) 4S6W4N. HP EvoMore planned to be available April 2024: HP 937e EvoMore Black Original Ink Cartridge (~2,500 pages) 4S6W9N; HP 937e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6W6N; HP 937e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6W7N; HP 937e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6W8N. Actual yield varies considerably based on content of printed pages and other factors. For details, see https://www.hp.com/go/learnaboutsupplies	
Supplies feature	HP Instant Ink eligible	
Connectivity, standard	1 Ethernet; 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11 a/b/g/n/ac (dual band); 2 RJ-11 Fax/Modem port/phone line	

Modem	Synaptics Troy modem; data rate up to 33.6 kbps	
Network capabilities	Yes, via built-in Ethernet; Wireless 802.11a/b/g/n/ac	
Wireless capability	Yes, with built-in dual-band Wi-Fi 802.11 a/b/g/n/ac and a self-heal solution	
Mobile printing capability	Chrome OS; HP Smart app; Apple AirPrint™; Wi-Fi® Direct Printing; Mopria™ Certified	
Network protocols, supported	Supported Network Protocols configurations (IPv4, IPv6); DHCPv4, DHCPv6; DHCP options: 81/RFC4702/RFC4704, 12-Hostname; 44; SMTP client; LLMNR; Bonjour/mDNS; LP/ APIPA (Auto IP); NetBIOS/WINS; LPR/LPD; Port9100; DNS Resolver; SNMPv1/v2; Web Services Discovery; Web Services Print; Syslog; Firewall; SSL/TLS (HTTPS); Password-protected network Embedded Web server; Enable/disable network ports & device features, 802.1x wireless authentication (EAP-TLS, LEAP, and PEAP) & 802.1 Wired	
Software included	HP Printer Software	
Compatible Operating Systems	Windows 11; Windows 10; Windows Server; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS (Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, linux (for more information see http://developers.hp.com/hp-linux-imaging-and-printing))	
Technical features	Borderless Printing; Automatic two-sided printing; Wireless; Wireless Direct; AirPrint; Touchscreen; HP Printables; ADF; Automatic two-sided scanning; Self-healing WiFi	
Sustainable impact specifications	Forest First product with HP+; Recyclable through HP Planet Partners	
Energy star certified	No	
Ecolabels	IT ECO Declaration; EPEAT® registered	
Copy speed black (best, A4)	Up to 5 cpm	
Copy speed black (best, letter)	Up to 5 cpm	
Copy speed color (best, A4)	Up to 4 cpm	
Copy speed color (best, letter)	Up to 4 cpm	
Digital sending standard features	Scan-to E-mail; Scan to network folder; Scan to SharePoint; Scan to thumb drive	
Fax Resolution Black (best)	300 x 300 dpi	
Faxing	Yes, color	
Scan speed (normal, A4)	Up to 18 ipm (200 ppi, b&w); Up to 18 ipm (200 ppi, color)	
Scan speed (normal, letter)	Up to 18 ipm (200 ppi, b&w); Up to 18 ipm (200 ppi, color)	
Scan file format	JPG, BMP, TIFF, PDF, RTF, TXT, PNG	
Scan input modes	Front-panel scan, copy, HP Software, EWS, Mobile apps	
Scan technology	Contact Image Sensor (CIS)	
Scanner type	Easy slide-off glass, single-pass 2-sided ADF	
Display	4.3" (10.92 cm) touchscreen control panel with CGD (color graphic display)	

Minimum dimensions (W x D x H)	437 x 396.3 x 318.3 mm (Minimum Storage Mode) (Dimensions vary as per configuration)	
Minimum dimensions (W x D x H)	17.20 x 15.60 x 12.53 in (Minimum Storage Mode)	
Weight	~ 11.84 kg (Weight varies as per configuration)	
Weight	~ 26.10 lb (Weight varies as per configuration)	
Power consumption	5.58 watts (ready), 1.22 watts (sleep), 0.14 watts (manual-Off) ^[3] (Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)	
Power supply type	Internal (Built-in) Universal Power Supply	
What's in the box	NA: HP OfficeJet Pro 9130 AiO Printer; HP 936 Setup Black Ink Cartridge; HP 936 Setup Cyan Ink Cartridge; HP 936 Setup Magenta Ink Cartridge; HP 936 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies]EMEA/APJ DM: HP OfficeJet Pro 9130 AiO Printer; HP 937 Setup Black Ink Cartridge; HP 937 Setup Cyan Ink Cartridge; HP 937 Setup Magenta Ink Cartridge; HP 937 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies] LAR/APJ EM: HP OfficeJet Pro 9130 AiO Printer; HP 938 Setup Black Ink Cartridge; HP 938 Setup Cyan Ink Cartridge; HP 938 Setup Magenta Ink Cartridge; HP 938 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies]	
Manufacturer Warranty	One-Year limited hardware warranty with option to extend to two-years with acceptance of HP+ Offer. For more information, please visit us at http://support.hp.com. (9)	

Additional specifications

Acoustic power emissions (active, printing)	7.0 B(A) (printing at 21ppm)		
Acoustic pressure emissions	61 dB(A) (printing at 21ppm)		
Auto fax reduction supported	Yes		
Automatic document feeder capacity	Standard, 35 sheets		
Automatic paper sensor	No		
Bit depth	24-bit		
Borderless printing	Yes, on photo paper only, up to 8.5 x 11 in (US letter), 210 x 297 mm (A4)		
Bottom margin (A4)	3.3 mm		
Cable included	No, please purchase USB cable separately		
Camera phone supported	Yes		
Cartons per layer	AMS/AP :6; EMEA: 6		
Color copy capability	Yes		
Color or black	Color		
Color scanning	Yes		
Color(s) of printing supplies	Black, cyan, magenta, yellow		
Compatible Network Operating Systems	Windows 11; Windows 10; Windows Server; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS		
Compliance alliances	Wi-Fi Alliances; Blue Tooth SIG Certification; Mopria Certification.		
Connection type	Wireless		
Control panel	4.3" (10.92 cm) touchscreen control panel with CGD (color graphic display)		
Copier settings	Number of Copies; Two-Sided; Lighter/Darker; HP Copy Fix; ID Copy; Resize; Quality; Paper Size; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Tray Select; Enhancements		
Copies, maximum	Up to 99 copies		
Copy Speed Black (maximum, A4)	Up to 33 cpm		
Copy Speed Color (maximum, A4)	Up to 22 cpm		
Copy reduce / enlarge settings	25 to 400%		
Copy resolution (black graphics)	Up to 600 dpi		
Copy resolution (black text)	Up to 600 dpi		
Copy resolution (color text and graphics)	Up to 600 dpi		
Copy speed black (ISO)	Up to 23 cpm		
Copy speed black (draft, letter)	Up to 33 cpm		

Copy speed color (ISO)	Up to 15 cpm	
Copy speed color (draft, letter)	Up to 22 cpm	
Count of layers in pallet	AMS: 5; EMEA/AP: 4	
Country of origin	Product of Thailand	
Dimensions with trays up (W \times D \times H)	437 x 421.8 x 318.3 mm	
Distinctive ring detection supported	Yes	
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Color InkJet devices.	
Dynamic security	Dynamic security enabled printer	
Electromagnetic compatibility	CISPR 32:2015 + AMD1:2019 / EN 55032:2015 + A11:2020 Class B; CISPR 24:2010 / EN 55024:2010; CISPR 35:2016 / EN 55035:2017+A11:2020; EN 61000-3-2:2014 / IEC 61000-3-2:2014; EN 61000-3-3:2013 / IEC 61000-3-3:2013; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.4; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B; VCCI-CISPR 32:2016 Class B	
Enhanced scanning resolution	Up to 1200 dpi	
Envelope Feeder	No	
Exifprint supported	Yes	
Fax Auto Redial	Yes	
Fax Broadcast Locations	20	
Fax Memory Note	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.	
	Synaptics Troy modem; data rate up to 33.6 kbps	
Fax Modem Speed	Synaptics Troy modem; data rate up to 33.6 kbps	
Fax Modem Speed Fax PC Interface Supported	Synaptics Troy modem; data rate up to 33.6 kbps Yes, HP Sofware support provided	
•		
Fax PC Interface Supported	Yes, HP Sofware support provided	
Fax PC Interface Supported Fax Polling	Yes, HP Sofware support provided No	
Fax PC Interface Supported Fax Polling Fax Remote Retrieval	Yes, HP Sofware support provided No No	
Fax PC Interface Supported Fax Polling Fax Remote Retrieval Fax Speed Dials, Maximum Number	Yes, HP Sofware support provided No No No Not Supported	
Fax PC Interface Supported Fax Polling Fax Remote Retrieval Fax Speed Dials, Maximum Number Fax Transmission Speed	Yes, HP Sofware support provided No No No Not Supported 4 sec per page Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more	
Fax PC Interface Supported Fax Polling Fax Remote Retrieval Fax Speed Dials, Maximum Number Fax Transmission Speed Fax Transmission Speed Note	Yes, HP Sofware support provided No No Not Supported 4 sec per page Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.	
Fax PC Interface Supported Fax Polling Fax Remote Retrieval Fax Speed Dials, Maximum Number Fax Transmission Speed Fax Transmission Speed Note Fax delayed sending	Yes, HP Sofware support provided No No Not Supported 4 sec per page Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. Yes	
Fax PC Interface Supported Fax Polling Fax Remote Retrieval Fax Speed Dials, Maximum Number Fax Transmission Speed Fax Transmission Speed Note Fax delayed sending Fax forwarding	Yes, HP Sofware support provided No No Not Supported 4 sec per page Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. Yes Yes (black only)	
Fax PC Interface Supported Fax Polling Fax Remote Retrieval Fax Speed Dials, Maximum Number Fax Transmission Speed Fax Transmission Speed Note Fax delayed sending Fax forwarding Fax memory	Yes, HP Sofware support provided No No Not Supported 4 sec per page Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. Yes Yes (black only) Up to 100 pages	

Fax resolution color (standard)	200 x 200 dpi		
Fax telephone mode supported	No		
Fax transmission speed (letter)	4 sec per page		
Faxing options (ADF)	Two-sided		
File Format Supported	PDF; TIFF; JPEG		
Finished output handling	Sheet Feed		
First copy out black (letter)	As fast as 8 sec		
First copy out color (letter)	As fast as 10 sec		
First page out black (A4, ready)	As fasts as 10 sec		
First page out black (letter, ready)	As fasts as 10 sec		
First page out color (A4, ready)	As fasts as 11 sec		
First page out color (letter, ready)	As fasts as 11 sec		
Geographic availability	WW		
HP Real Life technologies™	Default=0FF		
Image scaling or enlargement range	25 to 400%		
Ink types	Pigment-based (black and color)		
Input capacity	Up to 500 sheets (Tray 1: up to 250 sheets, Tray 2: up to 250 sheets)		
Instant ink	HP Instant Ink eligible. For more information visit https://www.hpinstantink.com		
Internal Storage	No Hard Disk		
Junk fax barrier	Yes		
Left margin (A4)	3.3 mm		
Levels of grayscale	256		
Mac compatible	Yes		
Maximum Input Capacity (envelopes)	Up to 30 envelopes		
Maximum Memory	512 MB		
Maximum dimensions (W x D x H)	437 x 547 x 318.3 mm (Output Tray Extend)		
Maximum dimensions (W x D x H)	17.20 x 21.54 x 12.53 in (Output Tray Extend)		
Maximum input capacity (10x15cm photos)	Up to 50 sheets		
Maximum input capacity (4x6 photo)	Up to 50 sheets		
Maximum input capacity (cards)	Up to 50 cards		
Maximum input capacity (labels)	Up to 50 sheets		
Maximum input capacity (labels) Maximum input capacity (photo paper)	Up to 50 sheets Up to 50 sheets		

Maximum input capacity (sheets)	Up to 500 sheets	
Maximum output capacity (cards)	Up to 30 cards	
Maximum output capacity (envelopes)	Up to 10 envelopes	
Maximum output capacity (labels)	Up to 30 sheets	
Maximum output capacity (photo paper)	Up to 30 sheets	
Maximum output capacity (sheets)	Up to 100 sheets	
Maximum print area	216 x 356 mm (Legal)	
Media sizes supported	A4, A5, A6, B5(JIS), Card (A4, Hagaki); Photo (13 x 18 cm, 10 x 15 cm); Envelope (A2, C5, C6, DL. Chou #3, Chou #4); 8.5 x 13 in	
Media sizes supported	Tray 1:Letter, Legal, Government Legal; Executive; Statement; 3×5 in; 4×6 in; 5×7 in; 13×18 cm; 8×10 in; 10×15 cm; L; Photo 2L; Envelope(#10, Monarch, 5.5 bar); Card $(3 \times 5$ in, 4×6 in, 5×8 in) Tray 2: Letter, Legal.	
Media sizes supported, key	10 x 15 cm; A4; Envelopes	
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes	
Media sizes, custom	Tray 1: 3 x 5 to 8.5 x 14; 5 x 8.3 to 8.5 x 14 in. Tray 2: N/A	
Media sizes, custom	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm. Tray 2: N/A	
Media types	Tray 1: Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Thick Plain Paper, Light/Recycled Plain Paper, HP Tri-fold Brochure Paper, Glossy. Tray 2: Plain Paper	
Media weight, recommended	60 to 105 g/m 2 (plain); 220 to 280 g/m 2 (photo); 75 to 90 g/m 2 (envelope); 163 to 200 g/m 2 (card)	
Media weight, recommended	16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card)	
Media weight, supported	60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to 90 g/m² (envelope); 163 to 200 g/m² (card)	
Media weight, supported	16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card)	
Memory	512 MB	
Minimum System Requirements	Windows 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer.	
Minimum System Requirements for Macintosh	MacOS 11 BigSur, MacOS 12 Monterey, MacOS 13 Ventura; 2 GB HD; Internet Required	
Model number	9132e	
Multitasking supported	Yes	
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)	
	1-5 Users	
Number of users	1-5 Users	
Number of users Operating altitude	1-5 Users 3,000 m	

Operating humidity range	20 to 80% RH	
Operating temperature range	5 to 40℃	
Operating temperature range	41 to 104°F	
Orderable product number	404M5B#629 404M5B#686 404M5B#687	
Orderable supplies	HP 937 Black Original Ink Cartridge 4S6W5N; HP 937 Cyan Original Ink Cartridge 4S6W2N; HP 937 Magenta Original Ink Cartridge 4S6W3N; HP 937 Yellow Original Ink Cartridge 4S6W4N; HP EvoMore planned to be available April 2024: HP 937e EvoMore Black Original Ink Cartridge 4S6W9N; HP 937e EvoMore Cyan Original Ink Cartridge 4S6W6N; HP 937e EvoMore Magenta Original Ink Cartridge 4S6W7N; HP 937e EvoMore Yellow Original Ink Cartridge 4S6W8N	
Output capacity	Up to 100 sheets	
Output file format	PDF; TIFF; JPEG (scan to Thumbdrive)	
Package dimensions (W \times D \times H)	496 x 377 x 489 mm	
Package dimensions (W x D x H)	19.53 x 14.84 x 19.25 in	
Package weight	14.2 kg	
Package weight	31.24 lb	
Page yield (set-up/inbox cartridges)	~800 pages black, ~420 pages cyan, magenta, yellow composite	
Pallet dimensions	AMS: 48 x 40 x 101.73 in; EMEA: 47.24 x 39.37 x 86.65 in; AP: 48 x 40 x 86.50 in	
Pallet dimensions (W x D x H)	AMS: 1220 x 1014 x 2584 mm; EMEA: 1200 x 1000 x 2200 mm; AP: 1219 x 1016 x 2197 mm	
Pallet weight	NA: 986 lb; EMEA/AP: 798 lb	
Pallet weight	NA:448 kg; EMEA/AP: 363 kg	
Paper handling input, standard	250-sheet input tray; 250-Sheet Multipurpose Tray; 35-sheet ADF	
Paper handling output, standard	Up to 100 sheets	
Paper trays, maximum	2	
Paper trays, standard	2	
Plug and play	Auto Wireless Connect; HP Smart Install	
Power	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz	
Print Technology	Ink	
Print colors	Yes	
Print colors maximum	4	
Print head nozzles	Total Print Head nozzles: 6272	
Print heads	4 (1 each black, cyan, magenta, yellow)	
Print languages	HP PCL3 GUI	
Print speed black (ISO)	Up to 25 ppm	
Print speed black (best, A4)	Up to 5 ppm	

Print speed black (best, letter)	Up to 5 ppm	
Print speed black (draft, A4)	Up to 39 ppm	
Print speed black (draft, letter)	Up to 39 ppm	
Print speed color (ISO)	Up to 20 ppm	
Print speed color (draft, A4)	Up to 39 ppm	
Print speed color (draft, letter)	Up to 39 ppm	
Print speed color (normal, 10x15 photo)	As fast as 39 sec	
Print speed color (normal, 4x6 photo)	As fast as 39 sec	
Print speed duplex (A4)	Up to 13 ipm	
Print speed duplex (A4)	Up to 15 ipm	
Print speed duplex (letter)	Up to 15 ipm	
Print speed duplex (letter)	Up to 13 ipm	
Print technology	HP Thermal Inkjet	
Printer Management	Embedded Web Server	
Printer drivers included	Windows HP Driver (PCL3), Linux, UNIX, SAP	
Processor speed	1.2 GHz	
Product color	Cement	
Product logos	Energy Star; "Works with Windows 10" logo; "Wireless; Print; Scan; Copy"; AirPrint™; 2-sided print; 4 individual inks; Mopria™-certified, WiFi certified, MFi, Works with Apple iBeacon, Download on the App Store, Get it on Google Play, Get it from Microsoft, Bluetooth Smart	
Product long name specifications	HP OfficeJet Pro 9132e All-in-One Printer, Color Printer for Small medium business, Print, copy, scan, fax, Wireless; Automatic document feeder; Two-sided printing; Two-sided scanning; Scan to email; Scan to PDF; Fax; Front USB flash drive port; Touchscreen	
Product name (back)	HP OFFICEJET PRO 9130E ALL-IN-ONE SERIES	
Product name (front)	HP OFFICEJET PRO 9130E ALL-IN-ONE SERIES	
Product name (primary)	HP OFFICEJET PRO 9130E ALL-IN-ONE SERIES	
Product name (secondary)	HP OFFICEJET PRO 9130E ALL-IN-ONE SERIES	
Product short name specifications	HP OfficeJet Pro Color Printer	
Quantity per pallet	AMS: 30; EMEA: 24; AP: 24	
RMN number	SNPRC-1803-02	
Recommended Macintosh system requirements	Apple MacOS v11 BigSur, MacOS v12 Monterey, MacOS v13 Ventura; 2 GB HD; Internet Required	
Recommended monthly page volume	Up to 2000	
Recommended operating humidity range	25 to 75% RH	

Recommended operating temperature range	15 to 32℃		
Recommended operating temperature range	59 to 90°F		
Resolution (black and white, standard mode)	200x100 dpi		
Right margin (A4)	3.3 mm		
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013; IEC 62368-1:2014; EN 62368-1:2014 +A11:2017; IEC 62368-1: 2018; EN IEC 62368-1:2020+A11:2020, EN IEC 62368-1:2020 + A11:2020; EN 62311:2008; EN 62479:2010; UL 62368-1 & CAN/CSA C22.2 No. 62368-1-14 German GS.		
Scan resolution, hardware	Up to 1200 x 1200 dpi		
Scan resolution, optical	Up to 1200 dpi		
Scan size (ADF), maximum	8.5 x 14 in		
Scan size (ADF), maximum	215.9 x 355.6 mm		
Scan size (ADF), minimum	127 x 127 mm		
Scan size (ADF), minimum	5 x 5 in		
Scan size, maximum	215.9 x 297 mm		
Scan size, maximum	8.5 x 11.7 in		
Scan speed duplex (normal, A4)	Up to 21 ipm (200 ppi, b&w); Up to 15 ipm (200 ppi, color)		
Scan speed duplex (normal, letter)	Up to 21 ipm (200 ppi, b&w); Up to 15 ipm (200 ppi, color)		
Security management	SSL/TLS (HTTPS); IPP over TLS; WPA2-Enterprise; WPA2-Personal; WPA3; Certificates configuration; Password protect EWS; Signed firmware;		
Segment (filter)	Small medium business		
Send to email capability	Yes		
Service & support options	With services, software, solutions and support from HP, you can use, protect and enjoy your HP technology. Free technical support during		
	warranty period. Access to world-class support services through http://www.hp.com/support.		
Standard input capacity (cards)	,,		
Standard input capacity (cards) Standard input capacity (envelopes)	http://www.hp.com/support.		
Standard input capacity	http://www.hp.com/support. Up to 50 cards		
Standard input capacity (envelopes)	http://www.hp.com/support. Up to 50 cards Up to 30 sheets		
Standard input capacity (envelopes) Standard input capacity (legal) Standard input capacity	http://www.hp.com/support. Up to 50 cards Up to 30 sheets Up to 250 sheets		
Standard input capacity (envelopes) Standard input capacity (legal) Standard input capacity (secondary tray)	http://www.hp.com/support. Up to 50 cards Up to 30 sheets Up to 250 sheets Up to 250 sheets		
Standard input capacity (envelopes) Standard input capacity (legal) Standard input capacity (secondary tray) Standard media sizes (duplex) Standard media sizes (duplex,	http://www.hp.com/support. Up to 50 cards Up to 30 sheets Up to 250 sheets Up to 250 sheets A4; B5; Not supported for borderless photo		

Standard output capacity (labels)	Up to 30 sheets	
Standard output capacity (legal)	Up to 100 sheets	
Storage altitude	15,000 ft	
Storage altitude	4,500 m	
Storage device and direct print support	Storage devices not supported	
Storage temperature range	-40 to 140°F	
Storage temperature range	-40 to 60°C	
System requirements, recommended	Windows 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer.	
Target user and print volume	Prints up to 2,000 pages/month; For teams up to 5 users	
Telecom compliance (fax capability)	FCC Rules and Regulations 47 CFR Part 68/ TIA-968-B ES 203 021-2 / ES 203 021-3; EN 300 328 V2.2.2; EN 301 893 V2.1.1; EN 300 440 V2.1.1; Radio Equipment Directive 2014/53/EU.	
Telephone handset supported	No	
Top key features	Wireless; HP+; HP Instant Ink eligible; Two-sided printing; Two-sided scanning; Automatic document feeder; Fax; Touchscreen; Smart Advance Scan; Instant Paper	
Top margin (A4)	3.3 mm	
Twain version	Version 2.4	
UNSPSC code	43212104	
UPC number	(629) 196337284982; (686) 196337284999; (687) 196337285019	
Web solutions	Wolf Pro Security; Scan to Email; HP app; HP+; Instant Ink	
Wireless	802.11a/b/g/n/ac 1x1 (2.4/5GHz) with BT5.0	
Wireless technologies	802.11a/b/g/n/ac 1x1 (2.4/5GHz) with BLE	

^[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

^[7] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement

Ink/Toner/Paper/Printer Supplies

Ink Supplies ★: Recommended

HP Inkjet Printer Cartridges and Ink Supplies

HP 936 Black Original Ink Cartridge	4S6V2LN
HP 936 CMYK Original Ink Cartridge 4-Pack	6C3Z5LN
HP 936 CMYK Original Ink Cartridge Club 5-Pack	6C3Z7BN
HP 936 Cyan Original Ink Cartridge	4S6U9LN
HP 936 Magenta Original Ink Cartridge	4S6V0LN
HP 936 Yellow Original Ink Cartridge	4S6V1LN
HP 936e EvoMore Black Original Ink Cartridge	4S6V6LN
HP 936e EvoMore Cyan Original Ink Cartridge	4S6V3LN
HP 936e EvoMore Magenta Original Ink Cartridge	4S6V4LN
HP 936e EvoMore Yellow Original Ink Cartridge	4S6V5LN
HP 937 Black Original Ink Cartridge	4S6W5NA
HP 937 Black Original Ink Cartridge	4S6W5NE
HP 937 CMYK Original Ink Cartridge 4-Pack	6C3Z9NA
HP 937 CMYK Original Ink Cartridge 4-Pack	6C400NE
HP 937 Cyan Original Ink Cartridge	4S6W2NA
HP 937 Cyan Original Ink Cartridge	4S6W2NE
HP 937 Magenta Original Ink Cartridge	4S6W3NA
HP 937 Magenta Original Ink Cartridge	4S6W3NE
HP 937 Yellow Original Ink Cartridge	4S6W4NA
HP 937 Yellow Original Ink Cartridge	4S6W4NE
HP 937e EvoMore Black Original Ink Cartridge	4S6W9NA
HP 937e EvoMore Black Original Ink Cartridge	4S6W9NE
HP 937e EvoMore Cyan Original Ink Cartridge	4S6W6NA
HP 937e EvoMore Cyan Original Ink Cartridge	4S6W6NE
HP 937e EvoMore Magenta Original Ink Cartridge	4S6W7NA
HP 937e EvoMore Magenta Original Ink Cartridge	4S6W7NE
HP 937e EvoMore Yellow Original Ink Cartridge	4S6W8NA
HP 937e EvoMore Yellow Original Ink Cartridge	4S6W8NE
HP 938 Black Original Ink Cartridge	4S6X8PA
HP 938 Black Original Ink Cartridge	4S6X8PE

HP 938 Black Original Ink Cartridge	4S6X8PL
HP 938 Cyan Original Ink Cartridge	4S6X5PA
HP 938 Cyan Original Ink Cartridge	4S6X5PE
HP 938 Cyan Original Ink Cartridge	4S6X5PL
HP 938 Magenta Original Ink Cartridge	4S6X6PA
HP 938 Magenta Original Ink Cartridge	4S6X6PE
HP 938 Magenta Original Ink Cartridge	4S6X6PL
HP 938 Yellow Original Ink Cartridge	4S6X7PA
HP 938 Yellow Original Ink Cartridge	4S6X7PE
HP 938 Yellow Original Ink Cartridge	4S6X7PL
HP 938e EvoMore Black Original Ink Cartridge	4S6Y2PA
HP 938e EvoMore Black Original Ink Cartridge	4S6Y2PE
HP 938e EvoMore Cyan Original Ink Cartridge	4S6X9PA
HP 938e EvoMore Cyan Original Ink Cartridge	4S6X9PE
HP 938e EvoMore Magenta Original Ink Cartridge	4S6Y0PA
HP 938e EvoMore Magenta Original Ink Cartridge	4S6Y0PE
HP 938e EvoMore Yellow Original Ink Cartridge	4S6Y1PA
HP 938e EvoMore Yellow Original Ink Cartridge	4S6Y1PE

HP Business Papers

HP Business Papers for inkjet

HP Enhanced Business Paper, Matte, 40 lb, 8.5×11 in (216 x 279 mm), 150 sheets	9ZE20A	
---	--------	--

HP Photo Papers

HP Photo Papers for inkjet

HP Matte Photo Paper, 180 g/m2, 10 x 15 cm (101 x 152 mm), 25 sheets	7HF70A	
HP Matte Photo Paper, 48 lb, 4 x 6 in. (101 x 152 mm), 25 sheets	6QH46A	

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

UDA 1/2	
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets HPM1120R	
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets HPM1420P	

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Aug 26, 2024 4:43 PM UTC+0000