ProductSheet HP Smart Tank 790 All-in-One (4WF66A)





Specifications

Print quality black (best)	Up to 1200 x 1200 rendered dpi	
Print quality color (best)	Up to 4800 x 1200 optimized dpi color when printing from a computer and 1200 input dpi	
Print speed black (ISO, A4)	Up to 15 ppm	
Print Speed Color (ISO)	Up to 9 ppm	
Print speed	Print speed up to 15 ppm (black) and 9 ppm (color)	
Functions	Print, Copy, Scan, Fax, ADF and Wireless	
Duplex printing	Automatic	
Duty cycle (monthly, A4)	Up to 6,000 pages	
Duty cycle (monthly, letter)	Up to 6,000 pages	
Printer smart software features	Duplex Printing	
Scanner advanced features	No	
Fax smart software features	Yes	
Replacement cartridges	HP 32 90-ml Black bottle (~4000 pages), HP 32XL 135-ml Black bottle (~6000 pages), HP 31 70-ml Cyan bottle (~8000 pages), HP 31 70-ml Magenta bottle (~8000 pages), HP 31 70-ml Yellow bottle (~8000 pages); For more information about fill and yield see www.hp.com/go/learnaboutsupplies ^[6]	
Connectivity, standard	1 Fax; 1 Gigabit Ethernet; 1 USB Host (print JPEG only); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11a/b/g/n; 1 Wi-Fi 802.11ac (dual band)	
Network capabilities	Yes, via built-in Ethernet; Wi-Fi	
Wireless capability	Yes, 2.4/5G dual band Wi-Fi, Wi-Fi Direct	
Mobile printing capability	Apple AirPrint; Mopria certified; HP Print Service Plugin (Android printing); HP Smart app; Wi-Fi Direct Printing	
Software included	HP Printer Software, available online	
Compatible Operating Systems	Windows 11; Windows 10; Windows 7; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur (Windows 10, 7: 32-bit or 64-bit, macOS v10.14 Mojave, macOS v10.15 Catalina, macOS v11 Big Sur; 2 GB available hard disk space; Internet connection; Internet Explorer)	
Sustainable impact specifications	25% post-consumer recycled plastic; Recyclable through HP Planet Partners	
Energy star certified	No	
Fax Resolution Black (best)	Up to 300 x 300 dpi	
Faxing	Yes, color	
Scan speed (normal, A4)	Up to 8 ipm (200 ppi, mono); Up to 3.5 ipm 200 ppi, color)	
Scan speed (normal, letter)	Up to 8 ipm (200 ppi, mono); Up to 3.5 ipm 200 ppi, color)	
Scan file format	BMP, JPEG, TIFF, PDF, PNG	
Scan input modes	Front Panel Scan; Copy; Fax; HP Software; EWS	
Scan technology	Contact Image Sensor (CIS)	
Scanner type	Flatbed and ADF	
Display	3 in (76.2 mm) Touchscreen MGD (Mono Graphics Display)	
Minimum dimensions (W x D x H)	42.75 x 36.40 x 24.03 cm	
Minimum dimensions (W x D x H)	16.83 x 14.33 x 9.46 in	
Weight	7.70 kg	
Weight	16.98 lb	
Power consumption	0.1 watts (off);1.10 watts (sleep) $^{[2]}$	
Power supply type	Internal	

Top Recommended Displays, Accessories and Services

HP Ink Bottles	
HP 31 70-ml Cyan Original Ink Bottle	1VU26AE
HP 31 70-ml Magenta Original Ink Bottle	1VU27AE
HP 31 70-ml Yellow Original Ink Bottle	1VU28AE
HP 32XL 135-ml Black Original Ink Bottle	1VV24AE

ProductSheet | HP Smart Tank 790 All-in-One (4WF66A) **Messaging Footnotes** No Messaging Footnotes **Technical Specifications Footnotes** [2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. [6] Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://hp.com/go/learnaboutsupplies

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

