

PIXMA TS7760

 Cartridge

TECHNICAL SPECIFICATIONS



Canon

PIXMA TS7760

Cartridge



STYLISHLY COMPACT

Compact and stylish, the PIXMA TS7760 can print, copy and scan. The PIXMA TR7860 has a 15%¹ smaller footprint giving you more freedom of installation space. It's a compact design that retains functionality at home.



KEEP YOUR MEMORIES

Vivid photos and prints for various purposes. Beautiful prints of your favourite photos and cherished family memories with transparent dye-based ink. Equipped with highlighter-resistant black ink, a first for Canon home printers. Image durability on par with the black ink of the GX series.



EVEN MORE FUNCTIONALITY

The PIXMA TS7760 has a large 2.7" Colour touch screen LCD for easy setup and use of the printer. The PIXMA TS7760 also has a user-replaceable maintenance cartridge. With the convenience of being able to easily maintain it yourself, it means less downtime with printing.



ACHIEVE SIMPLE SETUP WITH WIRELESS CONNECTIVITY


Printing, scanning, copying and connecting to the cloud has never been easier – simply connect to the Canon PRINT app or PIXMA Cloud Link to get underway. You can also print wirelessly directly from your mobile devices such as your smartphone, tablet, or laptop via AirPrint (iOS) or Mopria (Android)².



1: When compared to Canon PIXMA TR7660a

2: AirPrint and Mopria are available for download via the Apple Store (iOS) and Play Store (Android).

What inks can I use with my printer?



INK YIELD
A4 Document: 180

INK YIELD
A4 Document: 300

INK YIELD
A4 Document: 180

INK YIELD
A4 Document: 300

Canon

PIXMA TS7760 | SPECIFICATIONS



GENERAL FEATURES	
Model	PIXMA TS7760
Ink Type	2 FINE Cartridges (Black and Colour)
Maximum Print Resolution	1,200 dpi x 1,200 dpi*1
Size	Approx. 374 x 350 x 168 mm Approx. 14.8 x 13.8 x 6.7 inch
Weight	Approx. 6.3 kg Approx. 13.8 lbs
Display	2.7" / 6.7cm LCD (Touch Screen, colour)
Interface	USB-B Hi-Speed
Connectivity	Wireless LAN 2.4GHz & 5GHz, Direct Connection (Wireless LAN)
Auto Double Sided Printing	Available
PRINT SPEED	
Document: Colour*2	Approx. 10 ipm
Document: Black & White*2	Approx. 15 ipm
Photo (4" x 6")*2	19 seconds
POWER CONSUMPTION	
OFF	Approx. 0.1 W
Copying*3 USB connection to PC	Approx. 21 W
Standby (MFP: scanning lamp is off) USB connection to PC	Approx. 0.9 W
Standby (all ports connected, MFP: scanning lamp is off)	Approx. 1.5 W
Time to enter Standby mode	Approx. 10 min 00 sec
Input Power	AC 100-240 V, 50 / 60 Hz
ENVIRONMENT	
Operating Environment*4	Temperature: 5 - 35 °C Humidity: 10 - 90 %RH (no dew condensation)
Recommended Environment*5	Temperature: 15 -30 °C Humidity: 10 - 80 %RH (no dew condensation)
Storage Environment	Temperature: 0 - 40 °C Humidity: 5 - 95 %RH (no dew condensation)
ACOUSTIC NOISE (PC PRINT)	
Quiet Mode	Available
Acoustic Noise (PC print) Plain Paper*6	Approx. 48.0 dB(A)
PRINT HEAD / INK	
Number of Nozzles	Total 3,136 nozzles (BK: 832 nozzles, C/M/Y 768 nozzles)
Compatible Inks	Black: PG-585, PG-585XL Colour: CL-586, CL-586XL
PRINTABLE WIDTH	
	Up to 203.2 mm (8 inch), Borderless: Up to 216 mm (8.5 inch)

PIXMA TS7760



SPECIFICATIONS

PRINTABLE AREA

Borderless Printing *7	Top / Bottom / Right / Left margin: each 0 mm
Bordered Printing	<ul style="list-style-type: none"> • A5/A4/B5 Top: 5 mm, Bottom: 5 mm, Right: 3.4 mm, Left: 3.4 mm • LTR/LGL Top: 3 mm, Bottom: 5 mm, Right: 6.3 mm, Left: 6.4 mm • Other Top: 3 mm, Bottom: 5 mm, Right: 3.4 mm, Left: 3.4 mm
Bordered Auto 2-Sided Printing	Top: 5 mm, Bottom: 5 mm, Right: 3.4 mm, Left: 3.4 mm (LTR: Right: 6.3 mm, Left: 6.4 mm)

SUPPORT MEDIA

Rear Tray	Plain Paper (64 g/m ² - 105 g/m ²), Photo Paper Pro Platinum (PT-101), Photo Paper Pro Luster (LU-101), Photo Paper Plus Glossy II (PP-301), Matte Photo Paper (MP-101), Photo Paper Glossy (GP-701), High Resolution Paper (HR-101N), T-Shirt Transfer, Envelope, Photo Paper Plus Semi-gloss (SG-201), Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Restickable Photo Paper (RP-101), Greeting Card (manufactured by Avery and RedRiverPaper), Cardstock (manufactured by Neenah Paper and INKPRESS), Premium Fine Art Rough (FA-RG1), Magnetic Photo Paper (MG-101)
Front Tray	Plain Paper (64 g/m ² - 105 g/m ²)

PAPER SIZE

Rear Tray	A4, A4 Art paper, A5, B5, LTR, LTR Art paper, LGL, #10 Envelope, DL Envelope, Card Size (91 mm x 55 mm), 4" x 6", 5" x 7", 7" x 10", 8" x 10", Square (89 mm x 89 mm, 127 mm x 127 mm), Custom Size (width: 55 mm - 215.9 mm, length: 89 mm - 1200 mm)
Front Tray	A5,A4,B5,LTR

PAPER SIZE (BORDERLESS)*8

	A4, B5, LTR, 4" x 6", 5" x 7", 8" x 10", Card Size (91 mm x 55 mm), Square (89 mm x 89 mm), Square (127 mm x 127 mm)
--	----------------------------------------------------------------------------------------------------------------------

PAPER HANDLING (MAXIMUM NUMBER)

Rear Tray	Plain Paper (64 g/m ²)=100, High Resolution Paper (HR-101N) =80 4x6" = Photo Paper Pro Platinum (PT-101), Photo Paper Plus Glossy II (PP-301), Photo Paper Plus Semi-gloss (SG-201), Photo Paper Glossy (GP-701), Matte Photo Paper (MP-101), Restickable Photo Paper (RP-101), Photo Stickers (PS-108/PS-208/PS-808), Magnetic Photo Paper(MG-101): 1
Front Tray	Plain Paper (64 g/m ²): 100

PAPER WEIGHT

Rear Tray	Plain Paper: 64 g/m ² - 105 g/m ² , Canon paper: max paper weight : approx. 300 g/m ² (Photo Paper Pro Platinum PT-101)
Front Tray	Plain Paper: 64 g/m ² - 105 g/m ²

PIXMA TS7760

Cartridge | SPECIFICATIONS

SCANNER FUNCTIONS*9

Scanner Type	Flatbed
Optical Resolution*10	1,200 x 2,400 dpi
Scanning Bit Depth (Input/Output)	Grayscale: 16 bit / 8 bit Colour: RGB each 16 bit / 8 bit
Maximum Document Size	Flatbed: A4 / LTR (216 x 297 mm)

COPY FUNCTIONS

Maximum Document Size	A4 / LTR
Compatible Media	Plain Paper(64 g/m2 - 105 g/m2), Photo Paper Pro Platinum (PT-101), Photo Paper Pro Luster (LU-101), Photo Paper Plus Semi-gloss (SG-201), Photo Paper Glossy (GP-701), Matte Photo Paper (MP-101), Photo Paper Plus Glossy II (PP-301), Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101)
Image Quality	3 positions (Draft, Standard, High)
Multiple Copy	Black & White / Colour: max. 99 pages


PRINTING SOLUTION

Available for*11	AirPrint / Mopria / Canon Print Service (for Android) / PIXMA Cloud Link / Canon PRINT app (for iOS / Android)
Minimum System Requirements	Windows® 11, Windows® 10, Windows 8.1, Windows 7 SP1 MacOS v10.15.7 ~ 13, iOS®, iPadOS, Android™, ChromeOS

What's in the Box?

- Printer
- Power cord
- FINE Ink cartridges
- Getting started guide

Contents



PIXMA TS7760 | DISCLAIMERS



*1: Ink droplets can be placed with a pitch of 1/1200 inch at minimum.

*2: Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734. Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

*3: Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings. Specifications are subject to change without notice.

*4: The performance of the printer may be reduced under certain temperature and humidity conditions.

*5: For the temperature and humidity conditions of papers such as photo paper, refer to the paper's packaging or the supplied instructions.

*6: Acoustic Noise is measured based on ISO7779 standard with default setting.

*7: Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers

*8: The following media does NOT support borderless printing. : High Resolution Paper, T-Shirt Transfer, Photo Stickers

*9: TWAIN driver (ScanGear) is based on the TWAIN specification V1.9 and requires the Data Source Manager comes with the operating system.

*10: Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.

*11: Resolution may be changed between Direct print and printing from PC.

Standard disclaimers:

- If your inkjet printer is found defective within the applicable manufacturer warranty period (1 Year), we'll replace it with the same, or an equivalent model. Excludes damage caused by external factors. Canon's full replacement promise is in addition to your rights under Australian Consumer Law which, depending on the type of fault, includes repair, replacement or a refund. For full terms see: www.canon.com.au/printassist or the card in the printer box. Only for products purchased at Authorised Canon Australia retailers
- Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- AirPrint and Mopria are available for download via the Apple Store (iOS) and Play Store (Android).
- USB cable not included.

Note:

A complete set of ink cartridges with ink available in each cartridge is required for all functions including copy, print and scan. Some functions (e.g. PIXMA Cloud Link, scan to cloud or scan to email) may not work unless genuine Canon inks are used and/or an internet connection is established.

Canon

**www.canon.com.au
www.canon.co.nz**