

4XEM 4-port USB-A Data Hub – TAA

4XEM Part- 4XUSBAHUB4TAA



The 4XEM 4-Port USB-A Data Hub is designed to expand your connectivity while delivering high-speed data transfer and reliable performance. This compact hub supports the USB 3.2 Gen 1 standard, offering transfer rates up to 5 Gbps, ensuring quick and efficient data transmission. The hub features four USB 3.2 Type-A female ports and is bus-powered, meaning it draws power directly from your host device, offering a total power budget of 18W.

Compatible with any OS, the hub provides plug-and-play convenience without the need for additional drivers. The durable aluminum build and sleek white finish offer both style and durability, making it perfect for professionals on the go. With a compact design this USB hub is lightweight and easy to carry.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104    [tschaus@4xem.com](mailto:tschaus@4xem.com)



## Features:

- USB 3.2 Gen 1 5 Gbps data transfer speed
- 4 USB-A Ports
- Bus-Powered
- Compact & Lightweight
- Durable Aluminum Build
- Plug-and-play with any operating system
- TAA Compliant
- 1-Year Warranty

## Applications:

- **Effortless Expansion:** Instantly add four USB-A ports to your laptop or desktop, making it perfect for connecting multiple devices such as keyboards, mice, flash drives, and external storage.
- **High-Speed Data Transfer:** With USB 3.2 Gen 1 technology, enjoy blazing-fast data transfer speeds up to 5 Gbps, ideal for transferring large files quickly and efficiently.
- **Plug-and-Play Convenience:** The OS-independent design ensures hassle-free setup with any operating system, requiring no additional drivers or software.
- **Government and Enterprise Ready:** TAA compliance makes it an excellent choice for government institutions and large enterprises that require secure and certified technology.



4XEM Products Are Available At Your Favorite Online Retailers





**DATA SHEET**

Warranty Information	Warranty	1 Year
Hardware/Performance	Industry Standards Chipset ID Charging Protocols	USB 3.2 Gen 1 (5 Gbps) GL3510 Standard USB 5V
Connector(s)	Host Connector Host Bus Type Host Cable Type Connector Ports	USB Type-A Male USB 3.2 Direct Attached 4x USB 3.2 Type-A Female (5 Gbps)
Software	OS Compatibility Data Transfer Rate	OS Independent 5 Gbps
Power	Power Source Total Power Budget Power Delivery Input Voltage Output Voltage	Bus-Powered through host 18W N/A 5V 4.75V-5V
Physical Characteristics	Color Material Cable Length Product Height Product Width Product Length Weight of Product	Gray Aluminum 9.84 in [250 mm] 0.74 in [18.8 mm] 1.06 in [27 mm] 4.02 in [102.3 mm] 1.83 oz [52 g]
Environmental	Operating Temperature Storage Temperature	32°F to 158°F (0°C to 70°C) -40°F to 185°F (-40°C to 85°C)
Packaging Information	Package Type Package Height Package Width Package Length Shipping (Package) Weight	Box 1.19 in [30 mm] 3.93 in [100 mm] 7.48 in [190 mm] 3.59 oz [102 g]
What's in the Box	1 - Included in Package	1x 4-port USB Hub
Notes	Country of Origin Notes	Taiwan TAA Compliant

\* Product appearance and specifications are subject to change without notice.

Weights are approximate.  
Same day shipping is only available for orders shipping within the United States.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Todd Schaus 4XEM sales Rep  
1-866-999-4936 Ext.104    tschaus@4xem.com**

