

Pricebook



Reference Guide and Pricebook

Prices effective
October 5, 2013

Eaton 9PX UPS

REFERENCE GUIDE AND PRICEBOOK

Table of Contents

Introduction

Input Plug and Output Receptacle Chart.....	3
---	---

Ordering Information, Parts, Accessories and Current List Pricing

Eaton Power Distribution, Monitoring and Enclosures

ePDUs	5
Eaton Automatic Transfer Switches.....	8
Eaton HotSwap Maintenance Bypass (MBP)	8
ePDU Cables	9
Eclipse Surge Suppressors	10
Eaton S-Series Rack.....	11
Environmental Rack Monitor (ERM)	14
Remote Power Panel (RPP)	16
Power Distribution Rack (PDR)	20
Eaton Branch Circuit Breakers	22
Eaton Energy Management System Upgrade Kit.....	23
UL Listed Power Distribution Cables	24

Single-phase Products

Catalog Number Ordering Instructions for Single-phase Products.....	27
---	----

Single-phase (Standby)

Eaton 3S UPS (350–750 VA).....	28
--------------------------------	----

Single-phase (Line-interactive)

Eaton 5110 UPS (500–1500 VA)	29
Eaton 5S UPS (550–1500 VA).....	30
Eaton 5SC UPS (550–1500 VA)	31
Eaton 5115 UPS Tower (500–1400 VA)	32
Eaton Transition Line-Interactive UPS Products.....	33
Eaton 5P UPS Rackmount (550–3000 VA)	34
Eaton 5P UPS Tower (750–3000 VA)	36
Eaton 5PX UPS Rack/Tower (1000–3000 VA)	37

Single-phase (Online)

Eaton EX UPS (700–3000 VA).....	39
Eaton 9130 UPS Rack (700–3000 VA)	42
Eaton 9130 UPS Tower (700–3000 VA)	45
Eaton 9PX UPS Rack/Tower (5–6 kVA).....	47
Eaton 9PX UPS Rack/Tower (8–11kVA).....	49
Eaton 9155 UPS (8–15 kVA)	51
Eaton 9170+ UPS Rack/Tower (3–18 kVA).....	54

Series FERRO

Eaton FERRUPS FE UPS 60 Hz (500–3100 VA)	59
Eaton FERRUPS UPS Rack Series (1.4 kVA–7 kVA)	61
Eaton FERRUPS UPS External Options & Accessories	62

(table of contents continued on next page)

REFERENCE GUIDE AND PRICEBOOK

Table of Contents *(continued)*

Ordering Information, Parts, Accessories and Current List Pricing *(continued)*

Three-phase (Double-conversion)

Eaton BladeUPS (12–60 kW)	64
Eaton 9355 UPS (10–15 kVA)	72
Eaton 9355 UPS (20–30 kVA)	75
Eaton Emergency Lighting UPS (10–30 kVA)	76
Eaton 93E UPS (20–60 kVA)	79
Eaton 9390IT UPS (40–160 kVA)	85

Additional Products

Ultra-isolator Noise Suppressors	89
Power Conditioners	90
Metering Products	94
Software Products	113
Connectivity Products	114
Surge Protection Products – PSPD Series	116
Surge Protection Products – PSPV Series	121
Surge Protection Devices	122

Services

Single-phase Service Plans Overview	124
Single-phase Service Plans	125
Three-phase Service Plans Overview	130
Three-phase Service Plans	130
Time and Material Service Rate Schedule	170

RMA Policy and Product Warranties

Sales Returned Merchandise Authorization (RMA) Policy	171
Product Warranty Statements	172

Notes: Due to continuing product improvement programs, all specifications and prices are subject to change without notice.

With the exception of batteries, any UPS parts or parts kit pricing that is included in this reference guide is based on a concurrent purchase of a new unit(s). Pricing for parts or parts kits purchases made separately from a concurrent unit purchase must be obtained from the Eaton Customer Support Center at 800.356.5737.

RECEPTACLE CHART

Input Plug and Output Receptacle Chart

5-15R	5-15P	5-20R	5-20P
L5-20R	L5-20P	L5-30R	L5-30P
6-15R	6-15P	L6-20R	L6-20P
L6-30R	L6-30P	L14-30R	L14-30P
IEC-320-C13 (female)	IEC-320-C14 (male)	IEC-320-C19 (female)	IEC-320-C20 (male)
IEC-309, 16A	IEC-309, 32A		


R indicates receptacle
P indicates plug
L indicates locking plug or receptacle

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Eaton ePDU Catalog Numbering System

Eaton's smart part numbers help our customers understand our numbering system.

Follow the example below to see what the letters and numbers mean within our ePDU catalog numbers.



Eaton has introduced new part numbers to our product link. Please see details below:

ePBZ

BZ = Basic

eMA

MA = Managed

eAM

AM = Advanced Monitored

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

ePDUs

ePDUs feature the broadest portfolio in the industry across all power densities and technologies to satisfy the needs of every data center.

- Vertical OU or horizontal 1U/2U configurations
- Five technologies: Basic, Monitored, Advanced Monitored, Switched and Managed
- Custom designs upon request



ePDUs

Catalog Number	Max. kW	Function	Cord Length (ft)	Input Plug	Output Receptacles	Dimensions (H x W x D, inches)	List Price
----------------	---------	----------	------------------	------------	--------------------	--------------------------------	------------

Basic ePDUs—Designed for reliable and cost effective power distribution; basic ePDUs have the form factor and receptacle choices to meet the needs of demanding data center architects.

Horizontal Mount Models

ePBZ78	2.88	BA	15	L5-30P	(20) 5-20R	1.7 x 17.0 x 3.5	\$259
ePBZ79	4.99	BA	15	L6-30P	(16) C13, (4) C19	1.7 x 17.0 x 5.1	\$259
ePBZ82	1.92	BA	15	L5-20P/5-20P*	(12) 5-20R	1.7 x 17.3 x 2.3	\$148
ePBZ83	1.44	BA	15	5-15P	(12) 5-15R	1.7 x 17.3 x 2.3	\$99
ePBZ84	2.88	BA	10	L5-30P	(10) 5-20R	1.7 x 17.0 x 3.5	\$226
ePBZ85	1.92	BA	10	5-20P	(12) 5-20R	1.7 x 17.3 x 2.3	\$119
ePBZ86	1.44	BA	10	5-15P	(12) 5-15R	1.7 x 17.3 x 2.3	\$99
ePBZ88	3.33	BA	6	C20	(10) C13, (2) C19	1.7 x 19.0 x 2.4	\$129
ePBZ91	4.99	BA	10	L6-30P	(10) C13	1.7 x 17.0 x 3.5	\$209
ePBZ94	4.99	BA	6	L6-30P	(6) C19	1.7 x 19.0 x 2.4	\$229
ePBZ95	3.33	BA	6	L6-20P	(12) C13, (1) C19	1.7 x 19.0 x 2.4	\$129
ePBZ99	1.92	BA	6	L5-20P	(12) 5-20R	1.7 x 19.0 x 2.4	\$119
EFLX13000R-PDU1UIEC	3.33	BA	3	C20	(12) C13, (1) C19	1.7 x 17.3 x 2.4	\$157
EFLXL1500R-PDU1U	1.44	BA	3	5-15P	(12) 5-15R	1.7 x 17.3 x 2.4	\$94
EFLXL2000R-PDU1U	1.92	BA	3	5-20P	(12) 5-20R	1.7 x 17.3 x 2.4	\$104
EFLXL2000R-PDU1UL	1.92	BA	3	5-20P	(5) L5-20R	1.7 x 17.3 x 2.4	\$136
PW101BA1U140	1.44	BA	9	5-15P	(12) 5-15R	1.7 x 19.0 x 7.0	\$253
PW102BA1U158	1.92	BA	9	5-20P	(12) 5-20R	1.7 x 19.0 x 7.0	\$256
PW102BA1U159	1.92	BA	9	L5-20P	(12) 5-20R	1.7 x 19.0 x 7.0	\$266
PW103BA1U190	2.88	BA	9	L5-30P	(12) 5-20R	1.7 x 19.0 x 7.0	\$279
PW103BA1U191	3.33	BA	9	L6-20P	(12) C13	1.7 x 19.0 x 7.0	\$335
PW103BA1U405	3.33	BA	9	C20	(16) C13	1.7 x 19.0 x 7.0	\$241
PW103BA1U406	4.99	BA	9	L6-30P	(16) C13	1.7 x 19.0 x 7.0	\$418
PW105BA1U163	4.99	BA	9	L6-30P	(12) C13	1.7 x 19.0 x 7.0	\$387
PW105BA1U192	4.99	BA	9	L6-30 P	(8) C13, (4) C19	1.7 x 19.0 x 7.0	\$414
PW105BA1U404	4.99	BA	9	L14-30P	(12) 5-15R	1.7 x 19.0 x 7.0	\$469
PW105BA2U420	4.99	BA	9	L6-30P	(4) L6-20R	3.4 x 19.0 x 6.0	\$579
PW105BA2U422	4.99	BA	9	L14-30P	(4) L6-20R	3.4 x 19.0 x 6.0	\$649
PW314BA1U193	14.4	BA	9	CS8365	(6) C19	1.7 x 17.0 x 7.0	\$729

Vertical Mount Models

ePBZ71	1.92	BA	15	5-20P/L5-20P*	(30) 5-20R	72.0 x 1.5 x 1.5	\$279
ePBZ72	1.92	BA	15	5-20P/L5-20P*	(18) 5-20R	48.0 x 1.5 x 1.5	\$209
ePBZ73	1.44	BA	15	5-15P	(18) 5-15R	48.0 x 1.5 x 1.5	\$149
ePBZ74	1.92	BA	15	5-20P/L5-20P*	(14) 5-20R	24.0 x 1.5 x 1.5	\$169
ePBZ75	1.44	BA	15	5-15P	(14) 5-15R	24.0 x 1.5 x 1.5	\$119
ePBZ77	1.92	BA	15	L5-20P/5-20P	(24) 5-20R	60.0 x 1.5 x 1.5	\$219
ePBZ80	4.99	BA	10	L6-30P	(30) C13, (6) C19	52.9 x 1.9 x 2.1	\$299
ePBZ89	1.44	BA	6	C14	(16) C13	28.0 x 2.2 x 1.9	\$99
ePBZ90	2.88	BA	15	L5-30P	(24) 5-20R	40.0 x 1.9 x 2.1	\$269
ePBZ92	4.99	BA	6	L6-30P	(20) C13, (4) C19	42.0 x 2.2 x 1.9	\$279
ePBZ93	3.33	BA	6	L6-20P	(20) C13, (4) C19	42.0 x 2.2 x 1.9	\$229
ePBZ96	1.92	BA	6	L5-20P	(24) 5-20R	60.0 x 1.5 x 1.5	\$199
ePBZ97	1.92	BA	6	5-20P	(24) 5-20R	60.0 x 1.5 x 1.5	\$149
ePBZ98	1.44	BA	6	5-15P	(18) 5-15R	48.0 x 1.5 x 1.5	\$99
PW103BA0U237	3.33	BA	9	L6-20P	(24) C13, (4) C19	66.0 x 1.9 x 2.0	\$524
PW103BA0U257	2.88	BA	9	L5-30P	(24) 5-20R	66.0 x 1.9 x 2.0	\$474
PW105BA0U239	4.99	BA	9	L6-30P	(24) C13, (4) C19	66.0 x 1.9 x 2.0	\$536
PW105BA0U412	4.99	BA	6	L14-30P	(12) 5-15R	10.0 x 7.8 x 3.0	\$349
PW105BA0U421	4.99	BA	9	L14-30P	(24) 5-20R	66.0 x 1.9 x 2.0	\$599
PW306BA0U241	5.76	BA	9	L21-20P	(30) 5-20R	66.0 x 1.9 x 2.0	\$688
PW306BA0U244	5.76	BA	9	L21-20P	(36) C13, (6) C19	66.0 x 1.9 x 2.0	\$609
PW306BA0U246	5.76	BA	9	L21-20P	(18) 5-20R, (6) L6-20R	66.0 x 1.9 x 2.0	\$691
PW309BA0U409	8.65	BA	9	L21-30P	(24) 5-20R	66.0 x 1.9 x 2.0	\$879
PW314BA0U251	14.4	BA	9	CS8365	(24) C13, (4) C19, (2) L6-30R	66.0 x 1.9 x 2.0	\$776
PW314BA0U253	14.4	BA	9	CS8365	(30) C13, (6) C19	66.0 x 1.9 x 2.0	\$1,102

* These units ship with an adapter allowing for 5-20P input plug.

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

ePDUs (continued)

ePDUs (continued)

Catalog Number	Max. kW	Function	Cord Length (ft)	Input Plug	Output Receptacles	Dimensions (H x W x D, inches)	List Price
----------------	---------	----------	------------------	------------	--------------------	--------------------------------	------------

Monitored ePDUs—Designed for high-density, mission-critical server applications, provides maximum power for both standard and blade servers. Monitored ePDUs provide circuit level amperage metering through both a local digital meter and ethernet network capabilities. This technology allows the data center manager complete access to power information.

Horizontal Mount Models

PW101MI1U221	1.44	MI	9	5-15P	(12) 5-15R	1.7 x 17.0 x 7.0	\$434
PW101MI1U403	1.44	MI	9	5-20P	(12) 5-20R	1.7 x 17.0 x 7.0	\$480
PW102MI1U160	1.92	MI	9	L5-20P	(12) 5-20R	1.7 x 17.0 x 7.0	\$493
PW103MI1U161	2.88	MI	9	L5-30P	(12) 5-20 R	1.7 x 17.0 x 7.0	\$556
PW103MI1U162	3.33	MI	9	L6-20P	(12) C13	1.7 x 17.0 x 7.0	\$516
PW105MI1U164	4.99	MI	9	L6-30P	(12) C13	1.7 x 17.0 x 7.0	\$682
PW105MI1U165	4.99	MI	9	L6-30P	(6) C13, (4) C19	1.7 x 17.0 x 7.0	\$629
PW105MI2U402	4.99	MI	9	L6-30P	(20) C13	3.4 x 19.0 x 7.0	\$734
PW317MI2U141	17.29	MI	9	IEC30960 460P9W	(12) C19	3.4 x 19.0 x 9.5	\$1,417

Vertical Mount Models

PW101MI0U233	1.44	MI	9	5-15P	(28) 5-15R	66.0 x 1.9 x 2.0	\$546
PW102MI0U234	1.44	MI	9	5-20P	(24) 5-20R	66.0 x 1.9 x 2.0	\$594
PW102MI0U235	1.92	MI	9	L5-20P	(24) 5-20 R	66.0 x 1.9 x 2.0	\$570
PW103MI0U236	2.88	MI	9	L5-30P	(24) 5-15 R	66.0 x 1.9 x 2.0	\$597
PW103MI0U238	3.33	MI	9	L6-20P	(24) C13, (4) C19	66.0 x 1.9 x 2.0	\$667
PW105MI0U240	4.99	MI	9	L6-30P	(24) C13, (4) C19	66.0 x 1.9 x 2.0	\$820
PW105MI0U255	4.99	MI	9	L14-30P	(24) C13, (4) C19, (4) 5-20R	66.0 x 1.9 x 2.0	\$809
PW306MI0U242	5.76	MI	9	L21-20P	(30) 5-20R	66.0 x 1.9 x 2.0	\$945
PW306MI0U243	5.76	MI	9	L21-20P	(24) C13, (3) C19, (6) 5-20R	66.0 x 1.9 x 2.0	\$860
PW306MI0U245	5.76	MI	9	L21-20P	(36) C13, (6) C19	66.0 x 1.9 x 2.0	\$895
PW306MI0U247	5.76	MI	9	L21-20P	(18) 5-20R, (6) L6-20R	66.0 x 1.9 x 2.0	\$950
PW306MI0U408	5.76	MI	9	L21-20P	(30) 5-15R	66.0 x 1.9 x 2.0	\$734
PW306MI0U416	5.76	MI	10	L21-20P	(42) C13	66.0 x 1.9 x 2.0	\$1,153
PW309MI0U248	8.65	MI	9	L21-30P	(24) C13, (3) C19, (6) 5-20R	66.0 x 1.9 x 2.0	\$960
PW309MI0U250	8.65	MI	9	L21-30P	(36) C13	66.0 x 1.9 x 2.0	\$944
PW309MI0U256	8.65	MI	9	L21-30P	(30) C13, (6) C19	66.0 x 1.9 x 2.0	\$984
PW314MI0U252	14.40	MI	9	CS8365	(24) C13, (4) C19, (2) L6-30R	66.0 x 1.9 x 2.0	\$1,417
PW314MI0U254	14.40	MI	9	CS8365	(30) C13, (6) C19	66.0 x 1.9 x 2.0	\$1,154
PW317MI0U222	17.29	MI	7	IEC309-60	(12) C13, (12) C19	66.0 x 2.0 x 4.0	\$1,889

Switched ePDUs—For receptacle level control choose switched ePDUs, which allow the user to remote reboot or lockout individual receptacles. Switched ePDUs also employ local meters as well as networking capability via either Ethernet or serial connections. Local LEDs show the status of receptacles and an accessories port allows for temperature and humidity probes to manage local environmental conditions.

Horizontal Mount Models

PW103SW2U413	3.33	SW	9	C20	(8) C13	1.7 x 19.0 x 9.5	\$787
PW103SW2U414	3.33	SW	9	C20	(8) 5-15R	1.7 x 19.0 x 9.5	\$787
PW105SW2U223	4.99	SW	9	L6-30P	(20) C13	1.7 x 19.0 x 9.5	\$1,469
PW105SW2U415	4.99	SW	9	L6-30P	(20) C13, (4) C19	1.7 x 19.0 x 9.5	\$1,469

Vertical Mount Models

PW101SW0U224	1.44	SW	9	5-15P	(16) 5-15R	68.0 x 1.9 x 2.0	\$1,229
PW102SW0U150	1.92	SW	9	L5-20P	(8) 5-15R	42.0 x 1.9 x 2.0	\$949
PW102SW0U151	1.92	SW	9	L5-20P	(24) 5-15R	66.0 x 1.9 x 2.0	\$1,399
PW103SW0U152	2.88	SW	9	L5-30P	(16) 5-15R	66.0 x 1.9 x 2.0	\$1,399
PW103SW0U153	3.33	SW	9	L6-20P	(24) C13	66.0 x 1.9 x 2.0	\$1,399
PW105SW0U154	4.99	SW	9	L6-30P	(16) C13	66.0 x 1.9 x 2.0	\$1,299
PW306SW0U155	5.76	SW	9	L21-20P	(24) 5-15R	66.0 x 1.9 x 2.0	\$1,399
PW306SW0U156	5.76	SW	9	L21-20P	(24) C13	66.0 x 1.9 x 2.0	\$1,399
PW309SW0U178	8.65	SW	9	L21-30P	(24) C14	66.0 x 1.9 x 2.0	\$1,599
PW317SW0U400	17.29	SW	9	IEC 60309P 3P + PE	(18) C13, (6) C19	66.0 x 2.0 x 4.0	\$2,309
PW317SW0U401	17.29	SW	9	IEC 60309 460P9W	(12) C13, (12) C19	66.0 x 2.0 x 4.0	\$2,299

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

ePDUs (continued)

ePDUs (continued)

Catalog Number	Max. kW	Function	Cord Length (ft)	Input Plug	Output Receptacles	Dimensions (H x W x D, inches)	List Price
----------------	---------	----------	------------------	------------	--------------------	--------------------------------	------------

Advanced Monitored ePDUs—Outlet level monitoring of voltage, current, power and energy (KWH). Provides necessary measurements to calculate Level 3 PUE and to run capacity /usage analytics. Advanced local display and color coded silk screen.

Vertical Mount Models

eAM001	5.8	AM	10	L6-30P	(20) C13, (4) C19	68.0 x 2.2 x 2.6	\$1,030
eAM002	5.8	AM	10	L21-20P	(21) C13, (3) C19	60.0 x 2.2 x 2.6	\$1,170
eAM003	12.6	AM	10	CS8365C	(21) C13, (3) C19	68.0 x 2.2 x 2.6	\$1,420
eAM004	8.6	AM	10	L21-30P	(21) C13, (3) C19	68.0 x 2.2 x 2.6	\$1,420
eAM005	17.3	AM	10	IEC309 48A	(12) C13, (12) C19	72.4 x 2.2 x 2.6	\$2,240
eAM008	3.3	AM	10	C20	(20) C13, (4) C19	60.0 x 2.2 x 2.6	\$920

Managed ePDUs—Includes outlet level switching to power cycle (reboot) locked servers or turn off unused outlets. Outlet level monitoring of voltage, current, power and energy (KWH). Provides necessary measurements to calculate Level 3 PUE and to run capacity /usage analytics.

Vertical Mount Models

eMA006	5.8	MA	10	L21-20P	(21) C13, (3) C19	60.0 x 2.2 x 2.6	\$1,300
eMA007	12.6	MA	10	CS8365C	(21) C13, (3) C19	68.0 x 2.2 x 2.6	\$1,570
eMA009	17.3	MA	10	IEC309 48A	(12) C13, (12) C19	72.4 x 2.2 x 2.6	\$2,470
eMA010	5.8	MA	10	L6-30P	(20) C13, (4) C19	68.0 x 2.2 x 2.6	\$1,150
eMA011	8.6	MA	10	L21-30P	(21) C13, (3) C19	68.0 x 2.2 x 2.6	\$1,570
eMA012	3.3	MA	10	L6-20P	(20) C13, (4) C19	60.0 x 2.2 x 2.6	\$1,020
eMA013	11.5	MA	10	IEC309 16A	(12) C13, (12) C19	68.0 x 2.2 x 2.6	\$1,720
eMA014	17.3	MA	10	IEC309 32A	(12) C13, (12) C19	72.4 x 2.2 x 2.6	\$2,160

Environmental Probes

Catalog Number	Description	Price
EMP001	Environmental Monitoring Probes for AM and MA units	\$104

Accessories

Catalog Number	Description	Price
KBLT01	Plug Restraint Cable Tray for AM and MA units	\$83

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

FlexPDU plug/amp rating	UPS model (North American only)
15	Eaton Evolution Rack UPS, 650–1550 VA
	Eaton 5PX Rack/Tower UPS, 1000–1500 VA
	Eaton 9130 Rack UPS, 700–1500 VA
	Eaton EX Rack UPS, 1000–1500 VA
20	Eaton Evolution Rack/Tower UPS, 2000 VA
	Eaton 5PX Rack/Tower UPS, 2200–3000 VA
	Eaton 9130 Rack UPS, 2000–3000 VA
	Eaton EX Rack/Tower UPS, 2200–3000 VA



EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Eaton Automatic Transfer Switches

eATS (Automatic Transfer Switch) and STS (Source Transfer Switch) ePDUs—Designed for switching non-phase synchronized AC power sources, the automatic transfer switch ePDUs' intelligent circuitry monitors both inputs, providing a fast switch transfer from primary to secondary source power critical equipment without interruption. These ePDUs assure the highest level of redundancy to mission-critical applications.

- 1U configurations available
- Custom designs upon request

eATS (Automatic Transfer Switch) and STS (Source Transfer Switch) ePDUs

Catalog Number	Max. kW	Function	Cord Length (ft)	Input Plug	Output Receptacles	Dimensions (H x W x D, inches)	List Price
Horizontal Mount Models							
PULSTS1400R-1U	-	AT	-	(2) 5-15P	(6) 5-15R	1.7 x 19.0 x 9.8	\$300
PULSTS16AMP-1U	-	AT	-	(2) C20	(6) C13, (1) C19	1.7 x 16.9 x 9.8	\$310
PWATSL520004	1.92	AT	9	(2) L5-20P	(8) 5-20R	1.7 x 19.0 x 7.0	\$734
PWATSL530005	2.88	AT	9	(2) L5-30P	(8) 5-20R	1.7 x 19.0 x 7.0	\$787
PWATSL530007	2.88	AT	9	(2) L5-30P	(1) L5-30R	1.7 x 19.0 x 7.0	\$787
PWATSL630006	4.99	AT	9	(2) L6-30P	(12) C13	1.7 x 19.0 x 7.0	\$839
PWATSL630008	4.99	AT	9	(2) L6-30P	(1) L6-30R	1.7 x 19.0 x 7.0	\$787
PWATSS515002	1.44	AT	9	(2) 5-15P	(8) 5-15R	1.7 x 19.0 x 7.0	\$629
PWATSS520003	1.92	AT	9	(2) 5-20P	(8) 5-20 R	1.7 x 19.0 x 7.0	\$682
PWATSSC20001	3.33	AT	-	(2) C20	(8) C13, (1) C19	1.7 x 19.0 x 7.0	\$629

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Eaton HotSwap Maintenance Bypass (MBP)

HotSwap MBP—Facilitating hot-swappable UPS replacement from the rack—the HotSwap MBP is also ideal when exchanging a faulty unit or upgrading to a new UPS. The HotSwap MBP offers receptacles in 5-15R and 5-20R.

- Gain additional receptacles on UPSs
- Provide service continuity during battery replacement, UPS maintenance or upgrade
- Ease installation with flexible mounting options (rear panel, the top, on the left or on the right of the UPS (depending on the UPS model)
- Accommodate most space constraints with minimal depth 1U form factor



HOTSWAP MBP

Catalog Number	Max. kW	Function	Cord Length	Input Connection	Output Receptacles (Quantity)	Dimensions (H x W x D, inches)	List Price
EHBPL1500R-PDU1U	1.44	BA	3'	5-15P	(6) 5-15R	2.1 x 3.8 x 17.3	\$242
EHBPL2000R-PDU1U	1.92	BA	3'	5-20P	(6) 5-15R	2.1 x 3.8 x 17.3	\$289
EHBPL3000R-PDU1U	2.88	BA	3'	L5-30P	(5) 5-20R	2.1 x 3.8 x 17.3	\$420

HotSwap MBP

UPS model (North American only)

15	Eaton Evolution Rack UPS, 650–1550 VA
	Eaton 5PX Rack/Tower UPS, 1000-1500 VA
	Eaton 9130 Rack UPS, 700–1500 VA
	Eaton EX Rack UPS, 1000–1500 VA
20	Eaton Evolution Rack/Tower UPS, 2000 VA
	Eaton 5PX Rack/Tower UPS, 2200 VA
	Eaton 9130 Rack UPS, 2000 VA
	Eaton EX Rack/Tower UPS, 2200 VA
30	Eaton 5PX Rack/Tower UPS, 3000 VA
	Eaton 9130 Rack UPS, 2500–3000 VA
	Eaton EX Rack/Tower UPS, 3000 VA



EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

ePDU Cables

- **Adapters** to enable equipment with disparate input/output receptacles to work together
- **Jumpers** to connect two pieces of equipment without cluttering up the cable arrangement
- **Splitters** to add extra equipment to a UPS or PDU without using up more outlets

All Eaton power cables are tested and certified for use with Eaton products, such as ePDUs, rack power modules (RPMs) and UPSs—proven to deliver the reliability and service life needed for the most rigorous data center applications.

- Choose from adapters, jumpers and splitters for any rack power distribution application
- Select from a broad range of input/output connectors
- Streamline cabling in Enclosures by deploying exactly the cable length needed
- Count on assured performance with pre-tested products that meet UL and Eaton standards

Adapter Cables

Catalog Number	Description	Leads	Input Plug	Output	Length (ft)	Price
010-0020	10 ft IEC320-C14 to IEC320-C13 Jumper Cable	1	C14	C13	10	\$17
010-0021	7 ft IEC320-C14 to IEC320-C13 Jumper Cable	1	C14	C13	7	\$14
010-0024	15 ft IEC320-C14 to IEC320-C13 Jumper Cable	1	C14	C13	15	\$20
010-0025	8 ft IEC320-C14 to IEC320-C13 Jumper Cable	1	C14	C13	8	\$15
010-0026	8 ft C19 TO Bare Wire Cable	1	Bare Wire	C19	8	\$16
010-0027	6 ft IEC320-C14 to IEC320-C13 Jumper Cable	1	C14	C13	6	\$13
010-0028	4 ft IEC320-C14 to IEC320-C13 Jumper Cable	1	C14	C13	4	\$11
010-0029	2 ft IEC320-C14 to IEC320-C13 Jumper Cable	1	C14	C13	2	\$9
010-0032	1 ft IEC320-C14 to 5-15R Adapter Cable	1	C19	C14	1	\$15
010-0034	8 ft IEC320-C19 to Bare Wire Adapter Cable	1	C19	Bare	8	\$32
010-9332	8 ft IEC320-C13 to 5-15P Jumper Cable	1	5-15P	C13	8	\$16
010-9334	8 ft IEC320-C19 to 5-15P Adapter Cable	1	5-15P	C19	8	\$21
010-9335	8 ft IEC320-C19 to 5-20P Adapter Cable	1	5-20P	C19	8	\$27
010-9336	8 ft IEC320-C19 to 6-15P Adapter Cable	1	6-15P	C19	8	\$32
010-9337	8 ft IEC320-C19 to 6-20P Adapter Cable	1	6-20P	C19	8	\$32
010-9338	8 ft IEC320-C19 to L5-15P Adapter Cable	1	L5-15 P	C19	8	\$37
010-9339	8 ft IEC320-C19 to L5-20P Adapter Cable	1	L5-20 P	C19	8	\$27
010-9341	8 ft IEC320-C19 to L6-20P Adapter Cable	1	L6-20 P	C19	8	\$32
010-9342	8 ft IEC320-C19 to IEC320-C20 Adapter Cable	1	C20	C19	8	\$32
010-9343	8 ft SCHUCKO to IEC320-C19 Adapter Cable	1	C19	SCHUCKO	8	\$30
010-9345	8 ft AS/NZS 3112 to IEC320-C19 Adapter Cable	1	C19	AS/NZS 3112	8	\$35
010-9351	8 ft British to IEC320-C19 Adapter Cable	1	C19	British Connector	8	\$27
010-9365	8 ft IEC320-C14 to IEC320-C19 Jumper Cable	1	C19	C14	8	\$33
CBL146	30 ft Power Cord Assembly 10/3 SOOW 2" Pigtails	2	Pigtails	Pigtails	30	\$138
CBL147	Cable Assembly High Volt Cover, 15 ft 10/3 SOOW, L6-30P	1	L6-30P		15	\$147
SUB-PWRCORD-908	8 ft L6-30R to L6-30P Adapter Cable	1	L6-30P	L6-30R	8	\$56

Splitter Cables

Catalog Number	Description	Leads	Input Plug	Output	Length (ft)	Price
CBL139	Splitter Cable L14-30P to (2) L6-30R (4ft/2ft)	2	L14-30P	L6-30R	4	\$158
CBL143	Splitter Cable L14-30P to (2) L5-30R (4ft/2ft)	2	L14-30P	L5-30R	4	\$158
CBL148	Splitter Cable L14-20P to (2) L5-20R (4ft/2ft)	2	L14-20P	L5-20R	4	\$169
CBL149	Splitter Cable L21-30P to (3) L5-30R (4ft/2ft/1ft)	3	L21-30P	L5-30R	4	\$157
CBL150	Splitter Cable L21-20P to (3) L5-20R (4ft/2ft/1ft)	3	L21-20P	L5-20R	4	\$229

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

ePDU Cables (*continued*)

Accessories

Catalog Number	Description	Price
010-0322	C19 Receptacle Connector	\$14
035-0113	C13 Outlet Cap	\$3
001-0819-1	Mounting Bracket Right	\$19
001-0819-2	Mounting Bracket Left	\$19
001-1393-1	Mounting Bracket Adjustable Black - RoHS Compliant	\$6
001-1928-1	Side Mounting Bracket	\$26
001-1995-1	Bracket	\$31
SUB-HRDWARE-017	VPC Bracket - Standard, Offset	\$12
SUB-HRDWARE-032	Mounting Bracket	\$5
SUB-HRDWARE-038	Tool-less Mounting Kit	\$3

Environmental Probes

Catalog Number	Description	Price
SENSOR-T1-10	Sensor with 1 Temperature Probe	\$79
SENSOR-T1H1-10	Sensor with 1 Temperature Probe 1 Humidity Probe	\$99
SENSOR-T2-10	Sensor with 2 Temperature Probes	\$169
SENSOR-T2H1-10	Sensor with 2 Temperature Probes 1 Humidity Probe	\$179

ECLIPSE SURGE SUPPRESSORS

Pulsar series

The Eclipse is Ideal for all uses—computer, peripheral, stereo and video—total protection against power surges, spikes, nearby lightning strikes and line noise.

- Up to 1020 joule rating
- Master on/off switch
- Instantaneous response time
- Visual alarm(s)
- Audible alarm (except personal)
- Circuit breaker and thermal fuse protection
- 360° rotating plug (except personal)



Eclipse Surge Suppressors

Catalog Number	Style Number	Description	Dimensions (H x W x D, inches)	Weight (lb)	List Price*
ECLL1800-PER	83500	ECLIPSE Personal 120V 1800W (6) 5-15R	2.00 x 1.25 x 11.00	1.0	\$240
ECLL1800-PRO	83501	ECLIPSE Pro 120V 1800W (8) 5-15R	3.88 x 1.31 x 9.75	1.5	\$450
ECLL1800-PROTEL	83502	ECLIPSE ProTel 1800W (8) 5-15R	3.88 x 1.31 x 9.75	1.5	\$490

* List price reflects minimum purchase quantity of 20 pieces.

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

S-Series Rack

Designed for small and medium-sized businesses, the Eaton S-Series Rack manage and support your critical IT equipment. These standard configured racks are scalable and integrate an array of options including cable management, power distribution and backup power to provide a full network solution.

- Fully-welded steel frame that can store up to 2,200 pounds of computer and networking equipment
- Enhanced frame ensures zero leakage around the front perimeter and also features oval grommets in front frame verticals for cable pass-thru between racks
- Split rear doors provide easier access and maneuverability in data center environments
- Top panel with two six-inch wide brushed openings for cable egress
- Guaranteed compatibility with EIA-310 standard size equipment
- A wide range of cable management options enhance cable routing horizontally and vertically
- Split rear doors provide easy access and maneuverability



S-SERIES RACK

Part Number	Description	Dimensions (H x W x D, inches)	Weight (lb)	List Price
ETN-ENC422442SE	42Ux24"x42" 4 post rack, no sides, doors, divider or castors	81 x 24 x 41	171	\$1,400
ETN-ENC422442S	42Ux24"x42" w/doors, top, one divider panel, castors	81 x 24 x 42	309	\$2,400
ETN-ENC422448S	42Ux24"x48" w/doors, top, one divider panel, castors	81 x 24 x 48	321	\$3,200
ETN-ENC423042S	42Ux30"x42" w/doors, top, one divider panel, castors	81 x 24 x 42	351	\$3,100
ETN-ENC423048S	42Ux30"x48" w/doors, top, one divider panel, castors	81 x 30 x 48	364	\$3,950
ETN-ENC482442S	48Ux24"x42" w/doors, top, one divider panel, castors	91 x 24 x 42	336	\$2,950
ETN-ENC483042S	48Ux30"x42" w/doors, top, one divider panel, castors	91 x 30 x 42	380	\$3,600
ETN-ENC482448S	48Ux24"x48" w/doors, top, one divider panel, castors	91 x 24 x 48	350	\$3,650
ETN-ENC483048S	48Ux30"x48" w/doors, top, one divider panel, castors	91 x 30 x 48	394	\$4,200
ETN-ENC422442SB	42Ux24"x42" w/doors, sides, top, levelers, castors	81 x 24 x 42	367	\$2,750
ETN-ENC422442SC	42Ux24"x 42" w/doors, sides, top, levelers (no castors)	81 x 24 x 42	327	\$2,650
ETN-ENC423042SC	42Ux30"x 42" w/doors, sides, top, levelers (no castors)	81 x 30 x 42	341	\$3,350
ETN-ENC422442SD	42Ux24"x 42" w/doors, top, levelers (no sides/divider/castors)	81 x 24 x 42	269	\$1,950
ETN-ENC423042SD	42Ux30"x 42" w/doors, top, levelers (no sides/divider/castors)	81 x 30 x 42	299	\$2,650
ETN-ENC422442SL	42Ux24"x 42" w/doors, sides, top, levelers, castors, combo lock	81 x 24 x 42	370	\$3,300

S-SERIES RACK OPTIONS

Part Number	Description	List Price
Rack Panels and Doors		
ETN-ACC4242DP	S-Series Divider Panel 42U x 42D w/Pass-Thru (Qty-1)	\$225
ETN-ACC4248DP	S-Series Divider Panel 42U x 48D w/Pass-Thru (Qty-1)	\$250
ETN-ACC4842DP	S-Series Divider Panel 48U x 42D w/Pass-Thru (Qty-1)	\$250
ETN-ACC4848DP	S-Series Divider Panel 48U x 48D w/Pass-Thru (Qty-1)	\$275
ETN-ACC4242SP	S-Series Side Panel 42U x 42D (Qty-1)	\$450
ETN-ACC4248SP	S-Series Side Panel 42U x 48D (Qty-1)	\$600
ETN-ACC4842SP	S-Series Side Panel 48U x 42D (Qty-1)	\$500
ETN-ACC4848SP	S-Series Side Panel 48U x 48D (Qty-1)	\$475
ETN-ACC2442TP	S-Series Top Panel 24W x 42D	\$259
ETN-ACC2448TP	S-Series Top Panel 24W x 48D	\$295
ETN-ACC3042TP	S-Series Top Panel 30W x 42D	\$276
ETN-ACC3048TP	S-Series Top Panel 30W x 48D	\$318
ETN-ACC4224FD	S-Series Front Door 42U x 24W	\$340
ETN-ACC4224RD	S-Series Rear Door Split 42U x 24W	\$616
ETN-ACC4230FD	S-Series Front Door 42U x 30W	\$363
ETN-ACC4230RD	S-Series Rear Door Split 42U x 30W	\$629
ETN-ACC4824FD	S-Series Front Door 48U x 24W	\$451
ETN-ACC4824RD	S-Series Rear Door Split 48U x 24W	\$816
ETN-ACC4830FD	S-Series Front Door 48U x 30W	\$481
ETN-ACC4830RD	S-Series Rear Door Split 48U x 30W	\$869
ETN-ACC4224RL	S-Series Rails 42U x 24W	\$402
ETN-ACC4230RL	S-Series Reducer Rails 42U x 30W	\$435
ETN-ACC4824RL	S-Series Rails 48U x 24W	\$363

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

S-Series Rack *(continued)*

S-SERIES RACK OPTIONS *(continued)*

Part Number	Description	List Price
Rack Panels and Doors (continued)		
ETN-ACC4830RL	S-Series Reducer Rails 48U x 30W	\$577
ETN-ACC42VBP	S-Series Vertical Blanking Panels 42U x 30W	\$202
ETN-ACC48VBP	S-Series Vertical Blanking Panels 48U x 30W	\$219
Rack and Raised Floor Air Management		
ETN-PBP1U10	Eaton Blanking Panel 19" Tool-less Plastic 1U (Qty-10)	\$50
ETN-PBP1U100	Eaton Blanking Panel 19" Tool-less Plastic 1U (Qty-100)	\$475
ETN-PBP2U10	Eaton Blanking Panel 19" Tool-less Plastic 2U (Qty-10)	\$60
ETN-PBP2U100	Eaton Blanking Panel 19" Tool-less Plastic 2U (Qty-100)	\$525
ETN-PBP8U10	Eaton Blanking Panel 19" Tool-less Plastic 8U (Qty-10)	\$175
ETN-PBP8U100	Eaton Blanking Panel 19" Tool-less Plastic 8U (Qty-100)	\$1,550
ETN-JFT12440	Top fan tray kit (4 fans) for S-Series 24" x 42", 120VAC	\$315
ETN-JFT12445	Top fan tray kit (4 fans) for S-Series 24" x 48", 120VAC	\$350
ETN-JFT13040	Top fan tray kit (4 fans) for S-Series 30" x 42", 120VAC	\$335
ETN-JFT13045	Top fan tray kit (4 fans) for S-Series 30" x 48", 120VAC	\$365
ETN-FLRGR118	Eaton Floor Grommet, 11"W x 8.25"D (Qty-1)	\$95
ETN-FLRGR11810	Eaton Floor Grommet, 11"W x 8.25"D (Qty-10)	\$900
ETN-FLRGR76	Eaton Floor Grommet, 7.5"W x 6.5"D (Qty-1)	\$85
ETN-FLRGR7610	Eaton Floor Grommet, 7.5"W x 6.5"D (Qty-10)	\$800
Rack Shelves		
ETN-FS19201U20	Eaton Shelf Fixed 19" 1U x 20"D 200lbs	\$130
ETN-FS19201U40	Eaton Shelf Fixed 19" 1U x 20"D 400lbs	\$145
ETN-FS19241U20	Eaton Shelf Fixed 19" 1U x 24"D 200lbs	\$135
ETN-FS19241U40	Eaton Shelf Fixed 19" 1U x 24"D 400lbs	\$155
ETN-FS19281U20	Eaton Shelf Fixed 19" 1U x 28"D 200lbs	\$140
ETN-FS19281U40	Eaton Shelf Fixed 19" 1U x 28"D 400lbs	\$160
ETN-RS19241U10	Eaton Shelf Roll-Out 19" 1U x 24"D 100lbs	\$395
ETN-RS19242U20	Eaton Shelf Roll-Out 19" 2U x 24"D 200lbs	\$425
ETN-RS19281U10	Eaton Shelf Roll-Out 19" 1U x 28"D 100lbs	\$405
ETN-RS19282U20	Eaton Shelf Roll-Out 19" 2U x 28"D 200lbs	\$435
ETN-CHASBKT2032	Eaton Chassis Support Brackets Adj 19" (20"-32") 400 lbs.	\$310
EAUS192U1605	Eaton 19" Utility Shelf, 2 post mounting	\$125
Rack Cable and PDU Management, hardware		
ETN-LACEB42U03	Eaton S-Series Lacing Bar 42U x 3"W	\$65
ETN-LACEB42U08	Eaton S-Series Lacing Bar 42U x 8"W	\$85
ETN-LACEB42U12	Eaton S-Series Lacing Bar 42U x 12"W	\$105
ETN-LACEB48U03	Eaton S-Series Lacing Bar 48U x 3"W	\$75
ETN-LACEB48U08	Eaton S-Series Lacing Bar 48U x 8"W	\$95
ETN-LACEB48U12	Eaton S-Series Lacing Bar 48U x 12"W	\$120
ETN-PWRBAR42U	Eaton S-Series Power Mounting Bar 42U x 9"W	\$125
ETN-PWRBAR48U	Eaton S-Series Power Mounting Bar 48U x 9"W	\$130
ETN-PDUBRCKTW	Eaton S-Series PDU Mounting Brackets	\$45
ETN-CMDRNR031U	Eaton Cable D-Ring Kit 1U (Qty-4)	\$28
ETN-CMDRNR032U	Eaton Cable D-Ring Kit 2U (Qty-4)	\$30
ETN-STLDRING	Eaton Cable D-Ring Kit, Plastic, (Qty-4)	\$95
ETN-CMTUNR02	Eaton Fiber Spool 2.5"H	\$55
ETN-CMTUNR05	Eaton Fiber Spool 5"H	\$60
ETN-BX45V8	Eaton Velcro Strap 8"L, (Qty-50)	\$60
ETN-BX45V11	Eaton Velcro Strap 11"L, (Qty-50)	\$70
ETN-CMVBCKL	Eaton Velcro Buckle Strap 9"L, (Qty-10)	\$81
ETN-CMVBCKL12	Eaton Velcro Buckle Strap 12"L, (Qty-10)	\$84
ETN-CMRB19022U	Eaton Cable Strain Relief Bar 2"D	\$75
ETN-CMRB19042U	Eaton Cable Strain Relief Bar 4"D	\$78
ETN-CMRB19062U	Eaton Cable Strain Relief Bar 6"D	\$82
ETN-CMRB19082U	Eaton Cable Strain Relief Bar 8"D	\$85
ETN-CMPD19031U	Eaton Horizontal Ring Manager 1U	\$45
ETN-CMPD19032U	Eaton Horizontal Ring Manager 2U	\$47

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

S-Series Rack *(continued)*

S-SERIES RACK OPTIONS *(continued)*

Description	Part Number	List Price
Rack Cable and PDU Management, hardware (continued)		
ETN-CMBPBBSH1U	Eaton Cable Pass-Thru Panel 1U w/Brush	\$74
ETN-CMBPBBSH2U	Eaton Cable Pass-Thru Panel 2U w/Brush	\$52
ETN-CMFD19041U	Eaton PatchLink Horizontal Cable Manager 1U	\$122
ETN-CMFD19042U	Eaton PatchLink Horizontal Cable Manager 2U	\$142
ETN-CMFP19032U	Eaton Upper Transition Tray 2U x 3.5"D	\$105
ETN-CMFP19052U	Eaton Upper Transition Tray 2U x 5.0"D	\$110
ETN-CMLT19032U	Eaton Lower Transition Tray 2U x 3.5"D	\$135
ETN-CMLT19052U	Eaton Lower Transition Tray 2U x 5.0"D	\$140
ETN-CMHD19242U	High Density Cable Organizer, w/rear transition tray 24" cabinet	\$425
ETN-CMHD19302U	High Density Cable Organizer, w/rear transition tray 30" cabinet	\$445
ETN-1032CAGE20	Eaton Cage Nut #10-32 Hardware Kit (Qty-20)	\$19
ETN-M6CAGE20	Eaton Cage Nut M6 Hardware Kit (Qty-20)	\$19
Top of Rack Cable Management		
ETN-LAD1006B	Eaton S-Series Cable Ladder Rack 6"W x 10'L BLK	\$225
ETN-LAD1012B	Eaton S-Series Cable Ladder Rack 12"W x 10'L BLK	\$250
ETN-JCMTLDRPD	Eaton S-Series Ladder Rack Bracket Perpendicular	\$95
ETN-JCMTLDRPR	Eaton S-Series Ladder Rack Bracket Parallel	\$75
ETN-JCMT24SP	Eaton S-Series Data Cable Partition Panel 24" Solid	\$75
ETN-JCMT24PP	Eaton S-Series Data Cable Partition Panel 24" Pass-Thru	\$80
ETN-JCMT24PT	Eaton S-Series Power Cable Trough 24"	\$150
ETN-JCMT30SP	Eaton S-Series Data Cable Partition Panel 30" Solid	\$80
ETN-JCMT30PP	Eaton S-Series Data Cable Partition Panel 30" Pass-Thru	\$85
ETN-JCMT30PT	Eaton S-Series Power Cable Trough 30"	\$170
Rack shipping and anchoring		
ETN-JANCHOR1	Eaton S-Series Floor Anchor Brackets (S-Series)	\$180
ETN-ENCRMP24	Eaton Standard-Duty Ramp for 24"W Racks (S-Series)	\$50
ETN-ENCRMP30	Eaton Standard-Duty Ramp for 30"W Racks (S-Series)	\$55

Note: Call factory for heavy duty packaging options

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Environmental Rack Monitor (ERM)

- Connect and monitor up to two temperature sensors, two humidity sensors and four input contact sensors
- 1U form factor space saving design; does not take valuable space that can be occupied by servers
- Built-in Web server—access, monitor, configure and even reboot the device from anywhere on the Internet using its own dedicated IP address
- Supports SNMP and comes with its own MIB (Management Information Base). Can integrate with any open-standards based Network Management System (NMS) such as HP OpenView
- One-year warranty on rack monitor and all sensors



ENVIRONMENTAL RACK MONITORS

Description	Part Number	Shipping Dimensions (H x W x D, inches)	Shipping Weight (lb)	List Price
Environmental Rack Monitor, 120V AC 2-pin power input ¹	103005775	2.5 x 7.6 x 11.9	1.7	\$399
Environmental Rack Monitor, C13/C14, 100-250V AC, 50/60Hz 3-pin power input	103005912	2.5 x 7.6 x 11.9	2.2	\$399
TH-Module (Black), individual	103005822	2.4 x 6.3 x 8.8	0.7	\$89
Environmental Rack Monitor Water Leak Detector, 3ft	103005780	0.6 x 7.9 x 8.2	0.3	\$139
Environmental Rack Monitor Water Leak Detector, 12ft	103005894	0.6 x 11.2 x 11.4	0.5	\$249
Environmental Rack Monitor Door Contact Sensor	103005781	2.0 x 2.0 x 2.0	0.1	\$29
Environmental Rack Monitor Vibration Sensor	103005782	2.0 x 3.0 x 2.0	0.1	\$35
Environmental Rack Monitor Power Supply, 120V AC	103005783	2.1 x 2.8 x 4.1	0.2	\$22
Environmental Rack Monitor Power Supply, C13/C14 adapter cable, 100-250V AC, 50/60Hz	103005895	2.1 x 2.8 x 4.1	0.2	\$39
Environmental Rack Monitor Smoke Detector/Alarm (220V, IEC C-13)	103005779	2.4 x 6.3 x 8.8	2.2	\$139
Environmental Rack Monitor Smoke Detector/Alarm (110V, 5-15)	103005890	2.4 x 6.3 x 8.8	2.2	\$139

1. Includes one TH-module

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Eaton Remote Power Panel Part Number Illustration

Eaton is now employing the use of smart part numbers to help our customers understand the product that fits their needs. Follow the example below as reference only. For ordering purposes please select one of the pre-configured part numbers in the price book or use the online configurator available through the Power Quality web site.

B1 4 1 A CC 0 3 2 0 3 001

Series

B1 = Small RPP (24"W x 24"D)
B2 = Rack RPP (24"W x 42"D)

Input Connection

1 = Direct Connect
2-3 = Single Input
4-5 = Dual Input

Panel Main Breaker

1 = Standard kAIC
2 = High kAIC

Panel Type

A = 208V 225A Bolt-on CH
B = 208V 400A Bolt-on CH
C = 208V 225A Plug-on CH
D = 208V 400A Plug-on CH
E = 208V 225A Bolt-on SQD
F = 208V 400A Bolt-on SQD

Front/Rear Configuration

0 = None
A = Top Only (1 Panel)
B = Bottom Only (1 Panel)
C = Top & Bottom (2 Panels)

Generation

001 = Gen 1

Communication

0 = None
2 = Modbus RTU
3 = PXGXPDP
4 = Modbus RTU & PXGXPDP

Door

0 = Solid
1 = See-Thru Plexi
2 = Rack Mesh

Display

0 = None
1 = Single Display
2 = Dual Display

Metering

0 = None
1 = System Level
2 = Premium BCMS 60A
3 = Premium BCMS 100A

Surge

0 = None
2 = 100kA/ph
3 = 200kA/ph

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Remote Power Panel (RPP)

Eaton RPPs deliver unmatched power distribution with up to 168 factory-installed branch breakers in a highly compact footprint. These products offer ease of installation through standard top and bottom cable entry provisions within a free-standing structure. They include extensive monitoring options such as branch circuit monitoring, which allows you to manage and monitor power effectively.

- Unmatched power distribution in either a highly compact footprint or rack configuration to line and match with IT equipment racks
- Ease of installation through standard top and bottom cable entry provision
- Extensive monitoring options allow you to manage power effectively
- Factory-tested power distribution to ensure highest reliability
- Flexible expansion for your power distribution within a data center



REMOTE POWER PANEL TOPSELLERS (24"W x 24"D x 80"H)

Part Number	Description	Local Display	Surge Protection	Door Style	List Price
Direct Connection to Panel Main Breakers					
System Level Monitoring (Includes Power Xpert Gateway PDP Card)					
B111AC010113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$10,170
B111AC012113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	100 kA/ph per Input	See-Through Plexi	\$12,220
B111BC010103001	Front Only - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front	None	Solid Standard	\$11,145
B111ACC10213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	See-Through Plexi	\$16,790
B111ACC12213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	100 kA/ph per Input	See-Through Plexi	\$20,890
B111BCC10203001	Front & Back - 4 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Solid Standard	\$19,015
Premium Level Monitoring with BCMS (60A max) (Includes Power Xpert Gateway PDP Card)					
B111AC020113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$13,270
B111AC022113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	100 kA/ph per Input	See-Through Plexi	\$15,320
B111BC020103001	Front Only - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front	None	Solid Standard	\$14,245
B111ACC20213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	See-Through Plexi	\$20,790
B111ACC22213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	100 kA/ph per Input	See-Through Plexi	\$24,890
B111BCC20203001	Front & Back - 4 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Solid Standard	\$23,015
Premium Level Monitoring with BCMS (100A max) (Includes Power Xpert Gateway PDP Card)					
B111AC030113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$13,720
B111AC032113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	100 kA/ph per Input	See-Through Plexi	\$15,770
B111BC030103001	Front Only - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front	None	Solid Standard	\$14,695
B111ACC30213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	See-Through Plexi	\$21,790
B111ACC32213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	100 kA/ph per Input	See-Through Plexi	\$25,890
B111BCC30203001	Front & Back - 4 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Solid Standard	\$24,015
Single Input Main Lug					
System Level Monitoring (Includes Power Xpert Gateway PDP Card)					
B121AC010113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$10,805
B131ACC10113001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$13,690
B131BAA10103001	Front & Back - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front	None	Solid Standard	\$12,915
Premium Level Monitoring with BCMS (60A max) (Includes Power Xpert Gateway PDP Card)					
B121AC020113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$13,905
B131ACC20113001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$19,890
B131BAA20103001	Front & Back - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front	None	Solid Standard	\$16,015

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Remote Power Panel (RPP) (continued)

REMOTE POWER PANEL TOPSELLERS (24"W x 24"D x 80"H) (continued)

Part Number	Description	Local Display	Surge Protection	Door Style	List Price
-------------	-------------	---------------	------------------	------------	------------

Single Input Main Lug (continued)

Premium Level Monitoring with BCMS (100A max) (Includes Power Xpert Gateway PDP Card)

B121ACC030113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$14,355
B131ACC30113001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$20,890
B131BAA30103001	Front & Back - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front	None	Solid Standard	\$16,465

Dual Input Main Lugs

System Level Monitoring (Includes Power Xpert Gateway PDP Card)

B141ACC10213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	See-Through Plexi	\$17,860
B141BAA10203001	Front & Back - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Solid Standard	\$17,085

Premium Level Monitoring with BCMS (60A max) (Includes Power Xpert Gateway PDP Card)

B141ACC20213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	See-Through Plexi	\$21,860
B141BAA20203001	Front & Back - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Solid Standard	\$17,985

Premium Level Monitoring with BCMS (100A max) (Includes Power Xpert Gateway PDP Card)

B141ACC30213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	See-Through Plexi	\$22,860
B141BAA30203001	Front & Back - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Solid Standard	\$18,435

RACK POWER PANEL TOPSELLERS (24"W x 42"D x 80"H)

Part Number	Description	Local Display	Surge Protection	Door Style	List Price
-------------	-------------	---------------	------------------	------------	------------

Direct Connection to Panel Main Breakers

System Level Monitoring (Includes Power Xpert Gateway PDP Card)

B211AC010113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$12,595
B211AC012113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	100 kA/ph per Input	See-Through Plexi	\$14,645
B211BC010103001	Front Only - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front	None	Solid Standard	\$13,445
B211ACC10213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	See-Through Plexi	\$19,215
B211ACC12213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	100 kA/ph per Input	See-Through Plexi	\$23,315
B211BCC10203001	Front & Back - 4 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Solid Standard	\$21,315

Premium Level Monitoring with BCMS (60A max) (Includes Power Xpert Gateway PDP Card)

B211AC020113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$15,695
B211AC022113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	100 kA/ph per Input	See-Through Plexi	\$17,745
B211BC020103001	Front Only - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front	None	Solid Standard	\$16,545
B211ACC20213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	See-Through Plexi	\$23,215
B211ACC22213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	100 kA/ph per Input	See-Through Plexi	\$27,315
B211BCC20203001	Front & Back - 4 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Solid Standard	\$25,315

Premium Level Monitoring with BCMS (100A max) (Includes Power Xpert Gateway PDP Card)

B211AC030113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$16,145
B211AC032113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	100 kA/ph per Input	See-Through Plexi	\$18,195
B211BC030103001	Front Only - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front	None	Solid Standard	\$16,995
B211ACC30213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	See-Through Plexi	\$24,115
B211ACC32213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	100 kA/ph per Input	See-Through Plexi	\$28,215
B211BCC30203001	Front & Back - 4 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Solid Standard	\$26,215

Single Input Main Lug

System Level Monitoring (Includes Power Xpert Gateway PDP Card)

B221AC010113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$13,230
B231ACC10113001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$16,115
B231BAA10103001	Front & Back - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front	None	Solid Standard	\$15,215

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Remote Power Panel (RPP) (continued)

RACK POWER PANEL TOPSELLERS (24"W x 42"D x 80"H) (continued)

Part Number	Description	Local Display	Surge Protection	Door Style	List Price
Single Input Main Lug (continued)					
Premium Level Monitoring with BCMS (60A max) (Includes Power Xpert Gateway PDP Card)					
B221AC020113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$16,330
B231ACC20113001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$22,315
B231BAA20103001	Front & Back - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front	None	Solid Standard	\$18,315
Premium Level Monitoring with BCMS (100A max) (Includes Power Xpert Gateway PDP Card)					
B221AC030113001	Front Only - 2 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$16,780
B231ACC30113001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$23,215
B231BAA30103001	Front & Back - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front	None	Solid Standard	\$18,765
Dual Input Main Lugs					
System Level Monitoring (Includes Power Xpert Gateway PDP Card)					
B241ACC10213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	See-Through Plexi	\$20,285
B241BAA10203001	Front & Back - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Solid Standard	\$19,385
Premium Level Monitoring with BCMS (60A max) (Includes Power Xpert Gateway PDP Card)					
B241ACC20213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	See-Through Plexi	\$24,285
B241BAA20203001	Front & Back - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Solid Standard	\$20,285
Premium Level Monitoring with BCMS (100A max) (Includes Power Xpert Gateway PDP Card)					
B241ACC30213001	Front & Back - 4 x 42-pole Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	See-Through Plexi	\$25,185
B241BAA30203001	Front & Back - 2 x 42-pole Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Solid Standard	\$20,735

REMOTE AND RACK POWER PANEL TOPSELLERS - OPTIONS

Part Number	Description	List Price
157607364	Transient Suppression Plate - 4'W x 4'D plate	\$250
157607206	Extra Knock-out Plates - 84 holes	\$170
157607208	Extra Blank Plates	\$170
124100030-009	Low Voltage Control Junction Box	\$370

REMOTE AND RACK POWER PANEL TOPSELLERS - BRANCH BREAKERS

For branch breakers, please refer to the Eaton Branch Circuit Breakers section.


SERVICES

For detailed information on service plans, please refer to the Three-phase Service section on page 130.

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Eaton Power Distribution Rack Part Number Illustration

Eaton is now employing the use of smart part numbers to help our customers understand the product that fits their needs. Follow the example below as reference only. For ordering purposes please select one of the pre-configured part numbers in the price book or use the online configurator available through the Power Quality web site.



EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Power Distribution Rack (PDR)

Eaton PDRs are designed for high power applications in data center and rack equipment environments. The PDR packs up to four 400A column panelboards into a single EIA standard Enclosure allowing users to take full advantage of all 168 pole positions. The PDR offers top and bottom cable entry for fast, flexible installation. Available options include 100% rated breakers, plexiglas doors and cabinet main input breakers.



- Flexible power distribution with up to 168 factory-installed branch breakers in a highly compact footprint
- Designed for high-density racks, with 400A panels and high power inputs
- Aesthetically pleasing design, with an elegant rack Enclosure in textured black finish
- Free-standing unit with top and bottom cable entry for fast, flexible installation
- Front and/or rear access, column power panels, large LCD for ease of servicing
- Extensive monitoring options, including the Eaton Energy Management System

POWER DISTRIBUTION RACK TOPSELLERS

Part Number	Description	Local Display	Surge Protection	Door Style	List Price
Direct Connection to Panel Main Breakers					
System Level Monitoring					
PD1122002031001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$18,630
PD1120102011001	Front only - 2 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	Plexi	\$13,590
PD1120032010001	Front only - 2 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	50 kA/ph per Input	Mesh	\$15,140
PD1122182030001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	100 kA/ph per Input	Mesh	\$23,580
Premium Level Monitoring with BCMS (60A max)					
PD1122003031001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$22,620
PD1120103011001	Front only - 2 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	Plexi	\$16,440
PD1120033010011	Front only - 2 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	50 kA/ph per Input	Plexi	\$18,240
PD1122183030001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	100 kA/ph per Input	Mesh	\$27,570
Premium Level Monitoring with BCMS (100A max)					
PD1144104030001	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$27,410
PD1122004030001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$22,690
PD1120004010001	Front only - 2 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	Mesh	\$16,340
PD1140004010001	Front only - 2 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front	None	Mesh	\$19,100
Single Input Main Lug					
System Level Metering					
PD1244102030001	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$25,100
PD1222102010001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$20,380
PD1200002011011	Front only - 2 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	Plexi	\$15,590
PD1222002031011	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$20,630
Premium Level Monitoring with BCMS (60A max)					
PD1244103030001	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$29,090
PD1222103030001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$24,370
PD1244103030011	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$29,340
PD1244003030011	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$24,620
Premium Level Monitoring with BCMS (100A max)					
PD1244104030001	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$29,410
PD1222104030001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$24,690
PD1244104030011	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$29,660
PD1220004011001	Front only - 2 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	Plexi	\$18,590

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Power Distribution Rack (PDR) (continued)

POWER DISTRIBUTION RACK TOPSELLERS

Part Number	Description	Local Display	Surge Protection	Door Style	List Price
-------------	-------------	---------------	------------------	------------	------------

Dual Input Main Lugs

System Level Metering

PD1344102031001	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$27,350
PD1322102030001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$22,380
PD1322002031001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$22,630

Premium Level Monitoring with BCMS (60A max)

PD1322103031001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$29,940
PD1344103031001	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$31,340
PD1322003030001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$26,370
PD1344003031001	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$31,090

Premium Level Monitoring with BCMS (100A max)

PD1322104030001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$26,690
PD1344104030001	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$31,410
PD1322004031001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$26,940
PD1344004031001	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$31,660

Single Input Main Breaker (400A)

System Level Metering

PD1420102010001	Front only - 2 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	Mesh	\$15,840
PD1422002030001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$20,880

Premium Level Monitoring with BCMS (60A max)

PD1420003011001	Front only - 2 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$18,940
PD1420003012001	Front only - 2 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	Mesh w/ Cut-out	\$18,840

Premium Level Monitoring with BCMS (100A max)

PD1420004011001	Front only - 2 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	See-Through Plexi	\$19,090
PD1420004012001	Front only - 2 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front	None	Mesh w/ Cut-out	\$18,990

Dual Input Main Breaker (600A)

System Level Metering

PD1722102030001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$25,380
PD1744102030001	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$30,100

Premium Level Monitoring with BCMS (60A max)

PD1722103031001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$29,370
PD1744103030001	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$34,090

Premium Level Monitoring with BCMS (100A max)

PD1722104031001	Front & Back - 4 Panels - 208/120V 225A Bolt-on Cutler-Hammer	Front & Back	None	Plexi	\$29,690
PD1744104030001	Front & Back - 4 Panels - 208/120V 400A Bolt-on Cutler-Hammer	Front & Back	None	Mesh	\$34,410

POWER DISTRIBUTION RACK TOPSELLERS - OPTIONS

Part Number	Description	List Price
103008064-5591	Power Xpert Gateway Communication PDP Card	\$950
124100030-009	Control Junction Box	\$370
157607364	Transient Suppression Plate	\$225

Notes: PDRs come with 42-circuit column panelboards with 225A or 400A panel main breakers. Please contact factory for custom configurations.

SERVICES

For detailed information on service plans, please refer to the Three-phase Service section on page 130.

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Eaton Branch Circuit Breakers

Eaton Cutler-Hammer bolt-on branch circuit breakers can be installed in any 42-pole Cutler-Hammer panelboard providing over-current and high interrupting current protection. Single-, double- and three-pole breakers can be provided from 10 to 100A trip rating and 10 or 22 kAIC.

Single-pole Breakers

Part Number	Trip Rating	kAIC	List Price
BAB1010	10A	10	\$17.00
BAB1015	15A	10	\$17.00
BAB1020	20A	10	\$17.00
BAB1025	25A	10	\$17.00
BAB1030	30A	10	\$17.00
BAB1035	35A	10	\$17.00
BAB1040	40A	10	\$17.00
BAB1045	45A	10	\$17.00
BAB1050	50A	10	\$17.00
BAB1055	55A	10	\$17.00
BAB1060	60A	10	\$17.00
QBHW1015	15A	22	\$26.00
QBHW1020	20A	22	\$26.00
QBHW1025	25A	22	\$26.00
QBHW1030	30A	22	\$26.00
QBHW1035	35A	22	\$26.00
QBHW1040	40A	22	\$26.00
QBHW1045	45A	22	\$26.00
QBHW1050	50A	22	\$26.00
QBHW1055	55A	22	\$26.00
QBHW1060	60A	22	\$26.00

Double-pole Breakers

Three-pole Breakers

Part Number	Trip Rating	kAIC	List Price	Part Number	Trip Rating	kAIC	List Price
BAB2010	10A	10	\$29.00	BAB3015H	15A	10	\$95.00
BAB2015	15A	10	\$29.00	BAB3020H	20A	10	\$95.00
BAB2020	20A	10	\$29.00	BAB3025H	25A	10	\$95.00
BAB2025	25A	10	\$29.00	BAB3030H	30A	10	\$95.00
BAB2030	30A	10	\$29.00	BAB3035H	35A	10	\$95.00
BAB2035	35A	10	\$29.00	BAB3040H	40A	10	\$95.00
BAB2040	40A	10	\$29.00	BAB3045H	45A	10	\$95.00
BAB2045	45A	10	\$29.00	BAB3050H	50A	10	\$95.00
BAB2050	50A	10	\$29.00	BAB3055H	55A	10	\$95.00
BAB2055	55A	10	\$29.00	BAB3060H	60A	10	\$95.00
BAB2060	60A	10	\$29.00	QBHW3015H	15A	22	\$138.00
BAB2070	70A	10	\$56.00	BAB3070H	70A	10	\$152.00
BAB2080	80A	10	\$56.00	BAB3080H	80A	10	\$152.00
BAB2090	90A	10	\$56.00	BAB3090H	90A	10	\$152.00
BAB2100	100A	10	\$56.00	BAB3100H	100A	10	\$152.00
QBHW2015	15A	22	\$41.00	QBHW3020H	20A	22	\$138.00
QBHW2020	20A	22	\$41.00	QBHW3025H	25A	22	\$138.00
QBHW2025	25A	22	\$41.00	QBHW3030H	30A	22	\$138.00
QBHW2030	30A	22	\$41.00	QBHW3035H	35A	22	\$138.00
QBHW2035	35A	22	\$41.00	QBHW3040H	40A	22	\$138.00
QBHW2040	40A	22	\$41.00	QBHW3045H	45A	22	\$138.00
QBHW2045	45A	22	\$41.00	QBHW3050H	50A	22	\$138.00
QBHW2050	50A	22	\$41.00	QBHW3055H	55A	22	\$138.00
QBHW2055	55A	22	\$41.00	QBHW3060H	60A	22	\$138.00
QBHW2060	60A	22	\$41.00	QBHW3070H	70A	22	\$220.00
QBHW2070	70A	22	\$74.00	QBHW3080H	80A	22	\$220.00
QBHW2080	80A	22	\$74.00	QBHW3090H	90A	22	\$220.00
QBHW2090	90A	22	\$74.00	QBHW3100H	100A	22	\$220.00
QBHW2100	100A	22	\$74.00				

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

Eaton Energy Management System Upgrade Kit

Eaton EMS Upgrade Kit (EMS-UGK) extends branch circuit monitoring capabilities to any existing and third-party power distribution equipment, such as RPPs, PDUs or wall-mounted panels. This standalone device monitors, tracks and analyzes power, voltage, current and frequency readings, providing time-stamped metering, alarms, events and statistical information for better energy planning. This practical and affordable solution comes with an easy-to-use software tool to configure startup settings and options.

- Monitors up to 2 x 42-poles panels and 2 main inputs up to 400A through split core CTs
- Subfeed monitoring, 75A and 100A branch breaker CTs optional
- LCD screen for local indication of energy consumption
- Conduit box for enhanced wiring harness protection
- 208/120V or 380-415/220-240V rating for North American and International use
- Power Xpert PDP SNMP and TCP/IP Gateway Card included
- Dimensions: 15"W x 11"H x 5"D



EMS UPGRADE KIT - NORTH AMERICAN MODELS: 120/208V, 50/60Hz

Part Number	Power Monitoring	Display	Conduit Box	List Price
E11101003	1 Panel (42 Poles)	No	No	\$5,050
E11201003	2 Panels (84 Poles)	No	No	\$6,350
E12101003	1 Panel (42 Poles)	Yes	No	\$5,550
E12201003	2 Panels (84 Poles)	Yes	No	\$6,850
E11112003	1 Panel (42 Poles) & Panel Main Breaker	No	Yes	\$6,260
E11212003	2 Panels (84 Poles) & Panel Main Breaker	No	Yes	\$7,670
E12112003	1 Panel (42 Poles) & Panel Main Breaker	Yes	Yes	\$6,760
E12212003	2 Panels (84 Poles) & Panel Main Breaker	Yes	Yes	\$8,170
E11111003	1 Panel (42 Poles) & Panel Main Breaker	No	No	\$6,150
E11211003	2 Panels (84 Poles) & Panel Main Breaker	No	No	\$7,450
E12111003	1 Panel (42 Poles) & Panel Main Breaker	Yes	No	\$6,650
E12211003	2 Panels (84 Poles) & Panel Main Breaker	Yes	No	\$7,950

EMS UPGRADE KIT - INTERNATIONAL MODELS: 380/415 - 220/240V, 50/60Hz

Part Number	Power Monitoring	Display	Conduit Box	List Price
E21101003	1 Panel (42 Poles)	No	No	\$5,095
E21201003	2 Panels (84 Poles)	No	No	\$6,395
E22101003	1 Panel (42 Poles)	Yes	No	\$5,595
E22201003	2 Panels (84 Poles)	Yes	No	\$6,895
E21112003	1 Panel (42 Poles) & Panel Main Breaker	No	Yes	\$6,305
E21212003	2 Panels (84 Poles) & Panel Main Breaker	No	Yes	\$7,715
E22112003	1 Panel (42 Poles) & Panel Main Breaker	Yes	Yes	\$6,805
E22212003	2 Panels (84 Poles) & Panel Main Breaker	Yes	Yes	\$8,215
E21111003	1 Panel (42 Poles) & Panel Main Breaker	No	No	\$6,195
E21211003	2 Panels (84 Poles) & Panel Main Breaker	No	No	\$7,495
E22111003	1 Panel (42 Poles) & Panel Main Breaker	Yes	No	\$6,695
E22211003	2 Panels (84 Poles) & Panel Main Breaker	Yes	No	\$7,995

EMS UPGRADE KIT - OPTIONS

Part Number	Description	List Price
103006704	Subfeed Breaker Monitoring Kit (3 CTs)	\$825
103006705	100A Branch Breaker CTs Kit (10)	\$475
103006756	Extra 75A Branch Breaker CTs Kit (5)	\$120

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

UL Listed Power Distribution Cables

Eaton's line of liquid-tight power distribution cables minimizes electrical and mechanical disturbances including harmonic distortion. These cables are UL listed for use with Integration Technology Equipment (NEC 645) and are exempt from being secured in place, making your power distribution system completely flexible and cost effective.

- Highly flexible and approved for data center environments (NEC 645)
- Custom configurations and colors available



STANDARD NEMA CABLE

NEMA Type	Hubbell PN	Volts	Amps	Phase	Breaker	Wire Qty	Wire Size	Sealtite	Fixed Price	Price Per Foot
5-15R1	5261	120	15	1	1 Pole	3	12 awg	0.5"	\$130.00	\$3.21
5-15R2	5262	120	15	1	1 Pole	3	12 awg	0.5"	\$130.00	\$3.21
5-15R4	5262	120	15	1	1 Pole	3	12 awg	0.5"	\$135.00	\$3.21
5-20R1	5361	120	20	1	1 Pole	3	12 awg	0.5"	\$135.00	\$3.21
5-20R2	5362	120	20	1	1 Pole	3	12 awg	0.5"	\$110.00	\$3.21
5-20R4	5362	120	20	1	1 Pole	3	12 awg	0.5"	\$140.00	\$3.21
5-30R1	9308	120	30	1	1 Pole	3	10 awg	0.5"	\$140.00	\$3.94
5-50R1	9360	120	50	1	1 Pole	3	8 awg	0.5"	\$185.00	\$7.19
6-15R1	5661	208	15	1	2 Pole	3	12 awg	0.5"	\$130.00	\$3.21
6-15R2	5662	208	15	1	2 Pole	3	12 awg	0.5"	\$125.00	\$3.21
6-15R4	5662	208	15	1	2 Pole	3	12 awg	0.5"	\$170.00	\$3.21
6-20R1	5465	208	20	1	2 Pole	3	12 awg	0.5"	\$145.00	\$3.21
6-20R2	5462	208	20	1	2 Pole	3	12 awg	0.5"	\$135.00	\$3.21
6-20R4	5462	208	20	1	2 Pole	3	12 awg	0.5"	\$185.00	\$3.21
6-30R1	9330	208	30	1	2 Pole	3	10 awg	0.5"	\$140.00	\$3.94
14-20R1	8410	120/208	20	1	2 Pole	4	12 awg	0.5"	\$150.00	\$3.62
14-30R1	9430	120/208	30	1	2 Pole	4	10 awg	0.5"	\$185.00	\$4.36
14-50R1	9450	120/208	50	1	2 Pole	4	8 awg	0.75"	\$295.00	\$7.80
L5-15R1	4710	120	15	1	1 Pole	3	12 awg	0.5"	\$140.00	\$3.21
L5-15R2	4700	120	15	1	1 Pole	3	12 awg	0.5"	\$140.00	\$3.21
L5-20R1	2310	120	20	1	1 Pole	3	12 awg	0.5"	\$125.00	\$3.21
L5-30R1	2610	120	30	1	1 Pole	3	10 awg	0.5"	\$145.00	\$3.94
L6-15R1	4560	208	15	2	2 Pole	3	12 awg	0.5"	\$135.00	\$3.21
L6-15R2	4550	208	15	2	2 Pole	3	12 awg	0.5"	\$135.00	\$3.21
L6-20R1	2320	208	20	2	2 Pole	3	12 awg	0.5"	\$125.00	\$3.21
L6-30R1	2620	208	30	2	2 Pole	3	10 awg	0.5"	\$140.00	\$3.94
L14-20R1	2410	120/208	20	2	2 Pole	4	12 awg	0.5"	\$145.00	\$3.62
L14-30R1	2710	120/208	30	2	2 Pole	4	10 awg	0.5"	\$170.00	\$4.36
L15-20R1	2420	208	20	3	3 Pole	4	12 awg	0.5"	\$175.00	\$3.62
L15-30R1	2720	208	30	3	3 Pole	4	10 awg	0.5"	\$185.00	\$4.36
L21-20R1	2510	208	20	3	3 Pole	5	12 awg	0.5"	\$160.00	\$4.36
L21-30R1	2810	208	30	3	3 Pole	5	10 awg	0.5"	\$185.00	\$4.99

Notes: See next page

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

UL Listed Power Distribution Cables (*continued*)

NEMA "IG" ISOLATED GROUND CABLE

NEMA Type	Hubbell PN	Volts	Amps	Phase	Breaker	Wire Qty	Wire Size	Sealtite	Fixed Price	Price Per Foot
5-15R1 IG	5261	120	15	1	1 Pole	4	12 awg	0.5"	\$120.00	\$3.62
5-15R2 IG	5262	120	15	1	1 Pole	4	12 awg	0.5"	\$125.00	\$3.62
5-15R4 IG	5262	120	15	1	1 Pole	4	12 awg	0.5"	\$160.00	\$3.62
5-20R1 IG	5361	120	20	1	1 Pole	4	12 awg	0.5"	\$130.00	\$3.62
5-20R2 IG	5362	120	20	1	1 Pole	4	12 awg	0.5"	\$125.00	\$3.62
5-20R4 IG	5362	120	20	1	1 Pole	4	12 awg	0.5"	\$165.00	\$3.62
5-30R1 IG	9308	120	30	1	1 Pole	4	10 awg	0.5"	\$160.00	\$4.41
6-15R1 IG	5661	208	15	1	2 Pole	4	12 awg	0.5"	\$195.00	\$3.62
6-15R2 IG	5662	208	15	1	2 Pole	4	12 awg	0.5"	\$205.00	\$3.62
6-15R4 IG	5662	208	15	1	2 Pole	4	12 awg	0.5"	\$325.00	\$3.62
6-20R1 IG	5465	208	20	1	2 Pole	4	12 awg	0.5"	\$210.00	\$3.62
6-20R2 IG	5462	208	20	1	2 Pole	4	12 awg	0.5"	\$235.00	\$3.62
6-20R4 IG	5462	208	20	1	2 Pole	4	12 awg	0.5"	\$370.00	\$3.62
6-30R1 IG	9330	208	30	1	2 Pole	4	10 awg	0.5"	\$255.00	\$4.41
L5-15R1 IG	4710	120	15	1	1 Pole	4	12 awg	0.5"	\$175.00	\$3.62
L5-15R2 IG	4700	120	15	1	1 Pole	4	12 awg	0.5"	\$140.00	\$3.62
L5-20R1 IG	2310	120	20	1	1 Pole	4	12 awg	0.5"	\$135.00	\$3.62
L5-30R1 IG	2610	120	30	1	1 Pole	4	10 awg	0.5"	\$155.00	\$4.41
L6-15R1 IG	4560	208	15	2	2 Pole	4	12 awg	0.5"	\$140.00	\$3.62
L6-15R2 IG	4550	208	15	2	2 Pole	4	12 awg	0.5"	\$135.00	\$3.62
L6-20R1 IG	2320	208	20	2	2 Pole	4	12 awg	0.5"	\$135.00	\$3.62
L6-30R1 IG	2620	208	30	2	2 Pole	4	10 awg	0.5"	\$165.00	\$4.41
L14-20R1 IG	2410	120/208	20	2	2 Pole	5	12 awg	0.5"	\$155.00	\$4.36
L14-30R1 IG	2710	120/208	30	2	2 Pole	5	10 awg	0.5"	\$200.00	\$4.99
L15-20R1 IG	2420	208	20	3	3 Pole	5	12 awg	0.5"	\$205.00	\$4.36
L15-30R1 IG	2720	208	30	3	3 Pole	5	10 awg	0.5"	\$235.00	\$4.99
L21-20R1 IG	2510	208	20	3	3 Pole	6	12 awg	0.5"	\$170.00	\$4.67
L21-30R1 IG	2810	208	30	3	3 Pole	6	10 awg	0.5"	\$205.00	\$5.51

Notes:

1. For the cables that have 0.5" conduit, to go to 0.75" conduit, please add \$1.05 per foot to the above list price.
2. For the cables that have 12 awg wire, to go to 10 awg wire conduit, please add \$1.00 per foot to the above list price.
3. Breakers are NOT included in the base price above.
4. The above pricing does NOT include shipping costs.
5. Please see the Cables specifications or contact the factory for details.
6. Add .63 per FT for colored LT.
7. For separate circuits for quads etc, must call for quote.
8. To construct a part number use the following format: <NEMA Type> - <Cable Length in Feet, min of 2 digits>. As an example, a 5-50R1 NEMA type with 2 feet of cable becomes 5-50R1-02.
9. Price is determined by adding the Fixed Price to Price per Foot multiplied by the cable length in feet.

EATON POWER DISTRIBUTION, MONITORING AND ENCLOSURES

UL Listed Power Distribution Cables *(continued)*

RUSSELLSTOLL & IEC CABLES

Device	Volts	Amps	Phase	Breaker	Wire Qty	Wire Size	Sealtite	Fixed Price	Price Per Foot
RS3913	250	20	2	2 Pole	3	12 awg	0.5"	\$650.00	\$3.21
RS3743	250	20	2	2 Pole	3	12 awg	0.5"	\$845.00	\$3.21
RS3913U2	250	20	2	2 Pole	3	12 awg	0.5"	\$665.00	\$3.21
RS3914	250	20	3	3 Pole	4	12 awg	0.5"	\$755.00	\$3.62
RS3933	250	30	2	2 Pole	4	10 awg	0.5"	\$765.00	\$4.36
RS3753	250	30	2	2 Pole	4	10 awg	0.5"	\$825.00	\$4.36
RS3934	250	30	3	3 Pole	4	10 awg	0.5"	\$810.00	\$4.36
RS3754	250	30	3	3 Pole	4	10 awg	0.5"	\$875.00	\$4.36
RS7428-78	600	60	3	3 Pole	4	6 awg	0.75"	\$2,205.00	\$10.82
9C33U0	250	30	2	2 Pole	3	10 awg	0.5"	\$625.00	\$4.36
9C54U2/C75	250	50	3	3 Pole	4	8 awg	0.75"	\$1,080.00	\$9.03
HBL360C6W	250	60	2	2 Pole	3	6 awg	0.75"	\$1,050.00	\$10.82
HBL460C9W	250	60	3	3 Pole	4	6 awg	0.75"	\$945.00	\$15.02
HBL360R9W	250	60	3	3 Pole	4	6 awg	0.75"	\$1,000.00	\$15.02

"FIELD WIRE" CABLES

Description	Device	Volts	Amps	Phase	Breaker	Wire Qty	Wire Size	Sealtite	Fixed Price	Price Per Foot
FW120	N/A	120	15	1	1 Pole	3	12 awg	0.5"	\$130.00	\$3.21
FW130	N/A	120	15	1	1 Pole	3	10 awg	0.5"	\$130.00	\$3.94
FW220	N/A	120	15	1	2 Pole	3	12 awg	0.5"	\$170.00	\$3.21
FW220N	N/A	120	20	1	2 Pole	4	12 awg	0.5"	\$135.00	\$3.62
FW230	N/A	120	20	1	2 Pole	3	10 awg	0.5"	\$135.00	\$3.94
FW230N	N/A	120	20	1	2 Pole	4	10 awg	0.5"	\$175.00	\$4.36
FW320	N/A	120	30	1	3 Pole	4	12 awg	0.5"	\$155.00	\$3.62
FW320N	N/A	208	15	1	3 Pole	5	12 awg	0.5"	\$225.00	\$4.46
FW330	N/A	208	15	1	3 Pole	4	10 awg	0.5"	\$235.00	\$4.36
FW330N	N/A	208	15	1	3 Pole	5	10 awg	0.5"	\$365.00	\$4.99
FW360	N/A	208	20	1	3 Pole	4	6 awg	0.75"	\$140.00	\$13.81
FW360N	N/A	208	20	1	3 Pole	5	6 awg	1.00"	\$270.00	\$16.07
FW3100	N/A	208	20	1	3 Pole	4	3 awg	1.25"	\$420.00	\$33.34
FW3100N	N/A	208	100	1	3 Pole	5	1 awg	1.50"	\$280.00	\$45.05


Notes:

1. For the cables that have 0.5" conduit, to go to 0.75" conduit, please add \$1.05 per foot to the above list price. 2. For the cables that have 12 awg wire, to go to 10 awg wire conduit, please add \$1.00 per foot to the above list price. 3. Breakers are NOT included in the base price above. 4. The above pricing does NOT include shipping costs. 5. Please see the Cables specifications or contact the factory for details. 6. Add .63 list per FT for colored LT. 7. For "Field Wire" cables: All single pole field wire cables include a neutral, separate "N" is not required.

EATON CATALOG NUMBER ORDERING INSTRUCTIONS

Single-phase Products

Eaton is now employing the use of smart part numbers to help our customers design the product that fits their needs and makes ordering a snap. Follow the example below to see how to easily select your product's features and create the catalog number for your order.



*Other selectable voltages vary by product

EATON 3S UPS

Eaton series

Now featuring a
3-year warranty with
product registration!

Standby UPS (350–750 VA)

The sleek Eaton 3S delivers high efficiency and energy-saving battery backup and surge protection for your premium home and office equipment — ready to go right out of the box.

- Ease of use: Plug-and-play capability — features HID-compliant USB port for automatic integration with Windows, Mac and Linux (no drivers required)
- EcoControl for 30% greater energy savings than a typical battery backup
- Attractive design and glossy finish make the 3S a perfect fit for the modern office environment
- Up to 10 receptacles — (5) battery backup and surge protection, (5) surge protection
- Protection for devices connected to telephone, fax and Ethernet lines
- User-replaceable batteries
- Integrated graceful shutdown capability for connected devices
- Warranty (US and Canada): Three-year limited warranty (third year of warranty free with online product registration), \$25,000 load protection guarantee



3S NORTH AMERICAN MODELS: 120V, 50/60 Hz

Model	Part Number	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
3S 350	3S350	350/200	5-15P	(8) 5-15R (4 Battery Backup & 4 Surge Protection only)	3.4 x 5.5 x 13.2	6.6	\$88
3S 550	3S550	550/330	5-15P	(8) 5-15R (4 Battery Backup & 4 Surge Protection only)	3.4 x 5.5 x 13.2	7.3	\$110
3S 750	3S750	750/450	5-15P	(10) 5-15R (5 Battery Backup & 5 Surge Protection only)	3.4 x 6.7 x 13.2	9.7	\$167

3S INTERNATIONAL MODELS: 230V, 50/60 Hz

Model	Part Number	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
3S550IEC	3S550IEC	550/330	C14 (1) IEC-IEC cable	(8) C13 (4 Battery Backup & 4 Surge only)	3.4 x 5.5 x 13.2	7.3	\$129
3S700IEC	3S700IEC	700/420	C14 (1) IEC-IEC cable	(8) C13 (4 Battery Backup & 4 Surge only)	3.4 x 6.7 x 13.2	9.7	\$181

SOFTWARE

To enable EcoControl functionality on the 750 VA unit, download Personal Solution-Pac software at www.eaton.com/psp. The Intelligent Power Software Suite is available for download free of charge from www.eaton.com/intelligentpower. See the software and connectivity product sections for more detail.

3S BATTERY BACKUP TIMES (in minutes)

UPS model	Load	50W	100W	150W	200W	250W	300W	350W	400W	450W
3S350		30	12	7	5					
3S550		42	18	11	6	4				
3S750		61	31	20	13	10	7	6	4	3

Note: Battery runtimes are approximate and may vary with equipment, configuration, battery age, temperature, etc.

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON 5110 UPS

Powerware series

Now featuring a
3-year warranty with
product registration!

Line-interactive UPS (500–1500 VA)

Protect your SOHO computer and telephone equipment from the damaging threats that lurk in public utility power.

- Protect against power outages, surges, sags and line noise
- Save space with a compact design that fits easily under a desk, mounted under a computer terminal, or on a computer shelf with quick access to all receptacles
- Keep essential systems running through power outages by plugging them into receptacles with surge suppression and battery backup
- Conserve battery runtime by plugging non-essential equipment into receptacles that have surge suppression only
- Extend UPS service life with user-replaceable batteries and deliver short-term mobile power with start-on-battery capability
- Protect network-connected equipment from surges coming over LAN or telephone lines
- USB port and cables are standard
- Warranty (US and Canada): Three-year limited warranty (third year of warranty free with online product registration), \$150,000 load protection guarantee



5110 NORTH AMERICAN MODELS: 120V, 50/60 Hz

Model	Part Number	Power Out (VA/Watts)	Input Connection*	Output Receptacles**	Dimensions (H x W x D, inches)	Weight (lb)	List Price
5110 500	103004256-5591	500/300	5-15P	(8) 5-15R	10.6 x 3.4 x 10.2	12.1	\$161
5110 700	103004257-5591	700/420	5-15P	(8) 5-15R	10.6 x 3.4 x 10.2	15.2	\$189
5110 1000	103004258-5591	1000/600	5-15P	(8) 5-15R	10.6 x 3.4 x 15.1	28.0	\$230
5110 1500	103004259-5591	1440/900	5-15P	(8) 5-15R	10.6 x 3.4 x 15.1	29.1	\$337

5110 INTERNATIONAL MODELS: 230V, 50/60 Hz

Model	Part Number	Power Out (VA/Watts)	Input Connection***	Output Receptacles**	Dimensions H x W x D (inches)	Weight (lb)	List Price
5110 700i	103004262-5591	700/420	C14	(8) C13	10.6 x 3.4 x 10.2	16.5	\$217
5110 1500i	103004264-5591	1500/900	C14	(8) C13	10.6 x 3.4 x 15.1	30.2	\$388

* 1.8m line cord with 90-degree angle plug **Four battery backup & surge protection; four surge protection only *** 1.8m line patch cord IEC to IEC

SOFTWARE

The Intelligent Power Software Suite is available for download free of charge. See the software and connectivity product sections for more detail.

5110 BATTERY BACKUP TIMES (in minutes)

Load	30W	60W	90W	120W	150W	180W	210W	240W	270W	300W	330W	360W	390W	420W
500	52	35	22	14	11	8	6	5	4	3	-	-	-	-
700	63	46	34	23	16	12	10	8	7	6	5	4	4	3
Load	120W	180W	240W	300W	360W	420W	480W	540W	600W	660W	720W	780W	840W	900W
1000	52	35	23	17	13	10	9	7	5	-	-	-	-	-
1500	62	43	29	20	16	14	12	11	9	8	7	6	5	4.4

Note: Battery runtimes are approximate and may vary with equipment, configuration, battery age, temperature, etc.

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON 5S UPS TOWER

Now featuring a
3-year warranty with
product registration!

Line-interactive UPS (550 – 1500 VA)

- Power management: Enhance your power protection capabilities and ensure safe system shutdown with the Eaton UPS Companion software. The 5S interface is auto-recognized when plugged into computers with Windows, Macintosh and Linux environments
- LCD display: Access critical UPS information including battery time and outage tracking in a single screen view with the user-friendly LCD
- Data protection: Safeguard your work and data with the UPS Companion software by gracefully shutting down your equipment during power outages
- Eco-Control: Save up to 30 percent on energy consumption by shutting down non-essential peripherals when the connected computer is turned off
- Convenient form factor: Fit the 5S easily into tight spaces with its slim form factor. The versatile 5S can be used as a tower or as a desktop monitor stand
- Surge protection: Provide surge protection for network phone lines, cable TV and satellite applications
- Battery health checks: Schedule daily, weekly or monthly health checks to verify battery performance and ensure it delivers power during the next outage
- Warranty (US and Canada): Three-year limited warranty (third year of warranty free with online product registration), \$25,000 load protection guarantee



5S NORTH AMERICAN MODELS: 120V, 50/60 Hz

Catalog Number	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Net Weight (lb)	LCD	Eco Control	List Price
5S550	550/330	5-15P (6 ft)	(8) 5-15R	9.8 x 3.4 x 10.2	12.6	No	No	\$161
5S700	700/420	5-15P (6 ft)	(8) 5-15R	9.8 x 3.4 x 10.2	14.7	No	No	\$179
5S700LCD	700/420	5-15P (6 ft)	(8) 5-15R	9.8 x 3.4 x 10.2	15.1	Yes	Yes	\$189
5S1000LCD	1000/600	5-15P (6 ft)	(10) 5-15R	9.8 x 3.4 x 15.0	21.7	Yes	Yes	\$230
5S1500LCD	1500/900	5-15P (6 ft)	(10) 5-15R	9.8 x 3.4 x 15.0	26.1	Yes	Yes	\$337

5S INTERNATIONAL MODELS: 208 or 230V, 50/60 Hz

Catalog Number	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Net Weight (lb)	LCD	Eco Control	List Price
5S700G	700/420	C14	(6) C13	9.8 x 3.4 x 10.2	13.2	No	No	\$217
5S1500G	1500/900	C14	(8) C13	9.8 x 3.4 x 15.0	24.6	No	No	\$388

SOFTWARE

The UPS Companion software is available for download free of charge. See the software and connectivity product sections for more detail.

5S BATTERY BACKUP TIMES (in minutes)

UPS model														
Load	30W	60W	90W	120W	150W	180W	210W	240W	270W	300W	330W	360W	390W	420W
5S550	121	56	31	20	14	10	8	6	5	4	1			
5S700	151	75	37	30	21	14	12	11	9	7	6	5	3	2
5S700G	151	75	37	30	21	14	12	11	9	7	6	5	3	2
5S700LCD	86	67	36	27	20	15	11	9	7	6	5	4	2	2
UPS model														
Load	120W	180W	240W	300W	360W	420W	480W	540W	600W	660W	720W	780W	840W	900W
5S1000LCD	43	26	18	14	10	9	6	4	3					
5S1500G	79	43	30	22	17	13	10	9	8	6	5	4	3	2
5S1500LCD	71	42	31	22	16	13	10	8	7	6	5	4	3	2

Note: Battery runtimes are approximate and may vary with equipment, configuration, battery age, temperature, etc.

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON 5SC UPS

Now featuring a
3-year warranty with
product registration!

Line-interactive UPS (550 – 1500 VA)

The 5SC offers flexible integration with a small form factor and adjustable input waveform sensitivity, making it ideal for protecting tower servers, network-attached storage (NAS), network equipment, ATMs, tickets machines and kiosks.

- LCD display: Enables you to customize UPS settings, view load and power consumption
- Power management: Integrates with Intelligent Power Manager (IPM) for point-to-point power management (USB/serial) or network-based using server as a proxy
- Battery technology: Extends battery service life by 50% with ABM® technology and offers user-replaceable batteries
- Warranty and service: Protects you with a three-year warranty, which includes the battery
- Reliable power protection: Corrects a wide range of input voltage variations through buck and boost operation; Provides high quality pure-sinewave output capability, protecting any sensitive equipment connected ensuring consistent input voltage to the loads protected
- Convenient form factor: Fits easily into small spaces making the 5SC ideal for protecting tower servers, Network-attached storage (NAS), network equipment, ATMs, ticket machines and kiosks



5SC NORTH AMERICAN MODELS: 120V, 50/60 Hz

Catalog Number	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
5SC500	500/350	5-15P (6 ft)	(4) 5-15R	8.2 x 5.9 x 9.4	15.2	\$285
5SC750	750/525	5-15P (6 ft)	(6) 5-15R	8.2 x 5.9 x 13.4	23.1	\$410
5SC1000	1000/700	5-15P (6 ft)	(8) 5-15R	8.2 x 5.9 x 13.4	25.6	\$470
5SC1500	1440/1080	5-15P (6 ft)	(8) 5-15R	8.2 x 5.9 x 16.1	34.0	\$605

5SC INTERNATIONAL MODELS: 208 or 230V, 50/60 Hz

Catalog Number	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
5SC500G	500/350	C14	(4) C13	8.2 x 5.9 x 9.4	15.0	\$328
5SC750G	750/525	C14	(6) C13	8.2 x 5.9 x 13.4	23.1	\$472
5SC1500G	1500/1050	C14	(8) C13	8.2 x 5.9 x 16.1	33.5	\$696

SOFTWARE

The Intelligent Power Software Suite is available for download free of charge. See the software and connectivity product sections for more detail.

5SC BATTERY BACKUP TIMES (in minutes)

UPS model												
Wattage	18	28	35	70	105	140	175	210	245	280	315	350
5SC500	118	89	64	29	19.6	16.3	12.1	10.4	8.9	7.1	5.3	4.7
Wattage	26	42	53	105	158	210	263	315	368	420	473	525
5SC750	120	89	71	36	24	16.6	12.6	10.6	8.7	7	6	5
5SC750G	124	100	74	38	23	16.5	12.6	10.7	8.8	7	6	4.9
Wattage	35	56	70	140	210	280	350	420	490	560	630	700
5SC1000	111	85	66	35.5	23	17	12.7	10.6	8.7	7	5.9	4.8
Wattage	54	86	108	216	324	432	540	648	756	864	972	1080
5SC1500	136	111	90	40.7	24.9	17.5	12.8	10.5	8.6	6.9	5.9	5
5SC1500G	144	109	90	41	24.7	17.3	12.7	10.4	8.4	6.8	5.8	4.8

Note: Battery runtimes are approximate and may vary with equipment, configuration, battery age, temperature, etc.

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON 5115 UPS TOWER

Powerware series



Now featuring a
3-year warranty with
product registration!



Line-interactive UPS (500–1400 VA)

The Eaton 5115 UPS offers Series 5 advanced protection for PCs, small-office-home-office equipment, workstations and small networking devices.

- ABM technology significantly increases battery service life
- Pure sine wave output delivers smooth, continuous power
- Buck and Boost voltage regulation corrects incoming voltage fluctuations
- Hot-swappable batteries simplify service
- Network Transient Protector isolates network/phone wiring
- Intelligent Power Software Suite provides monitoring and shutdown capabilities
- Warranty (US and Canada): Three-year limited warranty (third year of warranty free with online product registration), \$150,000 load protection guarantee

5115 NORTH AMERICAN TOWER MODELS: 120V, 50/60 Hz¹

Model	Part Number	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D inches)	Weight (lb)	List Price
5115 500	05146548-5591	500/320	5-15P	(4) 5-15R	7.6 x 5.9 x 10.6	17.2	\$285
5115 750	05146554-5591	750/500	5-15P	(4) 5-15R	7.6 x 5.9 x 13.2	27.3	\$410
5115 1000	05146560-5591	1000/670	5-15P	(6) 5-15R	7.6 x 5.9 x 13.2	27.8	\$470
5115 1400	05146566-5591	1400/950	5-15P	(6) 5-15R	7.6 x 5.9 x 15.4	37.0	\$605

1. Bundled with Intelligent Power Software Suite CD and communication cable (DB9f to DB9m P/N 60420064-002).

5115 TAA COMPLIANT MODELS

Model	Part Number	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions H x W x D (inches)	Weight (lb)	List Price
5115 750 VA 120V TAA	05146554-5591US	750/500	5-15P	(4) 5-15R	7.6 x 5.9 x 13.2	27.3	\$488
5115 1000 VA 120V TAA	05146560-5591US	1000/670	5-15P	(6) 5-15R	7.6 x 5.9 x 13.2	27.8	\$636
5115 1500 VA 120V TAA	05146566-5591US	1400/950	5-15P	(6) 5-15R	7.6 x 5.9 x 15.4	37.0	\$715
5115 750 VA 230V TAA	05146555-5591US	750/500	C14	(6) C13	7.6 x 5.9 x 13.2	27.3	\$471
5115 1000VA 230V TAA	05146561-5591US	1000/670	C14	(6) C13	7.6 x 5.9 x 13.2	27.8	\$637
5115 1500 VA 230V TAA	05146567-5591US	1400/950	C14	(6) C13	7.6 x 5.9 x 15.4	37.0	\$793

5115 INTERNATIONAL TOWER MODELS: 230V, 50/60 Hz¹

Model	Part Number	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions H x W x D (inches)	Weight (lb)	List Price
5115 500i	05146549-5591	500/320	C14	(4) C13	7.6 x 5.9 x 10.6	17.2	\$328
5115 750i	05146555-5591	750/500	C14	(4) C13	7.6 x 5.9 x 13.2	27.3	\$471
5115 1000i	05146561-5591	1000/670	C14	(6) C13	7.6 x 5.9 x 13.2	27.8	\$541
5115 1400i	05146567-5591	1400/950	C14	(6) C13	7.6 x 5.9 x 15.4	37.0	\$696

1. Includes all mounting hardware. Bundled with Intelligent Power Software Suite CD and communication cable (DB9f to DB9m, P/N 60420064-002).

SOFTWARE

The Intelligent Power Software Suite is available for download free of charge. See the [software and connectivity product sections](#) for more detail.

5115 BATTERY BACKUP TIMES (in minutes)

View interactive runtime graphs at www.eaton.com/5115

Load (VA/Watts)	5115 500	5115 750	5115 1000	5115 1400
200/128	17	38	41	58
300/192	11	27	28	41
500/320	5	14	15	28
600/402	—	9	10	19
750/503	—	6	8	14
900/603	—	—	6	10
1000/670	—	—	5	8
1200/804	—	—	—	6
1400/938	—	—	—	5

Note: Runtimes are approximate and may vary with equipment, configuration, battery age, temperature, etc.

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON TRANSITION LINE-INTERACTIVE UPS PRODUCTS

5115 NORTH AMERICAN RACKMOUNT MODELS: 120V, 50/60 Hz¹

Model	Part Number	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
5115 500 RM	103003266-6591	500/320	5-15P	(4) 5-15R	1.75 x 17.3 x 22.8	35.2	\$389
5115 750 RM	103003269-6591	750/520	5-15P	(4) 5-15R	1.75 x 17.3 x 22.8	41.4	\$644
5115 1000 RM	103003272-6591	1000/670	5-15P	(4) 5-15R	1.75 x 17.3 x 22.8	41.4	\$829
5115 1500 RM	103003275-6591	1440/1000	5-15P	(4) 5-15R	1.75 x 17.3 x 22.8	48.6	\$1,065

1. Includes all mounting hardware. Bundled with Intelligent Power Software Suite CD and communication cable (DB9f to DB9m, P/N 60420064-002).

5115 INTERNATIONAL RACKMOUNT MODELS: 230V, 50/60 Hz¹

Model	Part Number	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
5115 750i RM	103003270-6591	750/520	C14	(4) C13	1.75 x 17.3 x 22.8	41.4	\$699
5115 1500i RM	103003276-6591	1440/1000	C14	(4) C13	1.75 x 17.3 x 22.8	48.6	\$1,156

1. Includes all mounting hardware. Bundled with Intelligent Power Software Suite CD and communication cable (DB9f to DB9m, P/N 60420064-002).

EVOLUTION NORTH AMERICAN MODELS: 120V, 50/60 Hz

Catalog Number	Style Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
EVLL650T	81700	Evolution 650 VA Tower	650/420	5-15P	(4) 5-15R	9.2 x 5.8 x 16.5	18.5	\$410
EVLL850T	81703	Evolution 850 VA Tower	850/600	5-15P	(4) 5-15R	9.2 x 5.8 x 16.5	23.9	\$495
EVLL1150T	81705	Evolution 1150 VA Tower	1150/770	5-15P	(4) 5-15R	9.2 x 5.8 x 16.5	27.6	\$656
EVLL1550T	81709	Evolution 1550 VA Tower	1550/1100	5-15P	(4) 5-15R	9.2 x 5.8 x 19.4	36.4	\$810
EVLL650R-1U	81701	Evolution 650 VA Rackmount (1U)	650/420	5-15P	(4) 5-15R	1.7 (1U) x 17.2 x 14.4	22.3	\$441
EVLL850R-1U	81704	Evolution 850 VA Rackmount (1U)	850/600	5-15P	(4) 5-15R	1.7 (1U) x 17.2 x 20.2	35.5	\$660
EVLL1150R-1U	81706	Evolution 1150 VA Rackmount (1U)	1150/770	5-15P	(4) 5-15R	1.7 (1U) x 17.2 x 20.2	36.6	\$841
EVLL1550R-1U	81710	Evolution 1550 VA Rackmount (1U)	1550/1100	5-15P	(4) 5-15R	1.7 (1U) x 17.2 x 21.9	44.1	\$1,057

5125 NORTH AMERICAN TOWER MODELS: 120V, 50/60 Hz

Model	Part Number	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
5125 1000	05146629-5591	1000/700	5-15P	(6) 5-15R	9.81 x 6.38 x 15.79	34.3	\$673
5125 1500	05146632-5591	1440/1050	5-15P	(6) 5-15R	9.81 x 6.38 x 18.39	50.7	\$840
5125 2200	05146635-5591	1920/1600	5-20P	(6) 5-15R, (2) 5-20R	9.84 x 8.07 x 19.41	68.3	\$1,386

EATON 5P UPS RACKMOUNT

Now featuring a
3-year warranty with
product registration!



Line-interactive UPS (550–3000 VA)

- Helps save money and protect the environment through energy efficient operation (ENERGY STAR® qualified UPS)
- Enables you to customize UPS settings, view load and power consumption through the graphical interactive LCD screen interface
- Fully integrates with Intelligent Power Software Suite for continuous up time of servers and virtual machines
- Provides more real power (watts) to protect more equipment and leave room for expanding IT systems
- Extends battery service life by 50% with ABM Technology
- Warranty (US and Canada): Three-year limited warranty (third year of warranty free with online product registration), five-year extended warranty plans available, \$150,000 load protection guarantee



5P RACKMOUNT 1U MODELS: 120V, 50/60 Hz

Catalog Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
5P550R	5P 550 VA 120V Rackmount 1U	550/420	5-15P (6 ft)	(5) 5-15R	1.7 (1U) x 17.2 x 14.3	20	\$441
5P750R	5P 750 VA 120V Rackmount 1U	750/600	5-15P (6 ft)	(5) 5-15R	1.7 (1U) x 17.2 x 20.0	31	\$660
5P1000R	5P 1000 VA 120V Rackmount 1U	1000/770	5-15P (6 ft)	(5) 5-15R	1.7 (1U) x 17.2 x 20.0	33	\$841
5P1500R	5P 1500 VA 120V Rackmount 1U	1440/1100	5-15P (6 ft)	(5) 5-15R	1.7 (1U) x 17.2 x 21.8	44	\$1,065

5P RACKMOUNT 1U MODELS: 208/230V, 50/60 Hz

Catalog Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
5P850GR	5P 850 VA 208V Rackmount 1U	850/600	C14	(4) C13	1.7 (1U) x 17.2 x 20.0	30	\$716
5P1550GR	5P 1550 VA 208V Rackmount 1U	1550/1100	C14	(6) C13	1.7 (1U) x 17.2 x 21.8	43	\$1,156

5P RACKMOUNT 2U MODELS: 120V, 50/60 Hz

Catalog Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
5P1500RT	5P 1500 VA 120V Rack/Tower 2U	1440/1440	5-15P (8 ft)	(8) 5-15R	3.4 (2U) x 17.4 x 20.6	65	\$1,134
5P2200RT	5P 2200 VA 120V Rack/Tower 2U	1950/1920	5-20P (8 ft)	(4) 5-15R, (4) 5-20R	3.4 (2U) x 17.4 x 20.6	65	\$1,732
5P3000RT	5P 3000 VA 120V Rack/Tower 2U	3000/2700	L5-30P (10 ft)	(6) 5-20R, (1) L5-30R	3.4 (2U) x 17.4 x 20.6	87	\$2,074

5P RACKMOUNT OPTIONS

Catalog Number	Description	For use with				List Price
Mounting Hardware						
RK2PA	2-post rail kit (optional) 1U	All Models except 5P550G				TBA
103007018-5591	Two-post rack mounting rail kit	All RT Models				\$109
Catalog Number	Description	For use with 5P model	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	List Price
Power distribution and maintenance bypass						
EHBPL1500R-PDU1U	HotSwap Maintenance Bypass (MBP)	5P550R, 5P750R, 5P1000R 5-15P 5P1500R, 5P1500RT		(6) 5-15R	2.1 x 17.3 x 3.8	\$242
EHBPL2000R-PDU1U	HotSwap Maintenance Bypass (MBP)	5P2200RT	5-20P	(6) 5-15R	2.1 x 17.3 x 3.8	\$289
EHBPL3000R-PDU1U	HotSwap Maintenance Bypass (MBP)	5P3000RT	L5-30P	(5) 5-20R	2.1 x 17.3 x 3.8	\$420

SOFTWARE AND CONNECTIVITY OPTIONS

Catalog Number	Description	For use with	List Price
Network-MS	Network Card-MS	All Models	\$279
Relay-MS	Relay / Serial Interface Card	All Models	\$100
116750224-001	Environmental Monitoring Probe	All Models (requires Network-MS)	\$220

See software and connectivity product sections for more detail.

EATON 5P UPS RACKMOUNT

(continued)

5P RACKMOUNT BATTERY BACKUP TIMES (in minutes)

UPS model										
Load (watts)	50	100	200	400	600	700	800	1000	1500	2500
5P550R	37	19	9	3						
5P750R		40	19	8	4					
5P850GR										
5P1000R		51	25	11	7	6				
5P1500R			47	20	12	10	8	5		
5P1550GR										
5P1500RT			56	26	15	11	9	7	3	
5P2200RT			59	33	20	16	13	8	4	
5P3000RT				41	27	22	18	14	9	4

Note: Runtimes are displayed in minutes. Runtimes are approximate and may vary with equipment, configuration, battery age, temperature, etc. View interactive runtime graphs at www.eaton.com/5Prm.

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON 5P UPS TOWER

Now featuring a
3-year warranty with
product registration!

Line-interactive UPS (750–3000 VA)

- Helps save money and protect the environment through energy efficient operation (ENERGY STAR® qualified UPS)
- Enables you to customize UPS settings, view load and power consumption through the graphical interactive LCD screen interface
- Fully integrates with Intelligent Power Software Suite for continuous up time of servers and virtual machines
- Provides more real power (watts) to protect more equipment and leave room for expanding IT systems
- Extends battery service life by 50% with ABM Technology
- Warranty (US and Canada): Three-year limited warranty (third year of warranty free with online product registration), five-year extended warranty plans available, \$150,000 load protection guarantee



5P TOWER MODELS: 120V, 50/60 Hz

Catalog Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
5P750	5P 750 VA 120V Tower	750/600	5-15P (6ft)	(8) 5-15R	9.1 x 5.9 x 13.6	24	\$495
5P1000	5P 1000 VA 120V Tower	1000/770	5-15P (6ft)	(8) 5-15R	9.1 x 5.9 x 13.6	25	\$699
5P1500	5P 1500 VA 120V Tower	1440/1100	5-15P (6ft)	(8) 5-15R	9.1 x 5.9 x 17.5	36	\$869
5P3000	5P 3000 VA 120V Tower	3000/2700	L5-30P (10 ft)	(6) 5-20R, (1) L5-30R	3.4 (2U) x 17.4 x 25.4	81	\$1,696

5P TOWER MODELS: 208/230V, 50/60 Hz

Catalog Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
5P850G	5P 850 VA 208V Tower	850/600	C14	(6) C13	9.1 x 5.9 x 13.6	23	\$537
5P1550G	5P 1550 VA 208V Tower	1550/1100	C14	(8) C13	9.1 x 5.9 x 17.5	34	\$943

SOFTWARE AND CONNECTIVITY OPTIONS

Catalog Number	Description	For use with	List Price
Network-MS	Network Card-MS	All Models	\$279
Relay-MS	Relay / Serial Interface Card	All Models	\$100
116750224-001	Environmental Monitoring Probe	All Models (requires Network-MS)	\$220

See software and connectivity product sections for more detail.

5P TOWER BATTERY BACKUP TIMES (in minutes)

UPS model										
Load (watts)	50	100	200	400	600	700	800	1000	1500	2500
5P750		40	19	8	4					
5P850G										
5P1000		51	25	11	7	6				
5P1500			47	20	12	10	8	5		
5P1550G										
5P3000				41	27	22	18	14	9	4

Note: Runtimes are displayed in minutes. Runtimes are approximate and may vary with equipment, configuration, battery age, temperature, etc. View interactive runtime graphs at www.eaton.com/5P.

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON 5PX UPS RACK/TOWER

Extended Run Capable

Line-interactive UPS (1000–3000 VA)

The Eaton 5PX UPS provides advanced power conditioning and unparalleled battery backup for network closets and small data centers.

- Line-interactive topology with sine wave output
- Industry-leading efficiency of up to 99 percent
- Meters energy consumption down to the outlet segments
- Displays critical UPS information in a next-generation graphical LCD
- Protects more devices by providing up to 28 percent more wattage than traditional UPSs
- ABM technology extends battery life by 50 percent
- Extended available runtime by adding up to 4 EBM's
- Comes with free monitoring and management software, perfect for virtualized environments
- Hot-swappable batteries allow you to replace batteries while the UPS stays on
- Load segments enable shutdown of connected devices for increased runtime
- 4-post rail kit included (2-post rail kit optional)
- Warranty (US and Canada): Three-year limited warranty (third year of warranty free with online product registration), five-year extended warranty plans available, \$150,000 load protection guarantee



5PX NORTH AMERICAN MODELS: 120V, 50/60 Hz

Catalog Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
5PX1000RT	Eaton 5PX 1000 VA 120V Rack / Tower 2U	1000/1000	5-15P (8ft)	(8) 5-15R	3.4 (2U) x 17.4 x 20.6	62	\$970
5PX1500RT	Eaton 5PX 1500 VA 120V Rack / Tower 2U	1440/1440	5-15P (8ft)	(8) 5-15R	3.4 (2U) x 17.4 x 20.6	65	\$1,269
5PX1500RTN	Eaton 5PX 1500 VA with Network Card-MS	1440/1440	5-15P (8ft)	(8) 5-15R	3.4 (2U) x 17.4 x 20.6	65	\$1,622
5PX2200RT	Eaton 5PX 2200 VA 120V Rack / Tower 2U	1950/1920	5-20P (8ft)	(4) 5-20R, (4) 5-15R	3.4 (2U) x 17.4 x 20.6	65	\$2,102
5PX2200RTN	Eaton 5PX 2200 VA with Network Card-MS	1950/1920	5-20P (8ft)	(4) 5-20R, (4) 5-15R	3.4 (2U) x 17.4 x 20.6	65	\$2,461
5PX3000RT2U	Eaton 5PX 3000 VA 120V Rack / Tower 2U	3000/2700	L5-30P (10ft)	(6) 5-20R, (1) L5-30R	3.4 (2U) x 17.4 x 25.4	87	\$2,479
5PX3000RTN	Eaton 5PX 3000 VA with Network Card-MS	3000/2700	L5-30P (10ft)	(6) 5-20R, (1) L5-30R	3.4 (2U) x 17.4 x 25.4	87	\$2,800
5PX3000RT3U	Eaton 5PX 3000 VA 120V Rack / Tower 3U	3000/2700	L5-30P (10ft)	(6) 5-20R, (1) L5-30R	5.1 (3U) x 17.4 x 19.6	86	\$2,578

5PX INTERNATIONAL MODELS: 208/230V, 50/60 Hz

Catalog Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
5PX1500iRT	Eaton 5PX 1500 VA 208/230V Rack / Tower 2U	1500/1350	C14	(8) C13	3.4 (2U) x 17.4 x 20.6	61	\$1,433
5PX2200iRT	Eaton 5PX 2200 VA 208/230V Rack / Tower 2U	2200/1980	C20	(1) C19, (8) C13	3.4 (2U) x 17.4 x 20.6	63	\$2,423
5PX3000iRT2U	Eaton 5PX 3000 VA 208/230V Rack / Tower 2U	3000/2700	C20	(1) C19, (8) C13	3.4 (2U) x 17.4 x 25.4	84	\$2,809
5PX3000iRTN	Eaton 5PX 3000 VA with Network Card-MS	3000/2700	C20	(1) C19, (8) C13	3.4 (2U) x 17.4 x 25.4	84	\$3,056

5PX OPTIONS

Catalog Number	Description	Rating (VA)	For use with 5PX model	Dimensions (H x W x D, inches)	Weight (lb)	List Price
Extended Battery Modules						
5PXEBM48RT	Eaton 5PX 48V EBM Rack / Tower 2U	48V	5PX1000RT, 5PX1500RT, 5PX2200RT	3.4 (2U) x 17.4 x 20.0	72	\$808
5PXEBM72RT2U	Eaton 5PX 72V EBM Rack / Tower 2U	72V	5PX3000RT2U	3.4 (2U) x 17.4 x 25.5	102	\$1,186
5PXEBM72RT3U	Eaton 5PX 72V EBM Rack / Tower 3U, short depth	72V	5PX3000RT3U	5.1 (3U) x 17.4 x 19.6	98	\$1,186

Two-post rail kit

103007018-5591	Two-post rack mounting rail kit (supports 2U models only)	\$91
----------------	---	------

Catalog Number	Description	For use with 5PX model	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	List Price
Power distribution and maintenance bypass						
EHBPL1500R-PDU1U	HotSwap Maintenance Bypass (MBP)	5PX1000RT, 5PX1500RT	5-15P	(6) 5-15R	2.1 x 17.3 x 3.8	\$242
EHBPL2000R-PDU1U	HotSwap Maintenance Bypass (MBP)	5PX2200RT	5-20P	(6) 5-15R	2.1 x 17.3 x 3.8	\$289
EHBPL3000R-PDU1U	HotSwap Maintenance Bypass (MBP)	5PX3000RT2U, 5PX3000RT3U	L5-30P	(5) 5-20R	2.1 x 17.3 x 3.8	\$420

For detailed information on FlexPDU and HotSwap Maintenance Bypass products, please refer to the Eaton Power Distribution and Enclosures section.

EATON 5PX UPS RACK/TOWER

Eaton series *(continued)*

SOFTWARE AND CONNECTIVITY OPTIONS

Catalog Number	Description	List Price
Network-MS	Network Card-MS	\$279

See software and connectivity product sections for more detail.

View interactive runtime graphs at www.eaton.com/5PX

5PX BATTERY BACKUP TIMES (in minutes)¹

Load (VA/Watts)	Internal Batteries	+1 EBM	+2 EBMs	+3 EBMs	+4 EBMs
5PX1000RT (with 5PXEBM48RT)					
100/70	120	462	796	1131	1466
250/175	69	286	490	695	899
500/350	30	145	254	364	473
750/525	17	83	151	219	286
1000/700	11	59	108	156	204
1000/1000 ²	7	39	71	103	135
5PX1500RT (with 5PXEBM48RT)					
150/105	81	334	550	765	981
375/262	43	187	315	442	569
750/525	18	87	150	214	277
1125/787	9	50	89	129	169
1440/1050	6	35	66	96	126
1440/1440 ²	3	21	41	62	82
5PX2200RT (with 5PXEBM48RT)					
195/136	71	274	465	656	847
488/341	39	154	270	385	501
975/682	16	67	123	179	236
1463/1045	8	36	67	93	128
1950/1365	5	26	48	65	93
2200/1920 ²	3	15	29	36	57
5PX3000RT2U or 5PX3000RT3U (with 5PXEBM72RT2U or 5PXEBM72RT3U)					
300/210	63	273	470	667	864
750/525	31	148	254	360	465
1500/1050	13	64	111	158	206
2250/1575	8	35	64	94	123
3000/2100	6	26	48	70	91
3000/2700 ²	4	19	35	52	68

1. Battery backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc. International model runtimes are available; please visit www.eaton.com/5PX for details. 2. Runtimes shown at full load with maximum power factor.

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON EX UPS

Pulsar series

(this product was formerly known as the Pulsar and Pulsar M UPSs)

Online UPS (700–3000 VA)

Ideal protection for servers, data storage, network equipment, telephony, VoIP and medical equipment—industrial processes.

- True double-conversion
- Hot-swappable batteries
- Two load segments
- USB and RS-232 ports
- Rack/tower configurations provide versatility
- Four-post rail kit included with rack UPS (except where noted)
- Optional two-post rail kit



EX NORTH AMERICAN MODELS: 120V, 50/60 Hz

Catalog Number	Style Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PULSL700T	86700	120V TWR 0.7 kVA	700/630	5-15P	(4) 5-15R	9.52 x 6.00 x 17.31	25.7	\$806
PULSL1000T	86701	120V TWR 1 kVA	1000/900	5-15P	(4) 5-15R	9.52 x 6.00 x 17.31	33.0	\$969
PULSL1500T	86703	120V TWR 1.5 kVA	1500/1350	5-15P	(4) 5-15R	9.52 x 6.00 x 19.29	39.6	\$1,306
PULSL1000R-XL2U	86702	120V RT2U 1 kVA	1000/900	5-15P	(6) 5-15R	3.46 (2U) x 17.25 x 19.00	39.6	\$1,122
PULSL1500R-XL2U	86704	120V RT2U 1.5 kVA	1500/1350	5-15P	(6) 5-15R	3.46 (2U) x 17.25 x 19.00	45.2	\$1,489
PULSML2200-XL2U	86722	120V RT2U 2.2 kVA	2100/1650	5-20P	(6) 5-20R, (1) L5-20R	3.40 (2U) x 17.30 x 25.20	68.2	\$2,162
PULSML2200-XL3U	86723	120V RT3U 2.2 kVA	2100/1650	5-20P	(6) 5-20R, (1) L5-20R	5.14 (3U) x 17.30 x 19.29	70.0	\$2,162
PULSML3000-XL2U	86732	120V RT2U 3 kVA	3000/2550	L5-30P	(6) 5-20R, (1) L5-30R	3.40 (2U) x 17.30 x 25.20	70.0	\$2,703

EX INTERNATIONAL MODELS: 230V, 50/60 Hz

Catalog Number	Style Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PULSI1000T	68181	230V TWR 1 kVA	1000/900	IEC C14 (10A Socket)	(6) IEC C13 (10A)	9.52 x 6.00 x 17.31	33.0	\$1,028
PULSI1000R-XL2U	68182	230V RT2U 1 kVA	1000/900	IEC C14 (10A Socket)	(6) IEC C13 (10A)	3.46 (2U) x 17.25 x 19.00	39.6	\$1,182
PULSI1500R-XL2U	68184	230V RT2U 1.5 kVA	1500/1350	IEC C14 (10A Socket)	(6) IEC C13 (10A)	3.46 (2U) x 17.25 x 19.00	-	\$1,680
PULSMI2200-XL2U	68401	230V RT2U 2.2 kVA	2200/1980	IEC C20 (16A) or terminal block on 103007536-6591 PPDM	(8) IEC C13 (10A) (1) IEC C19 (16A)	3.39 (2U) x 17.32 x 25.20	68.3	\$2,221
PULSMI2200-XL3U*	68400	230V RT3U 2.2 kVA	2200/1980	IEC C20 (16A) or terminal block on 103007536-6591 PPDM	(8) IEC C13 (10A) (1) IEC C19 (16A)	5.16 (3U) x 17.32 x 19.29	66.1	\$2,221
PULSMI3000-XL2U	68403	230V RT2U 3 kVA	3000/2700	IEC C20 (16A) or terminal block on 103007536-6591 PPDM	(8) IEC C13 (10A) (1) IEC C19 (16A)	3.39 (2U) x 17.32 x 25.20	68.3	\$3,002
PULSMI3000-XL3U*	68402	230V RT3U 3 kVA	3000/2700	IEC C20 (16A) or terminal block on 103007536-6591 PPDM	(8) IEC C13 (10A) (1) IEC C19 (16A)	5.16 (3U) x 17.32 x 19.29	66.1	\$3,002

*Four-post rail kit not included

EX OPTIONS

Catalog Number	Style Number	Description	Dimensions (H x W x D, inches)	Weight (lb)	List Price
Extended Battery Modules					
PULSL1500T-EBM	86705	120V TWR EBM 1–1.5 kVA	9.52 x 6.00 x 17.32	46.3	\$709
PULSL1500R-EBM	86706	120V RT EBM 1-1.5 kVA	3.40 (2U) x 17.25 x 19.00	58.1	\$818
PULSI1500T-EBM	68185	230V TWR EBM 1–1.5 kVA	9.53 x 6.22 x 15.75	46.3	\$629
PULSI1500R-EBM	68186	230V RT EBM 1-1.5 kVA	3.41 (2U) x 17.32 x 18.9	58.1	\$758
PULSMI3000-EBM	68405	120/230V RT EBM 2–3 kVA	5.16 (3U) x 17.32 x 19.29	92.4	\$1,024
Optional Mounting Hardware					
PULSM-RAIL	68441	2U/3U Four-post rail kit	-	22.0	\$109
-	103007018-5591	Two-post rack mounting rail kit	-	-	\$109

Power distribution and maintenance bypass

For detailed information on FlexPDU and HotSwap Maintenance Bypass products, please refer to the Eaton Power Distribution and Enclosures section.

EATON EX UPS

Pulsar series (*continued*)

SOFTWARE AND CONNECTIVITY OPTIONS

Catalog Number	Description	List Price
Network-MS	Network Card-MS	\$279

See software and connectivity product sections for more detail.

View interactive runtime graphs at www.eaton.com/ex

EX BATTERY BACKUP TIMES (in minutes)

Load (VA/Watts)	Standard Internal Batteries	+1 EBM	+2 EBM	+3 EBM	+4 EBM
EX 700					
70/49	71	—	—	—	—
140/98	36	—	—	—	—
210/147	25	—	—	—	—
280/196	20	—	—	—	—
350/245	16	—	—	—	—
420/294	12	—	—	—	—
490/343	10	—	—	—	—
560/392	8	—	—	—	—
630/441	6	—	—	—	—
700/490	5	—	—	—	—
EX 1000 / 1000 RT 2U					
100/70	75	290	490	790	980
200/140	40	170	290	440	550
300/210	28	125	210	310	390
400/280	21	92	180	240	310
500/350	18	75	150	205	250
600/420	14	60	110	170	220
700/490	11	52	90	145	190
800/560	9	43	78	125	170
900/630	7	40	70	112	155
1000/700	6	35	60	95	135
EX 1500 / 1500 RT 2U					
150/105	60	212	360	475	700
300/210	32	110	220	280	380
450/315	21	78	155	210	260
600/420	16	60	115	160	200
750/525	13	47	83	140	180
900/630	10	40	71	110	140
1050/735	8	34	60	90	118
1200/840	7	30	52	76	100
1350/945	6	27	48	70	90
1500/1050	5	24	42	62	80
EX 2200 RT 2U & 3U*					
220/154	90	352	587	831	1216
440/308	48	200	340	470	650
660/462	30	130	225	320	450
880/616	22	100	170	260	350
1100/770	16	80	135	215	286
1320/924	13	62	110	180	240
1540/1078	10	50	95	150	200
1760/1232	8	42	80	125	170
1980/1386	7	36	65	110	152
2200/1540	6	30	51	83	134

EATON EX UPS

Pulsar series (*continued*)

EX BATTERY BACKUP TIMES (in minutes) (*continued*)

Load (VA/Watts)	Standard Internal Batteries	+1 EBM	+2 EBMs	+3 EBMs	+4 EBMs
EX 3000 RT 2U & 3U**					
300/210	79	254	454	549	847
600/420	40	130	255	290	445
900/630	25	80	160	205	290
1200/840	18	60	120	162	230
1500/1050	14	48	102	129	187
1800/1260	12	38	82	103	150
2100/1470	9	32	72	86	125
2400/1680	7	27	58	73	100
2700/1890	6	22	50	64	82
3000/2100	5	18	36	47	70
EX 3000 RT 3U XL***					
300/210	-	175	375	549	768
600/420	-	90	215	290	405
900/630	-	55	135	205	265
1200/840	-	42	102	162	212
1500/1050	-	34	88	129	173
1800/1260	-	26	70	103	138
2100/1470	-	23	63	86	116
2400/1680	-	20	51	73	93
2700/1890	-	16	44	64	76
3000/2100	-	13	31	47	65

* Output power rating = 1650W ** Standard configuration power rating = 2550W, with EBM = 2100W *** Output power rating = 2150W up to 12 EBMs can be added for extended runtime of 196–1909 minutes

Note: Backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc.

The Eaton EX has a 0.9 power factor, but runtimes are shown here at 0.7 power factor for easy comparison against competitor's products, which have a 0.7 power factor.

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON 9130 UPS RACKMOUNT

Powerware series



Online UPS (700–3000 VA)

The Eaton 9130 UPS delivers online power quality and scalable battery runtimes for servers, voice and data networks, storage systems and other IT equipment.

- 4-post rail kit (2-post rail kit optional) . UPS unit designed to fit in 19 inch racks
- Fully integrates with Intelligent Power Software Suite for continuous up time of servers and virtual machines. (Included)
- Provides up to 28% more real power (watts) to protect more equipment and leave room for expanding IT systems with a 0.9 power factor
- Simplifies UPS monitoring and management with a bright LCD user interface, intuitive power management software and optional eNotify Remote Monitoring service
- Increases battery service life and system uptime up to 50% with ABM battery-charging technology and hot-swappable batteries
- Maximizes runtimes with optional extended battery modules
- Warranty (US and Canada): Two-year limited warranty, extended warranty, Onsite Flex and Onsite PowerTrust service plans



9130 NORTH AMERICAN RACK MODELS: 120V, 50/60 Hz

Catalog Number	Description	Rating (VA/Watts)	Input Connection ¹	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PW9130L700R-XL2U	9130 700 120V RACK	700/630	5-15P	(6) 5-15R	3.4 (2U) x 17.3 x 16.9	35.3	\$989
PW9130L1000R-XL2U	9130 1000 120V RACK	1000/900	5-15P	(6) 5-15R	3.4 (2U) x 17.3 x 16.9	35.3	\$1,230
PW9130L1500R-XL2U	9130 1500 120V RACK	1500/1350	5-15P	(6) 5-15R	3.4 (2U) x 17.3 x 16.9	43.0	\$1,831
PW9130L1500R-XL2UN	9130 1500 120V RACK with Network Card-MS	1500/1350	5-15P	(6) 5-15R	3.4 (2U) x 17.3 x 16.9	43.0	\$2,192
PW9130L2000R-XL2U	9130 2000 120V RACK	2000/1800	5-20P	(6) 5-20R, (1) L5-20R	3.4 (2U) x 17.3 x 22.6	63.9	\$2,164
PW9130L2000R-XL2UN	9130 2000 120V RACK with Network Card-MS	2000/1800	5-20P	(6) 5-20R, (1) L5-20R	3.4 (2U) x 17.3 x 22.6	63.9	\$2,480
PW9130L2500R-XL2U	9130 2500 120V RACK	2500/2250	L5-30P	(6) 5-20R, (1) L5-30R	3.4 (2U) x 17.3 x 22.6	65.0	\$2,689
PW9130L3000R-XL2U	9130 3000 120V RACK	3000/2700	L5-30P	(6) 5-20R, (1) L5-30R	3.4 (2U) x 17.3 x 22.6	65.0	\$3,562
PW9130L3000R-XL2UN	9130 3000 120V RACK with Network Card-MS	3000/2700	L5-30P	(6) 5-20R, (1) L5-30R	3.4 (2U) x 17.3 x 22.6	65.0	\$3,877

9130 TAA COMPLIANT MODELS

Catalog Number	Description	Rating (VA/Watts)	Input Connection ¹	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PW9130L700R-XL2US	9130 700 VA 120V TAA Rack 2U	700/630	5-15P	(6) 5-15R	3.4 (2U) x 17.3 x 16.9	35.3	\$1,124
PW9130L1500R-XL2US	9130 1500 VA 120V TAA Rack 2U	1500/1350	5-15P	(6) 5-15R	3.4 (2U) x 17.3 x 16.9	43.0	\$1,877
PW9130L2000R-XL2US	9130 2000 VA 120V TAA Rack 2U	2000/1800	5-20P	(6) 5-20R, (1) L5-20R	3.4 (2U) x 17.3 x 22.6	63.9	\$2,468
PW9130L3000R-XL2US	9130 3000 VA 120V TAA Rack 2U	3000/2700	L5-30P	(6) 5-20R, (1) L5-30R	3.4 (2U) x 17.3 x 22.6	65.0	\$3,891
PW9130i3000R-XL2US	9130 3000 VA 230V TAA Rack 2U	3000/2700	IEC C20-16A	(1) IEC-C19 16A, (8) IEC-C13 10A	3.4 (2U) x 17.3 x 22.6	65.0	\$3,891

9130 GLOBAL RACK MODELS: 208V, 50/60 Hz

Catalog Number	Description	Rating (VA/Watts)	Input Connection ¹	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PW9130G3000R-XL2U	9130 3000G RACK	3000/2700	L6-20P ²	(1) L6-30R, (1) L6-20R, (2) 6-20R	3.4 (2U) x 17.3 x 22.6	65.0	\$3,381
PW9130G3000R-XL2UEU	9130 3000G EU RACK	3000/2700	L6-20P ²	(8) C13, (1) C19	3.4 (2U) x 17.3 x 22.6	65.0	\$3,381

1. Input cord length is 6 ft

2. C20, w/detachable L6-20P cord

EATON 9130 UPS RACKMOUNT

Powerware series (*continued*)

9130 INTERNATIONAL RACK MODELS: 230V, 50/60 Hz

Catalog Number	Description	Rating (VA/Watts)	Input Connection ¹	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PW9130i1000R-XL2U	9130 1000 230V RACK	1000/900	C14	(6) C13	3.4 (2U) x 17.3 x 16.9	35.3	\$1,301
PW9130i1500R-XL2U	9130 1500 230V RACK	1500/1350	C14	(6) C13	3.4 (2U) x 17.3 x 16.9	43.0	\$1,862
PW9130i2000R-XL2U	9130 2000 230V RACK	2000/1800	C14	(8) C13, (1) C19	3.4 (2U) x 17.3 x 22.6	63.9	\$2,208
PW9130i3000R-XL2U	9130 3000 230V RACK	3000/2700	C20	(8) C13, (1) C19	3.4 (2U) x 17.3 x 22.6	65.0	\$3,381

1. Input cord length is 6 ft

9130 RACK OPTIONS

Catalog Number	Style Number	Description	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
Extended Battery Modules							
PW9130N1000R-EBM2U ¹	—	PW9130 700/1000 EBM Rack	—	—	3.4 (2U) x 17.3 x 16.9	48.7	\$737
PW9130N1500R-EBM2U ²	—	PW9130 1500 EBM Rack	—	—	3.4 (2U) x 17.3 x 16.9	62.0	\$737
PW9130N3000R-EBM2U ³	—	PW9130 2000/2500/3000 EBM Rack	—	—	3.4 (2U) x 17.3 x 22.6	90.6	\$868
PW9130N1000R-EBM2US	—	9130 700/1000 EBM TAA Rack 2U	—	—	3.4 (2U) x 17.3 x 16.9	48.7	\$857
PW9130N1500R-EBM2US	—	9130 1500 EBM TAA Rack 2U	—	—	3.4 (2U) x 17.3 x 16.9	62.0	\$857
PW9130N3000R-EBM2US	—	PW9130 2000/3000 EBM TAA Rack 2U	—	—	3.4 (2U) x 17.3 x 22.6	90.6	\$1,006
PowerPass[®] Distribution Modules (PPDMs)							
EPPDMG3000R-2U-1 ⁵	103007535-6591	PPDM1-HV-US-P2 3 kVA	IEC320-C20 ⁴	(1) L5-30R & (6) 5-20R	3.5 (2U) x 17.0 x 23.9	76.0	\$1,018
EPPDMG3000R-2U-HW ⁵	103007536-6591	PPDM1-HV-US-HW 3 kVA (ROHS)	Hardwire	Hardwire	3.5 (2U) x 17.0 x 23.9	76.0	\$1,018
EPPDML3000R-2U-HW ⁵	103007537-6591	PPDM2-LV-US-HW 3 kVA (ROHS)	Hardwire	Hardwire	3.5 (2U) x 17.0 x 23.9	20.0	\$814
EPPDML3000R-2U-4 ⁵	103006843-6591	PPDM2-LV-US-P1 3 kVA	L5-30P ⁴	(1) L5-30R & (6) 5-20R	3.5 (2U) x 17.0 x 23.9	20.0	\$814
—	103002731-6591 ⁵	PPDM1-HV-US-P3 3 kVA	C20	(6) 5-20R	3.5 (2U) x 17.0 x 23.9	76.0	\$1,018
Two-post rail kit							
103007018-5591		Two-post rack mounting rail kit (supports 2U models only; 3 kVA PPDM not supported)			-	-	\$109
Power distribution and maintenance bypass							
EHBPL1500R-PDU1U ⁷	-	HotSwap Maintenance Bypass (MBP)	5-15P	(6) 5-15R	2.1 (2U) x 17.3 x 3.8	-	\$242
EHBPL2000R-PDU1U ⁸	-	HotSwap Maintenance Bypass (MBP)	5-20P	(6) 5-15R	2.1 (2U) x 17.3 x 3.8	-	\$289
EHBPL3000R-PDU1U ⁹	-	HotSwap Maintenance Bypass (MBP)	L5-30P	(5) 5-20R	2.1 (2U) x 17.3 x 3.8	-	\$420

For detailed information on FlexPDU and HotSwap Maintenance Bypass products, please refer to the Eaton Power Distribution and Enclosures section.

1. This EBM works with 700/1000 VA models, where available

2. This EBM works with 1500 VA model

3. This EBM works with 2000/2500/3000 VA models, where available

4. Connection cables to the UPS are included with the PPDM; use the input cord from the UPS as input to the PPDM, except for hardwire units

5. These PPDMs work with the following 9130 models: PW9130G3000R-XL2UEU and PW9130i3000R-XL2U.

6. These PPDMs work with the following 9130 models: PW9130L2500R-XL2U and PW9130L3000R-XL2U.

7. This HotSwap MBP works with the following 9130 models: PW9130L700R-XL2U, PW9130L1000R-XL2U, PW9130L1500R-XL2U

8. This HotSwap MBP works with the following 9130 model: PW9130L2000R-XL2U

9. This HotSwap MBP works with the following 9130 models: PW9130L2500R-XL2U, PW9130L3000R-XL2U

SOFTWARE AND CONNECTIVITY OPTIONS

Catalog Number	Description	List Price
Network-MS	Network Card-MS	\$279

See software and connectivity product sections for more detail.

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON 9130 UPS RACKMOUNT

Powerware series (*continued*)

View interactive runtime graphs
at www.eaton.com/9130rm

9130 RACK MODELS BATTERY BACKUP TIMES (in minutes) @ 0.7 Power Factor*

VA/Watts	Internal Batteries	+1EBM	+2 EBMs	+3 EBMs	+4 EBMs
PW9130L700R-XL2U					
700/490	14	55	102	148	175
525/368	20	77	140	179	239
350/245	32	124	189	282	414
175/123	64	200	395	552	739
PW9130L1000R-XL2U					
1000/700	10	40	73	108	149
750/525	13	58	101	152	219
500/350	24	85	172	249	304
250/175	48	190	310	451	569
PW9130i1000R-XL2U					
1000/700	10	40	78	110	150
750/525	13	55	103	151	223
500/350	22	82	186	250	312
250/175	47	190	328	431	584
PW9130L1500R-XL2U					
1500/1050	7	34	63	88	135
1125/788	11	44	84	129	210
750/525	18	79	148	207	267
375/263	38	167	278	475	540
PW9130i1500R-XL2U					
1500/1050	7	32	61	98	128
1125/788	11	47	83	126	195
750/525	18	81	143	208	262
375/263	38	171	298	416	564
PW9130L2000R-XL2U					
2000/1400	9	45	86	124	163
1500/1050	14	66	115	165	225
1000/700	26	101	185	251	343
500/350	52	197	353	481	629
PW9130i2000R-XL2U					
2000/1400	9	46	83	118	163
1500/1050	13	64	118	170	221
1000/700	25	95	190	242	345
500/350	53	205	346	488	625
PW9130L2500R-XL2U					
2500/2250	7	31	59	87	119
1875/1688	10	43	81	121	154
1250/1125	17	65	120	163	203
625/563	40	145	228	363	491
PW9130L3000R-XL2U					
3000/2100	5	25	48	72	100
2250/1575	8	37	72	102	137
1500/1050	13	60	100	165	223
750/525	34	138	228	326	438
PW9130G3000R-XL2U / PW9130G3000R-XL2UEU / PW9130i3000R-XL2U					
3000/2100	6	25	45	68	96
2250/1575	8	34	70	96	130
1500/1050	14	62	92	156	211
750/525	34	130	212	355	442

*Battery backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc. The 9130 has a 0.9 power factor, but runtimes are shown here at 0.7 power factor for easy comparison against competitors' products, which have a 0.7 power factor.

EATON 9130 UPS TOWER

Powerware series

Online UPS (700–3000 VA)

The Eaton 9130 UPS delivers online power quality and scalable battery runtimes for servers, voice and data networks, storage systems and other IT equipment.

- Cuts energy usage and costs with >95% efficiency rating in high efficiency mode
- Displays critical UPS information on a bright lit, configurable LCD screen
- Ships with free monitoring and management software, perfect for virtualized environments
- True tower form factor
- Provides up to 22% more real power (watts) to protect more equipment and leave room for expanding IT systems with a 0.9 power factor
- Increases battery service life and system uptime up to 50% with ABM battery-charging technology and hot-swappable batteries
- Maximizes runtimes with optional extended battery modules (compatible with all units except the 700 VA tower models)
- Warranty (US and Canada): Two-year limited warranty, extended warranty, Onsite Flex and Onsite PowerTrust service plans



9130 NORTH AMERICAN TOWER MODELS: 120V, 50/60 Hz

Catalog Number	Description	Rating (VA/Watts)	Input Connection ¹	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PW9130L700T	PW9130 700 120V TOWER	700/630	5-15P	(6) 5-15R	9.1 x 6.3 x 13.9	26.5	\$931
PW9130L1000T-XL	PW9130 1000 120V TOWER	1000/900	5-15P	(6) 5-15R	9.1 x 6.3 x 15.1	30.9	\$1,202
PW9130L1500T-XL	PW9130 1500 120V TOWER	1500/1350	5-15P	(6) 5-15R	9.1 x 6.3 x 17.0	41.8	\$1,657
PW9130L2000T-XL	PW9130 2000 120V TOWER	2000/1800	5-20P	(1) L5-20, (4) 5-20R	12.8 x 8.4 x 16.2	77.2	\$2,102
PW9130L3000T-XL	PW9130 3000 120V TOWER	3000/2700	L5-30P	(4) 5-20R, (1) L5-30R	12.8 x 8.4 x 16.2	77.2	\$3,292

1. Input cord length is 6 ft

9130 GLOBAL TOWER MODELS: 208V, 50/60 Hz

Catalog Number	Description	Rating (VA/Watts)	Input Connection ¹	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PW9130G2000T-XL	PW9130 2000G TOWER	2000/1800	L6-20P ²	(1) L6-20R, (4) 6-20R	12.8 x 8.4 x 16.2	77.2	\$2,051
PW9130G2000T-XLEU	PW9130 2000G EU TOWER	2000/1800	L6-20P ²	(8) C13, (1) C19	12.8 x 8.4 x 16.1	76.1	\$2,051
PW9130G3000T-XL	PW9130 3000G TOWER	3000/2700	L6-20P ³	(1) L6-30R, (1) L6-20R, (2) 6-20R	12.8 x 8.4 x 16.2	77.2	\$3,210
PW9130G3000T-XLEU	PW9130 3000G EU TOWER	3000/2700	L6-20P ³	(8) C13, (1) C19	12.8 x 8.4 x 16.2	77.2	\$3,210

1. Input cord length is 6 ft

2. C14, w/detachable 6' L6-20P cord

3. C20, w/detachable L6-20P

9130 INTERNATIONAL TOWER MODELS: 230V, 50/60 Hz

Catalog Number	Description	Rating (VA/Watts)	Input Connection ¹	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PW9130i700T	PW9130 700 230V TOWER	700/630	C14	(6) C13	9.1 x 6.3 x 13.9	26.5	\$887
PW9130i1000T-XL	PW9130 1000 230V TOWER	1000/900	C14	(6) C13	9.1 x 6.3 x 15.1	30.9	\$1,092
PW9130i1500T-XL	PW9130 1500 230V TOWER	1500/1350	C14	(6) C13	9.1 x 6.3 x 17.0	41.8	\$1,580
PW9130i2000T-XL	PW9130 2000 230V TOWER	2000/1800	C14	(8) C13, (1) C19	12.8 x 8.4 x 16.2	77.2	\$2,108
PW9130i3000T-XL	PW9130 3000 230V TOWER	3000/2700	C20	(8) C13, (1) C19	12.8 x 8.4 x 16.2	77.2	\$3,077

1. Input cord length is 6 ft

9130 OPTIONS

Catalog Number	Description	Dimensions (H x W x D, inches)	Weight (lb)	List Price
Extended Battery Modules				
PW9130N1000T-EBM ¹	PW9130 1000 EBM Tower	9.1 x 6.3 x 15.1	41.8	\$610
PW9130N1500T-EBM ²	PW9130 1500 EBM Tower	9.1 x 6.3 x 17.0	52.9	\$769
PW9130N3000T-EBM ³	PW9130 2000/3000 EBM Tower	12.8 x 8.4 x 16.2	110.2	\$879

1. This EBM works with 1000 VA model

2. This EBM works with 1500 VA model

3. This EBM works with 2000/3000 VA models

SOFTWARE AND CONNECTIVITY OPTIONS

Catalog Number	Description	List Price
Network-MS	Network Card-MS	\$279

See software and connectivity product sections for more detail.

EATON 9130 UPS TOWER

Powerware series *(continued)*

View interactive runtime graphs
at www.eaton.com/9130

9130 TOWER MODELS BATTERY BACKUP TIMES (in minutes) @ 0.7 Power Factor*

VA/Watts	Internal Batteries	+1EBM	+2 EBM's	+3 EBM's	+4 EBM's
PW9130L700T					
700/490	8	N/A	N/A	N/A	N/A
525/368	12	N/A	N/A	N/A	N/A
350/245	21	N/A	N/A	N/A	N/A
175/123	37	N/A	N/A	N/A	N/A
PW9130i700T					
700/490	8	N/A	N/A	N/A	N/A
525/368	12	N/A	N/A	N/A	N/A
350/245	19	N/A	N/A	N/A	N/A
175/123	35	N/A	N/A	N/A	N/A
PW9130L1000T-XL					
1000/700	10	40	73	108	149
750/525	13	58	101	152	219
500/350	24	85	172	249	304
250/175	48	190	310	451	569
PW9130i1000T-XL					
1000/700	10	40	78	110	150
750/525	13	55	103	151	223
500/350	22	82	186	250	312
250/175	47	190	328	431	584
PW9130L1500T-XL					
1500/1050	7	34	63	88	135
1125/788	11	44	84	129	210
750/525	18	81	143	208	262
375/263	38	171	298	416	564
PW9130i1500T-XL					
1500/1050	7	32	61	88	135
1125/788	11	47	83	126	195
750/525	18	81	143	208	262
375/263	38	171	298	416	564
PW9130L2000T-XL					
2000/1400	15	61	111	156	194
1500/1050	21	81	145	184	269
1000/700	34	129	198	193	410
500/350	72	225	449	590	766
PW9130G2000T-XL / XLEU / PW9130i2000T-XL					
2000/1400	15	61	111	156	186
1500/1050	21	81	145	184	248
1000/700	34	129	198	293	410
500/350	72	225	449	590	766
PW9130L3000T-XL					
3000/2100	9	35	66	95	132
2250/1575	13	53	100	139	183
1500/1050	22	86	153	221	267
750/525	69	168	298	395	545
PW9130G3000T-XL / XLEU / PW9130i3000T-XL					
3000/2100	9	36	68	101	137
2250/1575	12	49	90	134	165
1500/1050	20	79	143	180	240
750/525	46	161	267	434	547

*Battery backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc. The 9130 has a 0.9 power factor, but runtimes are shown here at 0.7 power factor for easy comparison against competitors' products, which have a 0.7 power factor.

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON 9PX UPS RACK/TOWER

5-6 kVA Bundles

Delivering premium backup power and scalable battery runtimes for servers, voice/data networks and storage systems, the Eaton 9PX UPS is the ideal solution for both rack and stand-alone installations. With an advanced LCD screen interface and robust power management software, managing a UPS has never been easier with the 9PX—even in virtualized environments.



- Graphical LCD screen enables you to customize UPS settings, diagnose UPS alarms and view load and power consumption
- Provides more real power (watts) to protect more equipment and leave room for expanding IT systems
- Delivers added runtime with extended battery modules and extends battery service life by 50% with ABM Technology
- Virtualization-ready UPS includes connectivity card
- Cuts energy usage and costs with 93% efficiency rating in default, online mode
- Maximizes availability with extended battery runtime options, hot-swappable batteries, internal bypass and optional maintenance bypass
- Fully integrates with Intelligent Power Software Suite for continuous up time of servers and virtual machines. (Included)
- 4-post rail kit included (2-post rail kit optional)
- Warranty (US and Canada): Two-year limited warranty, five-year extended warranty plans available, \$250,000 load protection guarantee

9PX 5-6 kVA RACK/TOWER: 208/230V* OUTPUT, 50/60 Hz BUNDLES

Catalog Number	Description	Rating (VA/Watts)	Input Connection ¹	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
9PX5K	5 kVA 9PX UPS	5000/4500	Terminal block with L6-30P cord	Hardwired + (2) L6-30R, (2) L6-20R	5.1 (3U) x 17.3 x 28.4	106	\$5,509
9PX6K**	6 kVA 9PX UPS	6000/5400	Terminal block with L6-30P cord	Hardwired + (2) L6-30R, (2) L6-20R	5.1 (3U) x 17.3 x 28.4	106	\$6,089
9PX6KG**	6 kVA 9PX UPS Global	6000/5400	Hardwired	Hardwired + (2) C19, (8) C13	5.1 (3U) x 17.3 x 27.0	106	\$6,089

* 9PX 5K, 6K operate at 200, 208 (default), 220, 230, 240V ** 6K models derated at 200, 208, 220V (see technical specs)

9PX 5-6 kVA RACK/TOWER: 120/208/230V** OUTPUT, 50/60 Hz BUNDLES

Catalog Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
9PX5KTF5	5 kVA 9PX UPS and 5 kVA Transformer	5000/4500	Terminal block with L6-30P cord	(1) L6-30R, (2) L6-20R, (18) 5-20R	10.2 (6U) x 17.3 x 28.4	201	\$6,443
9PX5KP1***	5 kVA 9PX UPS and 6 kVA PPDm*	5000/4500	L6-30P	(1) L14-30R, (1) L6-30R, (6) 5-20R	10.2 (6U) x 17.3 x 28.4	203	\$6,525
9PX5KP2***	5 kVA 9PX UPS and 6 kVA PPDm*	5000/4500	Hardwired	Hardwired	10.2 (6U) x 17.3 x 28.4	201	\$6,525
9PX6KTF5	6 kVA 9PX UPS and 5 kVA Transformer	6000/5400	Terminal block with L6-30P cord	(1) L6-30R, (2) L6-20R, (18) 5-20R	10.2 (6U) x 17.3 x 28.4	201	\$7,089
9PX6KP1***	6 kVA 9PX UPS and 6 kVA PPDm*	6000/5400	L6-30P	(1) L14-30R, (1) L6-30R, (6) 5-20R	10.2 (6U) x 17.3 x 28.4	203	\$7,181
9PX6KP2***	6 kVA 9PX UPS and 6 kVA PPDm*	6000/5400	Hardwired	Hardwired	10.2 (6U) x 17.3 x 28.4	201	\$7,181

* PPDm provides external, wrap-around maintenance bypass ** 9PX 5K, 6K operates at 200, 208 (default), 220, 230, 240V *** 6K models derated at 200, 208, 220V (see technical specs)

9PX OPTIONS

Catalog Number	Description	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
Extended runtime						
9PXEBM180RT	5/6 kVA EBM (add up to 4 EBMs), Cable is 18" in length			5.1 (3U) x 17.3 x 25.4	150	\$1,535
EBMCBL180	6-foot battery extension cable for EBM					\$156
CBLADAPT180	Adapter cable from Eaton 9135/MX UPS or EBM to 5/6 kVA 9PX UPS models					\$132
Mounting Hardware (all modules include 4-post rail kits)						
RK2PC	2-post rack mounting rail kit					\$109
BINTSYS	Battery integration system - vertical mounting platform with wheels			7.9 x 20.5 x 31.5	30	\$535
Power distribution and maintenance bypass						
MBP6K208	Rear-mount 3U, 208V maintenance bypass for 5 and 6 kVA 9PX UPS models	Hardwired	Hardwired + (2) L6-30R			\$595
PW105BA2U420	Basic ePDU for additional output receptacles. 2U form factor.	L6-30P	(4) L6-20R	3.5 (2U) x 19.0 x 6.0		\$579
PW105BA0U421	Basic ePDU for additional output receptacles. 0U form factor.	L14-30P	(24) 5-20R	66.0 (0U) x 1.89 x 2.0		\$599

EATON 9PX UPS RACK/TOWER (continued)

9PX OPTIONS (continued)

Catalog Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
Power distribution and maintenance bypass (continued)							
PW105BA2U422	Basic ePDU for additional output receptacles. 2U form factor.		L14-30P	(4) L6-20R	3.5 (2U) x 19.0 x 6.0		\$649
ePBZ79	Basic ePDU for additional output receptacles. 1U form factor.		L6-30P	(16) C13 and (4) C19	1.7 (1U) x 17.0 x 5.1		\$259
Transformer accessories*							
9PXTFMR5	9PX 5 kVA stepdown transformer	5000	L6-30P	(18) 5-20R	5.1 (3U) x 17.3 x 25.4	95	\$1,097
9PXPPDM1	9PX PowerPass Distribution Module (plug-and-play)	6000	L6-30P	(1) L14-30R, (1) L6-30R, (6) 5-20R	5.1 (3U) x 17.3 x 25.4	97	\$1,252
9PXPPDM2	9PX PowerPass Distribution Module (Hardwired)	6000	Hardwired	Hardwired	5.1 (3U) x 17.3 x 25.4	95	\$1,252

* These transformer accessories may be ordered a la cart but for best pricing they should be purchased as bundled solution.

9PX BATTERY BACKUP TIMES (in minutes)**

Load (Watts)	Internal Batteries	+1 EBM	+2 EBMs	+3 EBMs	+4 EBMs
5400	3.0	16	28	47	58
4050	4.5	24	45	62	90
2700	8.5	38	71	104	133
1350	22.0	85	147	214	287
540	57.0	203	399	554	755

** Runtimes shown at full load with maximum power factor, are approximate and may vary with equipment, configuration, battery age, temperature, etc. View interactive runtime graphs at www.eaton.com/9PX

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON 9PX UPS RACK/TOWER

8-11 kVA Bundles

Delivering premium backup power and scalable battery runtimes for servers, voice/data networks and storage systems, the Eaton 9PX UPS is the ideal solution for both rack and stand-alone installations. With an advanced LCD screen interface and robust power management software, managing a UPS has never been easier with the 9PX—even in virtualized environments.

- Graphical LCD screen enables you to customize UPS settings, diagnose UPS alarms and view load and power consumption
- Provides more real power (watts) to protect more equipment and leave room for expanding IT systems
- Delivers added runtime with extended battery modules and extends battery service life by 50% with ABM Technology
- Virtualization-ready UPS includes connectivity card
- Cuts energy usage and costs with 94% efficiency rating in default, online mode
- Maximizes availability with extended battery runtime options, hot-swappable batteries, internal bypass and optional maintenance bypass
- Fully integrates with Intelligent Power Software Suite for continuous up time of servers and virtual machines. (Included)
- 4-post rail kit included
- Warranty (US and Canada): Two-year limited warranty, five-year extended warranty plans available, \$250,000 load protection guarantee



9PX RACK/TOWER: 208/230V* OUTPUT, 50/60 Hz BUNDLES

Catalog Number	Description	Rating (VA/Watts)	Input Connection ¹	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
9PX8KHW	8 kVA 9PX UPS power module and 11 kVA EBM	8000/7200	Hardwired	Hardwired	10.2 (6U) x 17.3 x 27.6	190	\$7,319
9PX8K	8 kVA 9PX UPS power module, 11 kVA EBM and 11 kVA MBP	8000/7200	Hardwired	Hardwired + (3) L6-30R	10.2 (6U) x 17.3 x 30.0	205	\$7,851
9PX11KHW**	11 kVA 9PX UPS power module and 11 kVA EBM	11000/10000	Hardwired	Hardwired	10.2 (6U) x 17.3 x 27.6	190	\$8,843
9PX11K**	11 kVA 9PX UPS power module, 11 kVA EBM and 11 kVA MBP	11000/10000	Hardwired	Hardwired + (3) L6-30R	10.2 (6U) x 17.3 x 30.0	205	\$9,281

* 9PX 8K, 11K operate at 200, 208 (default), 220, 230, 240, 250V ** 11K models derated at 200, 208, 220, 250V (see technical specs)

9PX RACK/TOWER: 120/208/230V OUTPUT, 50/60 Hz BUNDLES

Catalog Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
9PX8KTF5	8 kVA 9PX UPS power module, 11 kVA EBM, 11 kVA MBP and 5 kVA Transformer	8000/7200	Hardwired	Hardwired + (2) L6-30R, (18) 5-20R	15.3 (9U) x 17.3 x 30.0	300	\$8,828
9PX11KTF5*	11 kVA 9PX UPS power module, 11 kVA EBM, 11 kVA MBP and 5 kVA Transformer	11000/10000	Hardwired	Hardwired + (2) L6-30R, (18) 5-20R	15.3 (9U) x 17.3 x 30.0	300	\$10,363
9PX11KTF11*	11 kVA 9PX UPS power module, 11 kVA EBM and 10 kW Transformer	11000/10000	Hardwired	Hardwired + (2) L14-30R, (8) 5-20R	15.3 (9U) x 17.3 x 27.6	377	\$11,559

* 11K models derated at 200, 208, 220, 250V (see technical specs)

9PX OPTIONS

Catalog Number	Description	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
Extended runtime						
9PXEBM240RT	8/11 kVA EBM (add up to 5 EBMs), Cable is 18' in length			5.1 (3U) x 17.3 x 25.4	150	\$1,529
EBMCBL240	6-foot battery extension cable for EBM					\$167
CBADAPT240	Adapter cable from Eaton EX RT UPS or EBM to 8/11 kVA 9PX UPS models					\$132
BINTSYS	Battery integration system - vertical mounting platform with wheels			7.9 x 20.5 x 31.5	30	\$535
SC240RT	240V supercharger module to add up to 12 EBMs to 8/11 kVA 9PX UPS models. Includes 4-post rail kit			5.1 (3U) x 17.3 x 26.8	34	\$799
Power distribution and maintenance bypass						
MBP11K208	Rear-mount 3U, 208V maintenance bypass module for 8/11 kVA 9PX UPS models.	Hardwired	Hardwired + (3) L6-30R			\$950
PW105BA2U420	Basic ePDU for additional output receptacles. 2U form factor	L6-30P	(4) L6-20R	3.5 (2U) x 19.0 x 6.0		\$579
PW105BA0U421	Basic ePDU for additional output receptacles. 0U form factor.	L14-30P	(24) 5-20R	66.0 (0U) x 1.89 x 2.0		\$599
PW105BA2U422	Basic ePDU for additional output receptacles. 2U form factor.	L14-30P	(4) L6-20R	3.5 (2U) x 19.0 x 6.0		\$649
ePBZ79	Basic ePDU for additional output receptacles. 1U form factor.	L6-30P	(16) C13 and (4) C19	1.7 (1U) x 17.0 x 5.1		\$259

EATON 9PX UPS RACK/TOWER *(continued)*

9PX OPTIONS *(continued)*

Catalog Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
Additional modules							
9PXTFMR5	9PX 5 kVA stepdown transformer	5000/5000	L6-30P	(18) 5-20R	5.1 (3U) x 17.3 x 25.4	95	\$1,097
9PXTFMR11	9PX 10 kW stepdown transformer	10000/10000	Hardwired	Hardwired + (2) L14-30R, (8) 5-20R	5.1 (3U) x 17.3 x 25.4	187	\$3,200
9PX8KPM*	9PX 8 kVA power module	8000/7200	Hardwired	Hardwired	5.1 (3U) x 17.3 x 27.6	46	\$5,695
9PX11KPM*	9PX 11 kVA power module	11000/10000	Hardwired	Hardwired	5.1 (3U) x 17.3 x 27.6	46	\$7,199

* These transformer accessories may be ordered a la cart but for best pricing they should be purchased as bundled solution.

9PX BATTERY BACKUP TIMES (in minutes)**

Load (Watts)	Internal Batteries	+1 EBM	+2 EBMs	+3 EBMs	+4 EBMs	+5 EBMs
10000	3	10	18	25	34	42
7500	5.5	15	25	37	48	61
5000	10	25	42	61	80	98
2500	25	60	97	136	163	184

** Runtimes shown at full load with maximum power factor, are approximate and may vary with equipment, configuration, battery age, temperature, etc. View interactive runtime graphs at www.eaton.com/9PX

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON 9155 UPS

Powerware series



Online double-conversion UPS (8–15 kVA)

This innovative design delivers one of the industry's best combinations of high efficiency, low input current distortion and highest power factor, while conserving valuable space and offering the most cost-effective, highest performance option available today.

- True online double-conversion topology protects equipment from all nine of the most common power problems
- Industry leading power density, providing up to 13 percent more power capacity in a compact tower design including batteries
- Up to 200 percent more standard runtime out of the box, 600 percent more runtime in a smaller footprint with a 3-high module
- Up to a 74 percent footprint reduction
- Flexible voltages, as split-phase architecture creates up to 15 kVA at 100, 120, 208 or 240 Vac with no transformers required
- Flexible on-board power distribution modules (PDMs) allow for hardwired output or up to 15 different output receptacle options, reducing installation and site preparation expenses
- Plug-and-play rack Enclosure power distribution with the on-board PDU
- Inherently scalable from 8–15 kVA, allowing you to pay as you grow or increase capacity with no additional hardware purchases or installation concerns
- Eaton's patented Hot Sync paralleling technology allows for wireless paralleling in the event of communications failure, providing the industry's only truly redundant paralleling technology
- Flexible 0 footprint extended run configurations allow for adding additional runtime in the same industry-leading compact footprint available
- Includes on-site 5x8 startup and operator training by Eaton field technician
- Includes one year of eNotify remote monitoring service (requires connectivity parts and self installation)

9155 MODELS

Model	Part Number ¹	Rating ² (kVA/kW)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight ³ (lb)	List Price
PW9155 8 kVA 32 Battery (2-high)	K40811000000000	8/7.2	Hardwired	Optional	32.2 x 12.0 x 33.7	352	\$10,658
PW9155 8 kVA 64 Battery (3-high)	K40812000000000	8/7.2	Hardwired	Optional	47.8 x 12.0 x 33.7	590	\$12,674
PW9155 8 kVA 32 Battery w/Trans. Mod. (3-high)	K40813000000000	8/7.2	Hardwired	Optional	47.8 x 12.0 x 33.7	558	\$14,655
PW9155 10 kVA 32 Battery (2-high)	K41011000000000	10/9	Hardwired	Optional	32.2 x 12.0 x 33.7	352	\$12,227
PW9155 10 kVA 64 Battery (3-high)	K41012000000000	10/9	Hardwired	Optional	47.8 x 12.0 x 33.7	590	\$14,567
PW9155 10 kVA 32 Battery w/Trans. Mod. (3-high)	K41013000000000	10/9	Hardwired	Optional	47.8 x 12.0 x 33.7	558	\$16,752
PW9155 12 kVA 32 Battery (2-high)	K41211000000000	12/10.8	Hardwired	Optional	32.2 x 12.0 x 33.7	352	\$12,858
PW9155 12 kVA 64 Battery (3-high)	K41212000000000	12/10.8	Hardwired	Optional	47.8 x 12.0 x 33.7	590	\$15,220
PW9155 12 kVA 32 Battery w/Trans. Mod. (3-high)	K41213000000000	12/10.8	Hardwired	Optional	47.8 x 12.0 x 33.7	558	\$17,318
PW9155 15 kVA 32 Battery (2-high)	K41511000000000	15/13.5	Hardwired	Optional	32.2 x 12.0 x 33.7	352	\$13,971
PW9155 15 kVA 64 Battery (3-high)	K41512000000000	15/13.5	Hardwired	Optional	47.8 x 12.0 x 33.7	590	\$16,632
PW9155 15 kVA 32 Battery w/Trans. Mod. (3-high)	K41513000000000	15/13.5	Hardwired	Optional	47.8 x 12.0 x 33.7	558	\$18,808

1. 50/60 Hz auto-sensing. All models can be used for frequency/phase conversion with derated 80% load, please refer to manual for details. 2. Input voltage 100/200, 110/220, 120/240, Vac 180° phase displacement, 120/208, 127/220 Vac 120° phase displacement. Output voltages are user-selectable 100/200, 110/220, 120/240 Vac 180° phase displacement. 3. Weight is installed weight, add 47 lb (2-modules high) or 50 lb (3-modules high) to determine shipping weight.

BUILT-IN CONNECTIVITY OPTIONS

Available X-Slot card options (The UPS has two X-Slot bays available; one X-Slot card can be factory installed, the second X-Slot card can be ordered separately and user-installed.)

Description	Value for CTO Digit 8	Part Number (if ordered separately)	List Price
NONE (No Pre-installed X-Slot card)	0	-	\$0
Modbus Card-X-Slot	4	103005425-5591	\$661
Relay Interface Card-X-Slot (AS/400 Compatible)	5	1018460	\$146
Industrial Relay and Display Drive Card X-Slot	6	103003055	\$335

SOFTWARE AND CONNECTIVITY OPTIONS

Description	Part Number	List Price
Power Xpert Gateway UPS Card	PXGXUPS (103007974-5591)	\$450

Bundled with Intelligent Power Software Suite CD and communication cable. See the software and connectivity sections for more details.

EATON 9155 UPS

Powerware series *(continued)*

OUTPUT RECEPTACLES AND MAINTENANCE BYPASS

Order Number	Description	Dimensions (H x W x D, inches)	Weight (lb)	List Price
See worksheet below:	Power Distribution Module (PDM) with Mechanical Bypass Switch (rear UPS mount)*	16.5 x 12.0 x 7.0	25.0	\$999

Receptacle Codes (Qty) NEMA Type

(Select digits 9–12 in the CTO number)

PDM Worksheet CTO	Description	Voltage	Phase	Price Adder per Receptacle Code Chosen
S	Mechanical Bypass Module only			\$999
A	(4) 5-15R	120V	Single	\$220
B	(4) 5-20R UL	120V	Single	\$220
D	(4) 6-15R	208V	Dual	\$220
E	(4) 6-20R	208V	Dual	\$220
F	(4) L5-15R	120V	Single	\$220
G	(2) L5-20R*	120V	Single	\$220
H	(2) L5-30R*	120V	Single	\$220
I	(2) L6-15R	208V	Dual	\$220
J	(2) L6-20R*	208V	Dual	\$220
K	(2) L6-30R*	208V	Dual	\$220
L	(2) L14-20R*	120/208V	Dual	\$220
M	(2) L14-30R*	120/208V	Dual	\$220
X	Blank Plate	-	-	\$20
0 (Zero)	Last Product Identifier Number	-	-	-

Notes: If any output receptacles are chosen, the Maintenance Bypass module will be included and will add \$999 to the cost. Maximum 4 choices within CTO part number (9-12). The combined quantities of LOCKING receptacles (denoted with a *) must not exceed four. Please be sure to utilize the "X" designation for any of the 4 total slots not populated. * Please contact factory for custom configuration availability.

* If only mechanical bypass is chosen, remaining three slots should be populated with "0".

9155 OPTIONS

Model Number	Description	Dimensions (H x W x D, inches)	Weight (lb)	List Price
Hot Sync (Parallel Systems)*				
124100017-001	9155 Parallel Tie Cabinet	24.00 x 20.30 x 6.00	80.0	\$1,719
103004336	CAN Bridge Card	-	-	\$519

Note: Up to (3) PW9155s can be paralleled within the Parallel Tie Cabinet and each UPS must include a Hot Sync CAN Bridge Card installed in the 2nd X-Slot.

Extended Battery Module

103004192-5501	PW9155 EBM 64 (2-high Stack)	32.20 x 12.00 x 30.20	480.0	\$6,099
103004193-5501	PW9155 EBM 96 (3-high Stack)	47.80 x 12.00 x 30.20	710.0	\$8,702

Note: Up to (4) EBM64s or (3) EBM96s can be added for additional runtime.

Maintenance Bypass Module (MBM)

BPE20MBB1A	Wall-mounted Maintenance Bypass Module	21.00 x 14.00 x 6.75	34.0	\$1,790
------------	--	----------------------	------	---------

9155 Upgrade Packages

103004195	PW9155 One-step kVA Upgrade Kit			\$1,350
103004196	PW9155 Two-step kVA Upgrade Kit			\$2,703

Seismic Kit

103004194-5501	Seismic kit, Rated Zone 4, UL tested, performance rating based on NEBS GR-63-CORE Standard Vibration Test		136.0	\$2,023
----------------	---	--	-------	---------

Notes: An 8 to 15 kVA upgrade would require purchase of a one and two-step upgrade. Up to three 9155s can be paralleled within the Parallel Tie Cabinet and each UPS must include CAN Bridge Card installed in the second X-Slot. For extended runtime applications, each UPS must have dedicated and identical number of EBMs. Kit includes CAN Bridge Card and Instructions.

* Eaton startup is required for factory warranty of parallel configuration.

9155 SPARE PARTS

Description	Part Number	List Price
PW9155 Spares Kit	106711155	call

Spare parts kits MUST be purchased at the time of the UPS. If not purchasing at the time of the UPS then contact our Service Group, 1-800-356-5737, for pricing.

9155 UPGRADES

Description	Part Number	List Price
9155–2 Unit Parallel Upgrade Kit ⁴	103004626	call for quotation
9155–3 Unit Parallel Upgrade Kit ⁴	103004627	call for quotation

1. Up to three PW9155s can be paralleled with the parallel cabinet. 2. Each 9155 must have a Hot Sync Bridge CAN Card installed in the second X-Slot communication bay. 3. If extended runtime is required for the application, then each UPS must have its own EBM and the same number of EBM(s). 4. Kit includes CAN Bridge Card and instructions.

EATON 9155 UPS

Powerware series (continued)

9155 BATTERY BACKUP TIMES (in minutes) @ 0.9 Power Factor

Load (VA/Watts)	UPS + Internal					UPS + Internal				
	32 Battery	+1 EBM 64	+2 EBM 64	+3 EBM 64	+4 EBM 64	64 Battery	+1 EBM 96	+2 EBM 96	+3 EBM 96	
15000/13500	4.6	23.0	43.0	65.1	88.6	13.3	43.0	76.7	113.0	
14500/13050	4.9	24.1	45.2	68.3	93.0	14.1	45.2	80.5	119.0	
14000/12600	5.2	25.2	47.3	71.5	97.4	14.9	47.3	84.2	125.0	
13500/12150	5.5	26.4	49.4	74.7	102.0	15.8	49.4	88.1	130.0	
13000/11700	5.8	27.6	51.6	78.1	106.0	16.7	51.6	92.0	136.0	
12500/11250	6.1	28.8	54.0	81.6	111.0	17.6	54.0	96.2	142.0	
12000/10800	6.5	30.2	56.5	85.5	116.0	18.6	56.5	101.0	149.0	
11500/10350	6.9	31.6	59.3	89.7	122.0	19.2	59.3	106.0	156.0	
11000/9900	7.3	33.3	62.4	94.4	129.0	20.2	62.4	111.0	164.0	
10500/9450	7.8	35.1	65.9	99.6	136.0	21.4	65.9	117.0	174.0	
10000/9000	8.4	37.2	69.8	106.0	144.0	22.6	69.8	124.0	184.0	
9500/8550	9.1	39.6	74.2	112.0	153.0	24.1	74.2	132.0	196.0	
9000/8100	9.9	42.3	79.4	120.0	163.0	25.7	79.4	141.0	209.0	
8500/7650	10.8	45.5	85.2	129.0	175.0	27.6	85.2	152.0	225.0	
8000/7200	11.9	49.1	91.9	139.0	189.0	29.8	91.9	164.0	242.0	
7500/6750	13.1	53.2	99.7	151.0	205.0	32.3	99.7	178.0	263.0	
7000/6300	14.6	58.0	109.0	164.0	224.0	35.2	109.0	194.0	286.0	
6500/5850	16.3	63.5	119.0	180.0	245.0	38.6	119.0	212.0	314.0	
6000/5400	18.4	70.0	131.0	198.0	270.0	42.5	131.0	234.0	346.0	
5500/4950	20.1	77.6	145.0	220.0	300.0	47.2	145.0	259.0	383.0	
5000/4500	22.4	86.6	162.0	245.0	334.0	52.6	162.0	289.0	428.0	
4500/4050	25.2	97.4	182.0	276.0	376.0	59.2	182.0	325.0	-	
4000/3600	28.6	110.0	207.0	313.0	426.0	67.1	207.0	369.0	-	
3500/3150	32.8	127.0	238.0	359.0	-	77.0	238.0	423.0	-	
3000/2700	38.3	148.0	277.0	418.0	-	89.7	277.0	-	-	
2500/2250	45.6	176.0	329.0	-	-	107.0	329.0	-	-	

Note: Backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc.

SERVICES

For detailed information on service plans, please refer to the Three-phase Service section on page 130.

EATON 9170+ UPS RACK/TOWER

Powerware series



Online double-conversion UPS (3–18 kVA)

Reliable online, high-frequency, double-conversion power protection that provides flexible solutions for mission-critical applications.

- N + X power and logic redundancy eliminating all system level single point-of-failure
- Easily scalable to adapt to changing IT environments by simply adding power and/or battery modules
- Double-conversion, online design delivers the highest level of protection
- ABM technology significantly increases battery service life
- Hot-swappable battery and power modules, each weighing less than 30 pounds for easy handling and replacement
- Power management software bundle provides monitoring and shutdown capabilities
- Warranty (US and Canada): Two-year limited warranty and \$250,000 load protection guarantee; optional Gold Plans available



9170+ MODELS

Model	Part Number	Dimensions (H x W x D, inches)	Weight (lb)	List Price
9170+ Modules				
Split-phase Power Module (100/200, 120/208, 127/220, 110/220, 120/240V In & Out)	ASY-0673	4.23 x 14.12 x 15.25	17	\$2,070
Universal Power Module (208-240V In & Out)	ASY-0674	4.23 x 14.12 x 15.25	17	\$1,952
Battery Module (two required per slot/string) ¹	ASY-0529	4.23 x 7.012 x 14.75	30	\$402
Optional 20 Amp Charger Module (same form factor as 3 kVA power modules)	ASY-0675	4.23 x 14.12 x 14.75	17	\$2,858

Note: For 9170 replacement modules, contact our Service Group at 800.356.5737 for pricing.

UPS Enclosures

3-slot Enclosure (3 kVA max.), Hardwired Input/Output	0660C030AAAAAAAI	17.80 x 17.00 x 25.40	66	\$2,049
6-slot Enclosure (3, 6 or 9 kVA), Hardwired Input/Output	0660C060AAAAAAAI	31.50 x 17.00 x 25.40	103	\$2,355
9-slot Enclosure (3, 6, 9, 12, 15 or 18 kVA), Hardwired Input/Output	0660C090AAAAAAAI	47.00 x 24.00 x 28.40	158	\$2,620
12-slot Enclosure (3, 6, 9, 12, 15 or 18 kVA), Hardwired Input/Output	0660C120AAAAAAAI	60.70 x 24.00 x 28.40	196	\$2,916
9-slot rack Enclosure	0660C092AAAAAAAI	45.00 x 17.00 x 25.40	158	\$2,930
12-slot rack Enclosure	0660C122AAAAAAAI	58.00 x 17.00 x 25.40	196	\$3,216

External Options

Rack Kit (3- & 6-slot Enclosure only)	ASY-0547	-	15	\$170
Caster option for 3- & 6-slot Enclosure	ASY-0527	-	9	\$210
External battery connection option (matching cabinet for hot-swap battery modules)	ASY-0525	-	8	\$275
Floor Anchoring kit	ASY-0548	-	6	\$70
6-slot external battery Enclosure: black ¹	ASY-0612	31.50 x 17.00 x 25.40	93	\$1,550
9-slot external battery Enclosure: black ¹	ASY-0737	47.00 x 24.00 x 28.40	148	\$1,975
12-slot external battery Enclosure: black ¹	ASY-0738	60.70 x 24.00 x 28.40	186	\$2,695
12-slot Enclosure w/AC for charger option: black	ASY-0739	60.70 x 24.00 x 28.40	196	\$2,975
12-slot rack external battery Enclosure: black	103004136	58.00 x 17.00 x 25.40	186	\$2,486
12-slot rack external battery Enclosure w/AC charger option: black	103004137	58.00 x 17.00 x 25.40	196	\$3,135
Rail Kit Option for 3 & 6 slot rackmount ²	103007312	-	12	\$310

1. External Battery Cabinet connection option (ASY-0525) required with each battery cabinet.

2. Rail kit optional for 3 & 6 slot rackmount chassis - included with 9 & 12 slot rackmount chassis

Wall-mounted Maintenance Bypass Cabinets

3- & 6-slot Enclosure (Make-Before-Break)	BPE14MBB1A	21.0 x 14.0 x 6.75	31	\$1,385
9- & 12-slot Enclosure (Break-Before-Make)	BPE20BBM1A	21.0 x 14.0 x 6.75	34	\$1,556
9- & 12-slot Enclosure (Make-Before-Break)	BPE20MBB1A	21.0 x 14.0 x 6.75	34	\$1,790

EATON 9170+ UPS RACK/TOWER

Powerware series *(continued)*

9170+ PRE-CONFIGURED SYSTEMS

Model Number	Rating	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
Pre-configured Systems with Hardwire Input and Output Options						
PW3S3K Includes: (1) 3-slot Enclosure (1) power module (2) battery modules (1) caster kit	3 kVA expandable to 3 kVA N+1	Hardwired	Hardwired	19.5 x 17.0 x 25.5	155	\$5,103
PW6S3K Includes: (1) 6-slot Enclosure (1) power module (2) battery modules (1) caster kit	3 kVA expandable to 9 kVA N+X	Hardwired	Hardwired	33.3 x 17.0 x 25.5	155	\$ 5,409
PW6S6K Includes: (1) 6-slot Enclosure (2) power modules (4) battery modules (1) caster kit	6 kVA expandable to 9 kVA N+X	Hardwired	Hardwired	33.3 x 17.0 x 25.5	232	\$ 8,253
PW6S9K Includes: (1) 6-slot Enclosure (3) power modules (6) battery modules (1) caster kit	9 kVA expandable to 9 kVA N+X	Hardwired	Hardwired	33.3 x 17.0 x 25.5	346	\$11,097
PW9S9K Includes: (1) 9-slot Enclosure (3) power modules (6) battery modules	9 kVA expandable to 18 kVA N+X	Hardwired	Hardwired	47.0 x 24.0 x 28.5	389	\$11,152
PW12S9K Includes: (1) 12-slot Enclosure (3) power modules (6) battery modules	9 kVA expandable to 18 kVA N+X	Hardwired	Hardwired	60.7 x 24.0 x 28.5	427	\$11,448
PW12S12K Includes: (1) 12-slot Enclosure (4) power modules (8) battery modules	12 kVA expandable to 18 kVA N+X	Hardwired	Hardwired	60.7 x 24.0 x 28.5	504	\$14,292
PW12S15K Includes: (1) 12-slot Enclosure (5) power modules (10) battery modules	15 kVA expandable to 18 kVA N+X	Hardwired	Hardwired	60.7 x 24.0 x 28.5	581	\$17,136
PW12S18K Includes: (1) 12-slot Enclosure (6) power modules (12) battery modules	18 kVA expandable to 18 kVA N+X	Hardwired	Hardwired	60.7 x 24.0 x 28.5	658	\$19,980

Replacement batteries—contact Sales Support 800.356.5794, option 3.

EATON 9170+ UPS RACK/TOWER

Powerware series (*continued*)

PRE-CONFIGURED SYSTEMS WITH HARDWIRE INPUT AND RECEPTACLES OUTPUT OPTIONS

Model Number	Rating	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PW6S3K-PD Includes: (1) 6-slot Enclosure (1) power modules (2) battery modules (1) caster kit	3 kVA expandable to 9 kVA N+X	Hardwired	(2) L14-30R, (2) L6-30R, (12) 5-20R	33.3 x 17.0 x 25.5	192	\$5,823
PW6S6K-PD Includes: (1) 6-slot Enclosure (2) power modules (4) battery modules (1) caster kit	6 kVA expandable to 9 kVA N+X	Hardwired	(2) L14-30R, (2) L6-30R, (12) 5-20R	33.3 x 17.0 x 25.5	269	\$8,667
PW6S9K-PD Includes: (1) 6-slot Enclosure (3) power modules (6) battery modules (1) caster kit	9 kVA expandable to 9 kVA N+X	Hardwired	(2) L14-30R, (2) L6-30R, (12) 5-20R	33.3 x 17.0 x 25.5	346	\$11,511
PW9S9K-PD Includes: (1) 9-slot Enclosure (3) power modules (6) battery modules	9 kVA expandable to 18 kVA N+X	Hardwired	(2) L14-30R, (2) L6-30R, (12) 5-20R	47.0 x 24.0 x 28.5	389	\$11,566
PW12S9K-PD Includes: (1) 12-slot Enclosure (3) power modules (6) battery modules	9 kVA expandable to 18 kVA N+X	Hardwired	(3) L14-30R, (3) L6-30R, (12) 5-20R	60.7 x 24.0 x 28.5	427	\$12,000
PW12S12K-PD Includes: (1) 12-slot Enclosure (4) power modules (8) battery modules	12 kVA expandable to 18 kVA N+X	Hardwired	(3) L14-30R, (3) L6-30R, (12) 5-20R	60.7 x 24.0 x 28.5	504	\$14,844
PW12S15K-PD Includes: (1) 12-slot Enclosure (5) power modules (10) battery modules	15 kVA expandable to 18 kVA N+X	Hardwired	(3) L14-30R, (3) L6-30R, (12) 5-20R	60.7 x 24.0 x 28.5	581	\$17,688
PW12S18K-PD Includes: (1) 12-slot Enclosure (6) power modules (12) battery modules	18 kVA expandable to 18 kVA N+X	Hardwired	(3) L14-30R, (3) L6-30R, (12) 5-20R	60.7 x 24.0 x 28.5	658	\$20,532
PW3S3K-LPD Includes: (1) 3-slot Enclosure (1) power modules (2) battery modules (1) caster kit	3 kVA expandable to 3 kVA N+1	L14-30P	(1) L14-30R, (1) L6-30R, (4) 5-20R	19.5 x 17.0 x 25.5	155	\$5,467
PW6S3K-LPD Includes: (1) 6-slot Enclosure (1) power modules (2) battery modules (1) caster kit	3 kVA expandable to 9 kVA N+X	14-50P	(2) L14-30R, (2) L6-30R, (12) 5-20R	33.3 x 17.0 x 25.5	192	\$5,972
PW6S6K-LPD Includes: (1) 6-slot Enclosure (2) power modules (4) battery modules (1) caster kit	6 kVA expandable to 9 kVA N+X	14-50P	(2) L14-30R, (2) L6-30R, (12) 5-20R	33.3 x 17.0 x 25.5	269	\$8,815

Notes: 50/60 Hz automatic frequency selection. Input/output voltages: 208–240 Vac or 100/200, 110/220, 120/208, 120/240 and 127/220 Vac. Pre-configured systems (3) and (6) slot Enclosure dimensions include caster kit. Each pre-configured system includes a 6.5-minute runtime. Backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc. Split-phase Power Modules included.

EATON 9170+ UPS RACK/TOWER

Powerware series (continued)

SOFTWARE AND CONNECTIVITY OPTIONS

Catalog Number	Description	List Price
116750222-001	ConnectUPS-BD	\$335

Bundled with Intelligent Power Software Suite CD and communication cable.

See software and connectivity product sections for more detail.

SPLIT-PHASE MODULE ASY-0673 RUNTIME CHART IN MINUTES (FULL LOAD/HALF LOAD)

Load (VA) Number of Strings (two battery modules per string; two battery modules occupy one slot)

	1 String	2 String	3 String	4 String	5 String	6 String	7 String	8 String	9 String	10 String	11 String	12 String
3 kVA	6.5/16	16/40	27.5/67.5	40/98	53.5/132	67.5/167	83/204	98/242	115/283	132/324	149/365	167/408
6 kVA		6.5/16	11/27.5	16/40	21.5/53.5	27.5/68	33.5/83	40/98	46.5/115	53.5/132	60.5/149	67.5/167
9 kVA			6.5/16	9.5/23.5	13/31.5	16/40	20/49	23.5/58	27.5/67.5	31.5/78	35.5/88	40/98
12 kVA				6.5/16	9/21.5	11/27.5	13.5/33.5	16/40	19/46.5	21.5/53.5	24.5/60.5	27.5/68
15 kVA					6.5/16	8/20.5	10/25	12/30	14/35	16/40	18.5/45	20.5/50.5
18 kVA						6.5/16	8/20	9.5/23.5	11/27.5	12.5/30	14.5/35.5	16/40

Note: Additional battery runtimes available up to 8 hr. Please contact your Eaton representative. Split-phase Module is for U.S. use.

	13 String	14 String	15 String	16 String	17 String	18 String	19 String	20 String	21 String	22 String	23 String	24 String
3 kVA	185/456	204/501	223/549	242/595	262/640	283/692	302/750	323/790	345/850	365/900	387/955	408/1015
6 kVA	75/185	83/204	90/223	98/242	106/262	115/285	123/302	132/324	140/345	149/365	157/388	167/408
9 kVA	44/109	49/120	53.5/132	58/143	63/154	68/167	73/179	78/191	83/204	88/210	93/229	98/242
12 kVA	30.5/75	33.5/83	37/90	40/98	43/106	46.5/115	50/123	53.5/132	57/140	60/149	64/157	68/167
15 kVA	23/56	25/62	27.5/67.5	30/73.5	32.5/79.5	35/86	37.5/92	40/98	42.5/105	45/111	48/118	51/124
18 kVA	18/44	20/49	21.5/53.5	23.5/58	25.5/63	27.5/68	29.5/73	31.5/78	33.5/83	35.5/88	38/93	40/98

Note: Battery strings above and to the right of the dark line require additional (N+X) power modules or a 20A charger module.

UNIVERSAL MODULE ASY-0674 RUNTIME CHART IN MINUTES (FULL LOAD/HALF LOAD)

Load (VA) Number of strings (two battery modules per string; two battery modules occupy one slot)

	1 String	2 String	3 String	4 String	5 String	6 String	7 String	8 String	9 String	10 String	11 String	12 String
3 kVA	8/24	24/59	43/95	58/140	80/175	95/125	119/240	135/290	155/335	165/365	200/395	215/450
6 kVA		8/24	16/40	24/59	32/83	40/103	49/114	58/140	69/156	83/175	90/190	103/205
9 kVA			8/24	13/35	18/46	24/59	29/63	35/86	40/103	46/115	54/125	58/140
12 kVA				8/24	13/33	16/40	19.5/43.5	24/59	29/70	33/80	36/90	41/100
15 kVA					8/24	11.5/31	14.5/31.5	18/46	20.5/51	24/58	28/66	31/73
18 kVA						8/24	11/31.5	13/36	15.5/41	18/45	20.5/51	24/58

Note: Additional battery runtimes available up to 8 hours. Please contact your Eaton representative.

	13 String	14 String	15 String	16 String	17 String	18 String	19 String	20 String	21 String	22 String	23 String	24 String
3 kVA	225/500	245/540	270/600	290/620	315/650	335/690	350/720	365/780	375/850	395/890	425/920	450/950
6 kVA	113/335	123/255	135/273	143/290	148/315	156/333	165/350	175/365	183/385	190/395	198/420	205/440
9 kVA	63/150	73/165	80/178	86/190	93/200	100/210	107/225	115/240	121/255	125/270	135/280	143/290
12 kVA	47/110	52/121	56/130	58/140	65/147	70/156	75/165	80/175	85/185	90/195	95/205	100/215
15 kVA	34/83	38/94	41.5/103	44.5/113	46.5/117	51/127	56/130	58/140	61/149	66/158	71/165	73/170
18 kVA	27/65	31.5/72	34.5/77	36/83	38/94	41/100	44/105	45/115	48/122	54/131	57/137	58/140

Battery strings above and to the right of the dark line require additional (N+X) power modules or a 20A charger module.

CUSTOMIZABLE INPUT PLUG OPTIONS¹

Input Plug	Power Module Type	CTO Digit	List Price
L14-20P ²	Split-phase	F	\$109
L14-30P ³	Split-phase	G	\$129
14-50P ⁴	Split-phase	H	\$149

Notes: 1. May be configured to order by contacting sales support: 800.356.5794. 2. Limits chassis to maximum current of 16A and two power modules for 3 kVA redundant. 3. Limits chassis to maximum current of 24A and three power modules for 5 kVA redundant. 4. Limits chassis to maximum current of 40A and four power modules for 8 kVA redundant.

EATON 9170+ UPS RACK/TOWER

Powerware series (*continued*)

CUSTOMIZABLE RECEPTACLE OPTIONS

Output Receptacle	Power Module Type	# of Bays	CTO Digit		List Price
5-20R duplex	Split-phase	1	E	Maximum of three different types of receptacles per Enclosure	\$49
6-20R duplex	All	1	G		\$69
L5-20R twist lock	Split-phase	1	K		\$49
L5-30R twist lock	Split-phase	1	L		\$59
L6-15R twist lock duplex	All	1	M	Bays available per Enclosure: 3-slot has (4) bays 6-slot has (8) bays 9-slot has (8) bays 12-slot has (12) bays	\$79
L6-20R twist lock	All	1	N		\$69
L6-30R twist lock	All	1	O		\$69
L14-30R twist lock	Split-phase	1	R		\$69
3 x 5-15R duplex	Split-phase	2	W		\$69
3 x 5-20R duplex	Split-phase	2	X		\$69

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON FERRUPS FE UPS 60 HZ

Powerware series



Ferroresonant UPS (500–3100 VA)

- Bulletproof power integrity and management for telecommunications and computer loads
- Special configurations and options available—call sales support for details: 800.356.5794
- Warranty (US and Canada): Two-year limited warranty and \$250,000 load protection guarantee; optional Gold Plans available

The FERRUPS® can be customized with many options and runtimes. If you do not find the configuration you need in this price book, call 800.356.5794.



FERRUPS FE 60 Hz MODELS

CTO Number	Input/Output Voltage	Runtimes Full/Half Load	Input Plug	Output Receptacles	List Price
MODEL FE500 (500 VA/350W)					
FA000AA0A0A0A0A	120V/120V	9/25 min	Hardwire	Hardwire	\$1,832
FA000BB2A0A0A0A	120V/120V	9/25 min	5-15	(4) 5-15	\$1,791
FA010BB2A0A0A0A	120V/120V	20/56 min	5-15	(4) 5-15	\$1,861
FA020BB2A0A0A0A	120V/120V	75/212 min	5-15	(4) 5-15	\$2,010
MODEL FE700 (700 VA/500W)					
FB000AA0A0A0A0A	120V/120V	11/31 min	Hardwire	Hardwire	\$2,055
FB000BB2A0A0A0A	120V/120V	11/31 min	5-15	(4) 5-15	\$2,013
FB020BB2A0A0A0A	120V/120V	34/96 min	5-15	(4) 5-15	\$2,220
FB040BB2A0A0A0A	120V/120V	External Battery	5-15	(4) 5-15	\$1,907
Model FE850 (850 VA/600W)					
FC000AA0A0A0A0A	120V/120V	9/25 min	Hardwire	Hardwire	\$2,288
FC000BB2A0A0A0A	120V/120V	9/25 min	5-15	(4) 5-15	\$2,247
FC010BB2A0A0A0A	120V/120V	38/107 min	5-15	(4) 5-15	\$2,361
Model FE1.15 (1.15 kVA/800W)					
FD000AA0A0A0A0A	120V/120V	8/22 min	Hardwire	Hardwire	\$3,113
FD000BB3A0A0A0A	120V/120V	8/22 min	5-15	(6) 5-15	\$3,071
FD010BB3A0A0A0A	120V/120V	30/85 min	5-15	(6) 5-15	\$3,367
FD020BB3A0A0A0A	120V/120V	70/197 min	5-15	(6) 5-15	\$3,465
Model FE1.4 (1.4 kVA/1 kW)					
FE000AA0A0A0A0A	120V/120V	11/31 min	Hardwire	Hardwire	\$3,377
FE000BB3A0A0A0A	120V/120V	11/31 min	5-15	(6) 5-15	\$3,335
FE010BB3A0A0A0A	120V/120V	22/62 min	5-15	(6) 5-15	\$3,603
Model FE1.8 (1.8 kVA/1.25 kW)					
FF000CC3A0A0A0B	120V/120V	11/30 min	5-20	(6) 5-20	\$4,815
FF010AA0A0A0A0B	120V/120V	86/206 min	Hardwire	Hardwire	\$5,377
FF010CC3A0A0A0B	120V/120V	86/206 min	5-20	(6) 5-20	\$5,335
Model FE2.1 (2.1 kVA/1.5 kW)					
FG000AA0A0A0A0B	120V/120V	9/25 min	Hardwire	Hardwire	\$5,359
FG000CC3A0A0A0B	120V/120V	9/25 min	5-20	(6) 5-20	\$5,317
FG010AA0A0A0A0B	120V/120V	66/163 min	Hardwire	Hardwire	\$5,870
FG010CC3A0A0A0B	120V/120V	66/163 min	5-20	(6) 5-20	\$5,829
Model FE3.1 (3.1 kVA/2.2 kW)					
FH000AA0A0A0A0B	120V/120V	14/35 min	Hardwire	Hardwire	\$6,710
FH000JC3A0A0A0B	120V/120V	14/35 min	L5-30	(6) 5-20	\$6,668
FH010AA0A0A0A0B	120V/120V	37/98 min	Hardwire	Hardwire	\$7,169
FH010JC3A0A0A0B	120V/120V	37/98 min	L5-30	(6) 5-20	\$7,128

Note: See following pages for external battery packs and maintenance bypass switches.

EATON FERRUPS FE UPS 60 HZ

Powerware series *(continued)*

Ferroresonant UPS (4.3–18 kVA)

- Bulletproof power integrity and management for telecommunications and computer loads
- Power factor-corrected, switch-mode and linear power supplies

The FERRUPS can be customized with many options and runtimes. If you do not find the configuration you need in this price book, call 800.356.5794.



FERRUPS FE 60 Hz MODELS *(continued)*

Model Number	CTO Number	Input/Output Voltage	Runtimes Full/Half Load	Input Plug	Output Receptacles	List Price
Model FE4.3 (4.3 kVA/3 kW)						
FE4.3 kVA	FI000AA0A0A0A0B	120V/120V	10/24 min	Hardwired	Hardwired	\$9,921
FE4.3 kVA	FI100AA0A0A0A0B	208-208/120V	10/24 min	Hardwired	Hardwired	\$9,642
FE4.3 kVA	FI300AA0A0A0A0B	240-240/120V	10/24 min	Hardwired	Hardwired	\$9,642
Model FE5.3 (5.3 kVA/3.7 kW)						
FE5.3 kVA	FJ000AA0A0A0A0B	120V/120V	20/50 min	Hardwired	Hardwired	\$11,317
FE5.3 kVA	FJ100AA0A0A0A0B	208-208/120V	20/50 min	Hardwired	Hardwired	\$11,038
FE5.3 kVA	FJ300AA0A0A0A0B	240-240/120V	20/50 min	Hardwired	Hardwired	\$11,038
Model FE7 (7 kVA/5 kW)						
FE7 kVA	FK000AA0A0A0A0B	120V/120V	12/33 min	Hardwired	Hardwired	\$14,198
FE7 kVA	FK100AA0A0A0A0B	208-208/120V	12/33 min	Hardwired	Hardwired	\$13,920
FE7 kVA	FK300AA0A0A0A0B	240-240/120V	12/33 min	Hardwired	Hardwired	\$13,920
Model FE10 (10 kVA/7.5 kW)						
FE10 kVA	FL140AA0A0A0A0B	208-208/120V	External	Hardwired	Hardwired	\$15,085
Recommended system options:	EBPS10F	Standard external battery pack (11/26 min)				\$5,116
	BPE04BBM1A	External maintenance bypass switch (break-before-make)				\$1,034
System List						\$21,235
FE10 kVA	FL340AA0A0A0A0B	240-240/120V	External	Hardwired	Hardwired	\$15,085
Recommended system options:	EBPS10F	Standard external battery pack (11/26 min)				\$5,116
	BPE04MBB1A	External maintenance bypass switch (make-before-break)				\$1,134
System List						\$21,335
Model FE12.5 (12.5 kVA/10 kW)						
FE12.5 kVA	FM140AA0A0A0A0B	208-208/120V	External	Hardwired	Hardwired	\$16,106
Recommended system options:	EBPS12F	Standard external battery pack (18/48 min)				\$7,062
	BPE04BBM1A	External maintenance bypass switch (break-before-make)				\$1,034
System List						\$24,202
FE12.5 kVA	FM340AA0A0A0A0B	240-240/120V	External	Hardwired	Hardwired	\$16,106
Recommended system options:	EBPS12F	Standard external battery pack (18/48 min)				\$7,062
	BPE04MBB1A	External maintenance bypass switch (make-before-break)				\$1,134
System List						\$24,302
Model FE18 (18 kVA/15 kW)						
FE18 kVA	FN140AA0A0A0A0B	208-208/120V	External	Hardwired	Hardwired	\$20,719
Recommended system options:	EBPS18F	Standard external battery pack (10/26 min)				\$7,062
	BPE05BBM1A	External maintenance bypass switch (break-before-make)				\$1,274
System List						\$29,055
FE18 kVA	FN340AA0A0A0A0B	240-240/120V	External	Hardwired	Hardwired	\$20,719
Recommended system options:	EBPS18F	Standard external battery pack (10/26 min)				\$7,062
	BPE05MBB1A	External maintenance bypass switch (make-before-break)				\$1,430
System List						\$29,211

Note: See following pages for external battery packs and maintenance bypass switches. Call for other configurations and options.

EATON FERRUPS UPS RACK SERIES 60 HZ

Powerware series



Ferroresonant UPS (1.4 kVA–7 kVA)

- Bulletproof power integrity and management for telecommunications and computer loads
- Power factor-corrected, switch-mode and linear power supplies
- High reliability for industrial and harsh environment
- Ultra-high reliability for standard, commercial environment

The FERRUPS can be customized with many options and runtimes. If you do not find the configuration you need in this price book, call 800.356.5794.



FERRUPS RACK SERIES 60 Hz MODELS

CTO Number	Input/Output Voltage	Runtimes Full/Half Load	Input Plug	Output Receptacles	List Price
Model FES1.4 (1.4 kVA/1 kW)					
RC000BB2A0A0A0A	120V–120V	14/36 min	5-15	(4) 5-15	\$6,549
RC000AA0A0A0A0A	120V–120V	14/36 min	Hardwired	Hardwired	\$6,425
Model FER2.1 (2.1 kVA/1.5 kW)					
RH000CC3A0A0A0B	120V–120V	24/58 min	5-20	(6) 5-20	\$7,602
RH000AA0A0A0A0B	120V–120V	24/58 min	Hardwired	Hardwired	\$7,395
Model FER3.1 (3.1 kVA/2.2 kW)					
RI000JB3A0A0A0B	120V–120V	14/35 min	L5-30	(6) 5-15	\$8,356
RI000AA0A0A0A0B	120V–120V	14/35 min	Hardwired	Hardwired	\$8,106
Model FER7 (7 kVA/5 kW)					
RK140AA0A0A0A0B	208–120/208V	External Battery	Hardwired	Hardwired	\$15,292
RK340AA0A0A0A0B	240–120/240V	External Battery	Hardwired	Hardwired	\$15,292
EBPS4.3R	Standard external battery pack (12/33 min)				\$4,351

Note: See following pages for external battery packs and maintenance bypass switches. Call for other configurations and options.

SOFTWARE AND CONNECTIVITY OPTIONS

Description	Part Number	List Price
Serial CheckUPS Cable DB25M to DB9F	INT-0035	\$63
BestLink Web/SNMP Adapter (external)	116750225-001	\$349
IBM AS/400 Kit Standard Cable Kit	IPK-0001	\$124
Handheld Remote and Keypad (FE, FES, FER models only)	RCK-0007	\$382
Caster Assy	CAA-0006	\$186

SERVICES

For detailed information on service plans, please refer to the Single-phase Service section on page 124.

EATON FERRUPS UPS EXTERNAL OPTIONS & ACCESSORIES

Powerware series

FERRUPS EXTERNAL BATTERY PACK BACKUP TIMES (full/half load)

FERRUPS external battery packs offer extended backup times. Please see following pages for typical backup times. Use of the external battery packs require that the FERRUPS UPS be configured with external battery or battery charger options as noted below.

Tower: 1.4–3.1 kVA

Battery Pack	List Price	FE1.15 kVA	FE1.4 kVA	FE1.8 kVA	FE2.1 kVA	FE3.1 kVA
8ME	\$3,421	3h 15m / 9h 11m	2h 20m / 6h 35m	-	-	-
9ME	\$3,736	3h 50m / 10h 50m	3h 10m / 8h 57m	2h 12m / 4h 53m	1h 41m / 3h 54m	57m / 2h 27m
10ME	\$6,422	6h 30m / 18h 23m	5h 20m / 15h 5m	3h 38m / 8h 22m	2h 50m / 6h 37m	1h 41m / 4h 03m
11ME	\$7,114	-	-	5h 09m / 11h 30m	4h 03m / 9h 10m	2h 29m / 5h 44m
12ME ¹	\$9,014	-	-	6h 07m / 14h 06m	4h 46m / 11h 08m	2h 52m / 6h 50m
13ME ¹	\$11,004	-	-	8h 30m / 18h 53m	6h 42m / 15h 04m	4h 07m / 9h 27m
14ME ¹	\$13,505	-	-	12h 08m / 27h 06m	9h 33m / 21h 36m	5h 52m / 13h 30m
15ME ¹	\$18,263	-	-	18h 52m / 44h 45m	15h 12m / 36h 28m	9h 41m / 22h 18m

Tower: 4.3–7 kVA

Battery Pack	List Price	FE4.3 kVA	FE5.3 kVA	FE7 kVA
1FE	\$4,615	40m / 1h 42m	27m / 1h 14m	-
2FE	\$6,464	1h 11m / 2h 51m	49m / 2h 10m	34m / 1h 28m
3FE	\$7,164	1h 49m / 4h 05m	1h 12m / 3h 08m	48m / 2h 13m
4FE ²	\$9,096	2h 06m / 4h 46m	1h 27m / 3h 39m	60m / 2h 33m
5FE ²	\$11,118	3h 04m / 6h 46m	2h 13m / 5h 11m	1h 32m / 3h 41m
6FE ³	\$13,382	4h 27m / 9h 39m	3h 08m / 7h 22m	2h 16m / 5h 14m
7FE ³	\$18,482	7h 12m / 15h 56m	5h 10m / 12h 10m	3h 45m / 8h 39m

Tower: 10–18 kVA

Battery Pack	List Price	FE10 kVA	FE12.5 kVA	Battery Pack	List Price	FE18 kVA
EBPS10F	\$5,116	11m / 26 m	-	EBPS18F	\$7,062	10m / 26m
EBPS12F	\$7,062	-	18m / 48m	16FE	\$8,812	14m / 39m
8FE	\$7,104	27m / 1h 10m	-	17FE	\$14,205	27m / 1h 10m
9FE	\$9,362	41m / 1h 48m	27m / 1h 13m	18FE	\$15,279	37m / 1h 46m
10FE	\$14,256	1h 13m / 2h 59m	49m / 2h 07m	19FE ³	\$21,417	48m / 2h 04m
11FE	\$15,808	1h 51m / 4h 16m	1h 12m / 3h 04m	20FE ³	\$26,806	1h 13m / 3h 01m
12FE ²	\$20,219	2h 09m / 5h 02m	1h 38m / 4h 05m	21FE ³	\$30,557	1h 49m / 4h 17m
13FE ²	\$25,782	3h 07m / 7h 04m	2h 12m / 5h 05m	22FE ³	\$45,690	3h 04m / 7h 05m
14FE ³	\$29,938	4h 26m / 10h 04m	3h 08m / 7h 14m			
15FE ³	\$43,489	7h 20m / 16h 38m	5h 10m / 11h 57m			

Rackmount: 2.1–7 kVA

Battery Pack	List Price	FER2.1 kVA	FER3.1 kVA	FER7 kVA
1RE	\$4,428	1h 41m / 3h 54m	57m / 2h 27m	-
2RE	\$7,685	2h 50m / 6h 37m	1h 41m / 4h 03m	-
EBPS4.3R	\$4,351	-	-	12m / 33m

1. Requires FERRUPS UPS to be configured with optional 15 Amp battery charger.

2. Requires FERRUPS UPS to be configured with optional 10 Amp battery charger.

3. Requires FERRUPS UPS to be configured with optional 20 Amp battery charger.

Note: Backup times are approximate and vary with equipment, configuration, battery age, temperature etc.

EATON FERRUPS UPS EXTERNAL OPTIONS & ACCESSORIES

Powerware series (*continued*)

MAINTENANCE BYPASS SWITCHES

Part Number	Description	Application	List Price
BPE01MBB1A	BPE01 Make-Before-Break Maintenance Bypass Switch	For use with: FE500 VA–2.1 kVA with 120V input FE3.1 kVA with 120 V input and standard charger	\$631
BPE02BBM1A	BPE02 Break-Before-Make Maintenance Bypass Switch	For use with: FE500 VA–7 kVA with 208V or 220V input	\$865
BPE02MBB1A	BPE02 Make-Before-Break Maintenance Bypass Switch	For use with: FE3.1 kVA with 120V input and 15 Amp charger FE4.3 kVA with 120V input FE500 VA–FE7 kVA with 240V input	\$865
BPE04BBM1A	BPE04 Break-Before-Make Maintenance Bypass Switch	For use with: FE10 kVA–12.5 kVA with 208V input	\$1,034
BPE04MBB1A	BPE04 Make-Before-Break Maintenance Bypass Switch	For use with: FE5.3 kVA–7 kVA with 120V input FE10 kVA–FE12.5 kVA with 240V input	\$1,144
BPE05MBB1A	BPE05 Make-Before-Break Maintenance Bypass Switch	For use with: FE18 kVA with 240V input	\$1,430
BPE05BBM1A	BPE05 Break-Before-Make Maintenance Bypass Switch	For use with: FE18 kVA with 208V input	\$1,274

Note: See FERRUPS CTO Configuration Guides for additional external maintenance bypass switch options.

SPARE PARTS KITS¹

Application	Low Voltage Part Number	High Voltage Part Number	List Price
FE500VA 60 Hz Tower	SPK-FALV	-	call
FE700VA 60 Hz Tower	SPK-FBLV	-	call
FE850VA 60 Hz Tower	SPK-FCLV	SPK-FCHV	call
FE1.15kVA 60 Hz Tower	SPK-FDLV	SPK-FDHV	call
FE1.4kVA 60 Hz Tower	SPK-FELV	SPK-FEHV	call
FE1.8kVA 60 Hz Tower	SPK-FFLV	SPK-FFHV	call
FE2.1kVA 60 Hz Tower	SPK-FGLV	SPK-FGHV	call
FE3.1kVA 60 Hz Tower	SPK-FHLV	SPK-FHHV	call
FE4.3kVA 60 Hz Tower, with 5 Amp Battery Charger	SPK-FILV-5A	SPK-FIHV-5A	call
FE4.3kVA 60 Hz Tower, with 10 Amp Battery Charger	SPK-FILV-10A	SPK-FIHV-10A	call
FE4.3kVA 60 Hz Tower, with 20 Amp Battery Charger	SPK-FILV-20A	SPK-FIHV-20A	call
FE5.3kVA 60 Hz Tower, with 5 Amp Battery Charger	SPK-FJLV-5A	SPK-FJHV-5A	call
FE5.3kVA 60 Hz Tower, with 10 Amp Battery Charger	SPK-FJLV-10A	SPK-FJHV-10A	call
FE5.3kVA 60 Hz Tower, with 20 Amp Battery Charger	SPK-FJLV-20A	SPK-FJHV-20A	call
FE7kVA 60 Hz Tower, with 5 Amp Battery Charger	SPK-FKLV-5A	SPK-FKHV-5A	call
FE7kVA 60 Hz Tower, with 10 Amp Battery Charger	SPK-FKLV-10A	SPK-FKHV-10A	call
FE7kVA 60 Hz Tower, with 20 Amp Battery Charger	SPK-FKLV-20A	SPK-FKHV-20A	call
FE10kVA 60 Hz Tower, with 5 Amp Battery Charger	-	SPK-FLHV-5A	call
FE10kVA 60 Hz Tower, with 10 Amp Battery Charger	-	SPK-FLHV-10A	call
FE10kVA 60 Hz Tower, with 20 Amp Battery Charger	-	SPK-FLHV-20A	call
FE12.5kVA 60 Hz Tower, with 5 Amp Battery Charger	-	SPK-FMHV-5A	call
FE12.5kVA 60 Hz Tower, with 10 Amp Battery Charger	-	SPK-FMHV-10A	call
FE12.5kVA 60 Hz Tower, with 20 Amp Battery Charger	-	SPK-FMHV-20A	call
FE18kVA 60 Hz Tower, with 5 Amp Battery Charger	-	SPK-FNHV-5A	call
FE18kVA 60 Hz Tower, with 10 Amp Battery Charger	-	SPK-FNHV-10A	call
FE18kVA 60 Hz Tower, with 20 Amp Battery Charger	-	SPK-FNHV-20A	call
FES850VA 60 Hz rack	SPK-RALV	SPK-RAHV	call
FES1.4kVA 60 Hz rack	SPK-RCLV	-	call
FER or FES2.1kVA 60 Hz rack	SPK-RHLV	-	call
FER or FES3.1kVA 60 Hz rack	-	SPK-RIHV	call
FER7kVA 60 Hz rack, with 5 Amp Battery Charger	SPK-RKLV-5A	SPK-RKHV-5A	call
FER7kVA 60 Hz rack, with 10 Amp Battery Charger	SPK-RKLV-10A	SPK-RKHV-10A	call

1. Spare parts kits must be ordered at time of FERRUPS UPS order.

EATON BLADEUPS



An Eaton Green Solution



Double-conversion on-demand (12–60 kW)

The Eaton BladeUPS is a revolutionary power quality solution, expanding power protection from 12 kW to 60 kW in a single industry standard 19-inch rack, and, most significantly, providing this robust, compact solution without generating the additional heat associated with legacy end-of-row, modular UPS products.

- Achieves the highest power density in the marketplace
- Requires only six rack units (6U) per unit
- Reduces single points of failure with an intelligent bypass design that eliminates human error
- Provides the ultimate in reliability through a peer-to-peer paralleling relationship

BLADEUPS (12 kW) MODELS: 208V

Description	Style Number	Rating	Input/Output Voltage	Dimensions (H x W x D, inches)	Weight ¹ (lb)	List Price
BladeUPS 12 kW 208V w/60A 5W in/5W out	ZC1212200100000	12 kVA (12 kW)	208/208	10.5 (6U) x 17.3 x 28.0	322	\$12,095
BladeUPS 12 kW 208V w/60A 5W in/4W out	ZC1212600100000	12 kVA (12 kW)	208/208	10.5 (6U) x 17.3 x 28.0	321	\$12,045
BladeUPS 12 kW 208V w/60A 5W in/RPM ONLY	ZC1212000100000	12 kVA (12 kW)	208/208	10.5 (6U) x 17.3 x 28.0	321	\$11,895
BladeUPS 12 kW 208V w/parallel cord	ZC121P060100000	12 kVA (12 kW)	208/208	10.5 (6U) x 17.3 x 28.0	311	\$12,095
BladeUPS 12 kW 208V w/60A 5W in/5W out w/Power Xpert SNMP/ModBus	ZC1212208100000	12 kVA (12 kW)	208/208	10.5 (6U) x 17.3 x 28.0	322	\$12,545
BladeUPS 12 kW 208V w/60A 5W in/4W out w/Power Xpert SNMP/ModBus	ZC1212608100000	12 kVA (12 kW)	208/208	10.5 (6U) x 17.3 x 28.0	321	\$12,495
BladeUPS 12 kW 208V w/parallel cord w/Power Xpert SNMP/ModBus	ZC121P068100000	12 kVA (12 kW)	208/208	10.5 (6U) x 17.3 x 28.0	311	\$12,545

1. All weights are installed weight, add 80 lb to determine shipping weight

2. 5W in (wired input plug) is model IEC309-60 HBL560P9W or similar

3. 5W out (output connector) is model IEC309-60 HBL560C9W or similar

4. 4W out (output connector) is model IEC309-60 HBL460C9W or similar

BLADEUPS (12 kW) MODELS: 400V

Description	Style Number	Rating	Input/Output Voltage	Dimensions (H x W x D, inches)	Weight ¹ (lb)	List Price
BladeUPS 12 kW 400V w/IEC 309-32A 5W in/5W out	ZC1224400100000	12 kVA (12 kW)	400/400	10.5 (6U) x 17.3 x 28.0	318	\$12,095
BladeUPS 12kW 400V w/IEC 309-32A 5W in/5W out w/PXGX SNMP/ModBus	ZC1224408100000	12 kVA (12 kW)	400/400	10.5 (6U) x 17.3 x 28.0	314	\$12,545
BladeUPS 12 kW 400V w/IEC 309-32A 5W in/ RPM ONLY out	ZC1224000100000	12 kVA (12 kW)	400/400	10.5 (6U) x 17.3 x 28.0	317	\$11,895
BladeUPS 12kW 400V w/IEC 309-32A 5W in/ RPM ONLY out w/PXGX SNMP/ModBus	ZC1224008100000	12 kVA (12 kW)	400/400	10.5 (6U) x 17.3 x 28.0	318	\$12,345
BladeUPS 12 kW 400V w/parallel cord	ZC122P060100000	12 kVA (12 kW)	400/400	10.5 (6U) x 17.3 x 28.0	314	\$12,095
BladeUPS 12kW 400V w/parallel cord w/PXGX SNMP/ModBus	ZC122P068100000	12 kVA (12 kW)	400/400	10.5 (6U) x 17.3 x 28.0	317	\$12,545

1. All weights are installed weight, add 80 lb to determine shipping weight

2. 5W in (wired input plug) is model IEC309-32 HBL532P6W or similar

3. 5W out (output connector) in model IEC309-32 HBL532C6W or similar

Note: BladeUPS EBMs are not TAA Compliant

BUILT-IN CONNECTIVITY OPTIONS

Option	Select digit "8" in the Style Number	Value for Style Number digit 8	Price Adder
X-Slot 2	Standard Relay Card (<60 Vac rated, IBM AS/400)	3	\$146
	Industrial Relay Card (5A @ 250 Vac)	4	\$335
	Hot Sync CAN Bridge Card	6	\$519
Option	Select digit "9" in the Style Number	Value for Style Number digit 9	Price Adder
X-Slot 1	Standard Relay Card (<60 Vac rated, IBM AS/400)	3	\$146
	Industrial Relay Card (5A @ 250 Vac)	4	\$335
	Power Xpert Gateway UPS Card (Web/SNMP/ModBusTCP)	8	\$450

Note: All parallel configured systems include a Hot Sync CAN Bridge card in the standard part number

EATON BLADEUPS *(continued)*

BLADEUPS (12–60 kW) MODELS: PRE-ASSEMBLED SYSTEMS IN S-SERIES RACK

Factory Installed and Tested UPS Systems in Eaton 42U Rack

Description	Style Number	Rating	Input/Output Voltage	Dimensions ¹ (H x W x D, inches)	Weight ² (lb)	List Price
BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V	ZP21110XXXXX000	12 kVA (12 kW)	208/208	81.0 x 24.0 x 42.0	683	\$17,895
BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V w/(1) Power Xpert SNMP/ModBus	ZP21115XXXXX000	12 kVA (12 kW)	208/208	81.0 x 24.0 x 42.0	683	\$18,345
BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V	ZP212100XXXX000	24 kVA (24 kW)	208/208	81.0 x 24.0 x 42.0	994	\$29,395
BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V w/(1) Power Xpert SNMP/ModBus	ZP212150XXXX000	24 kVA (24 kW)	208/208	81.0 x 24.0 x 42.0	994	\$29,845
BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V	ZP2131000XXXX000	36 kVA (36 kW)	208/208	81.0 x 24.0 x 42.0	1316	\$39,995
BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V w/(1) Power Xpert SNMP/ModBus	ZP2131500XXXX000	36 kVA (36 kW)	208/208	81.0 x 24.0 x 42.0	1316	\$40,445
BladeUPS Pre-Assembled Bottom Entry 48 kW, 208V	ZP21410000XX000	48 kVA (48 kW)	208/208	81.0 x 24.0 x 42.0	1638	\$49,095
BladeUPS Pre-Assembled Bottom Entry 48 kW, 208V w/(1) Power Xpert SNMP/ModBus	ZP21415000XX000	48 kVA (48 kW)	208/208	81.0 x 24.0 x 42.0	1638	\$49,545
BladeUPS Pre-Assembled Bottom Entry 60 kW, 208V	ZP215100000X000	60 kVA (60 kW)	208/208	81.0 x 24.0 x 42.0	1960	\$61,995
BladeUPS Pre-Assembled Bottom Entry 60 kW, 208V w/(1) Power Xpert SNMP/ModBus	ZP215150000X000	60 kVA (60 kW)	208/208	81.0 x 24.0 x 42.0	1960	\$62,445
BladeUPS Pre-Assembled Bottom Entry 60 kW N+1, 208V	ZP2161000000000	60 kVA (60 kW) N+1	208/208	81.0 x 24.0 x 42.0	2282	\$73,695
BladeUPS Pre-Assembled Bottom Entry 60 kW N+1, 208V w/(1) Power Xpert SNMP/ModBus	ZP2161500000000	60 kVA (60 kW) N+1	208/208	81.0 x 24.0 x 42.0	2282	\$74,145
BladeUPS Pre-Assembled Top Entry 12 kW, 208V	ZP22110XXXXX000	12 kVA (12 kW)	208/208	81.0 x 24.0 x 42.0	683	\$17,895
BladeUPS Pre-Assembled Top Entry 12 kW, 208V, w/Power Xpert SNMP/ModBus	ZP22115XXXXX000	12 kVA (12 kW)	208/208	81.0 x 24.0 x 42.0	683	\$18,345
BladeUPS Pre-Assembled Top Entry 24 kW, 208V	ZP222100XXXX000	24 kVA (24 kW)	208/208	81.0 x 24.0 x 42.0	994	\$29,395
BladeUPS Pre-Assembled Top Entry 24 kW, 208V, w/Power Xpert SNMP/ModBus	ZP222150XXXX000	24 kVA (24 kW)	208/208	81.0 x 24.0 x 42.0	994	\$29,845
BladeUPS Pre-Assembled Top Entry 36 kW, 208V	ZP2231000XXXX000	36 kVA (36 kW)	208/208	80.0 x 24.0 x 42.0	1316	\$39,995
BladeUPS Pre-Assembled Top Entry 36 kW, 208V, w/Power Xpert SNMP/ModBus	ZP2231500XXXX000	36 kVA (36 kW)	208/208	80.0 x 24.0 x 42.0	1316	\$40,445
BladeUPS Pre-Assembled Top Entry 48 kW, 208V	ZP22410000XX000	48 kVA (48 kW)	208/208	81.0 x 24.0 x 42.0	1638	\$49,095
BladeUPS Pre-Assembled Top Entry 48 kW, 208V, w/Power Xpert SNMP/ModBus	ZP22415000XX000	48 kVA (48 kW)	208/208	81.0 x 24.0 x 42.0	1638	\$49,545
BladeUPS Pre-Assembled Top Entry 60 kW, 208V	ZP225100000X000	60 kVA (60 kW)	208/208	81.0 x 24.0 x 42.0	1960	\$61,995
BladeUPS Pre-Assembled Top Entry 60 kW, 208V, w/Power Xpert SNMP/ModBus	ZP225150000X000	60 kVA (60 kW)	208/208	81.0 x 24.0 x 42.0	1960	\$62,445
BladeUPS Pre-Assembled Top Entry 60 kW N+1, 208V	ZP2261000000000	60 kVA (60 kW) N+1	208/208	81.0 x 24.0 x 42.0	2282	\$73,695
BladeUPS Pre-Assembled Top Entry 60 kW N+1, 208V, w/Power Xpert SNMP/ModBus	ZP2261500000000	60 kVA (60 kW) N+1	208/208	81.0 x 24.0 x 42.0	2282	\$74,145

1. Shipping dimensions are 87"H x 37"W x 60"D. If more than 4 units are installed batteries for 5th and 6th units will ship on a separate pallet maximum 15"H x 32"W x 48"D. Total shipping weight for configurations of 4 UPS modules or less is installed weight plus 345 lbs. For configurations of 5 or 6 UPS modules add 391 lbs. to installed weight.

Additional notes: Factory-installed connectivity for Pre-Assembled Systems: Style Number digits 7 thru 12 (based in number of systems installed) represent the communication card(s) installed in the system. 0 = No connectivity, 2 = ModBus RTU, 3 = Standard relay card, 4 = Industrial relay card, 5 = Power Xpert Gateway UPS Card For systems with more than one UPS module, additional cards can be installed. Please visit the Connectivity Products section for card information, including pricing.

EATON BLADEUPS (continued)

BLADEUPS (12–48 kW) MODELS: PRE-ASSEMBLED SYSTEMS IN S-SERIES RACK

Factory Installed and Tested UPS Systems in Eaton 42U Rack. System capable of expansion to maximum of 48kW

Description	Style Number	Rating	Input/Output Voltage	Dimensions ¹ (H x W x D, inches)	Weight ² (lb)	List Price
BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V	ZP23110XXXXX000	12 kVA (12 kW)	208/208	81.0 x 24.0 x 42.0	661	\$17,095
BladeUPS Pre-Assembled Bottom Entry 12 kW, 208V w/(1) Power Xpert SNMP/ModBus	ZP23115XXXXX000	12 kVA (12 kW)	208/208	81.0 x 24.0 x 42.0	661	\$17,545
BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V	ZP232100XXXXX000	24 kVA (24 kW)	208/208	81.0 x 24.0 x 42.0	972	\$28,595
BladeUPS Pre-Assembled Bottom Entry 24 kW, 208V w/(1) Power Xpert SNMP/ModBus	ZP232150XXXXX000	24 kVA (24 kW)	208/208	81.0 x 24.0 x 42.0	972	\$29,045
BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V	ZP2331000XXXXX000	36 kVA (36 kW)	208/208	81.0 x 24.0 x 42.0	1294	\$39,195
BladeUPS Pre-Assembled Bottom Entry 36 kW, 208V w/(1) Power Xpert SNMP/ModBus	ZP2331500XXXXX000	36 kVA (36 kW)	208/208	81.0 x 24.0 x 42.0	1294	\$39,645
BladeUPS Pre-Assembled Bottom Entry 48 kW, 208V	ZP23410000XXXXX000	48 kVA (48 kW)	208/208	81.0 x 24.0 x 42.0	1616	\$48,295
BladeUPS Pre-Assembled Bottom Entry 48 kW, 208V w/(1) Power Xpert SNMP/ModBus	ZP23415000XXXXX000	48 kVA (48 kW)	208/208	81.0 x 24.0 x 42.0	1616	\$48,745
BladeUPS Pre-Assembled Top Entry 12 kW, 208V	ZP24110XXXXX000	12 kVA (12 kW)	208/208	81.0 x 24.0 x 42.0	661	\$17,095
BladeUPS Pre-Assembled Top Entry 12 kW, 208V, w/Power Xpert SNMP/ModBus	ZP24115XXXXX000	12 kVA (12 kW)	208/208	81.0 x 24.0 x 42.0	661	\$17,545
BladeUPS Pre-Assembled Top Entry 24 kW, 208V	ZP242100XXXXX000	24 kVA (24 kW)	208/208	81.0 x 24.0 x 42.0	972	\$28,595
BladeUPS Pre-Assembled Top Entry 24 kW, 208V, w/Power Xpert SNMP/ModBus	ZP242150XXXXX000	24 kVA (24 kW)	208/208	81.0 x 24.0 x 42.0	972	\$29,045
BladeUPS Pre-Assembled Top Entry 36 kW, 208V	ZP2431000XXXXX000	36 kVA (36 kW)	208/208	80.0 x 24.0 x 42.0	1294	\$39,195
BladeUPS Pre-Assembled Top Entry 36 kW, 208V, w/Power Xpert SNMP/ModBus	ZP2431500XXXXX000	36 kVA (36 kW)	208/208	80.0 x 24.0 x 42.0	1294	\$39,645
BladeUPS Pre-Assembled Top Entry 48 kW, 208V	ZP24410000XXXXX000	48 kVA (48 kW)	208/208	81.0 x 24.0 x 42.0	1616	\$48,295
BladeUPS Pre-Assembled Top Entry 48 kW, 208V, w/Power Xpert SNMP/ModBus	ZP24415000XXXXX000	48 kVA (48 kW)	208/208	81.0 x 24.0 x 42.0	1616	\$48,745

1. Shipping dimensions are 87"H x 37"W x 60"D. If more than 4 units are installed batteries for 5th and 6th units will ship on a separate pallet maximum 15"H x 32"W x 48"D. Total shipping weight for configurations of 4 UPS modules or less is installed weight plus 345 lbs. For configurations of 5 or 6 UPS modules add 391 lbs. to installed weight.

Additional notes: Factory-installed connectivity for Pre-Assembled Systems: Style Number digits 7 thru 12 (based in number of systems installed) represent the communication card(s) installed in the system. 0 = No connectivity, 2 = ModBus RTU, 3 = Standard relay card, 4 = Industrial relay card, 5 = Power Xpert Gateway UPS Card For systems with more than one UPS module, additional cards can be installed. Please visit the Connectivity Products section for card information, including pricing.

BLADEUPS ASSEMBLIES

Description	Style Number	Part Number	Nominal Voltage	Dimensions (H x W x D, inches)	Weight (lb)	List Price
S-Series Rack with 48kW BladeUPS Parallel bar Top w/wireway	P-103000505	ETN-BLADERACK4T	208V or 400V	81.0 x 24.0 x 42.0	452	\$5,895
S-Series Rack with 48kW BladeUPS Parallel bar Bottom w/wireway	P-103000506	ETN-BLADERACK4B	208V or 400V	81.0 x 24.0 x 42.0	452	\$5,895
S-Series Rack with 60kW BladeUPS Parallel bar Top w/wireway	P-103000503	ETN-BLADERACK6T	208V or 400V	81.0 x 24.0 x 42.0	466	\$6,695
S-Series Rack with 60kW BladeUPS Parallel bar Bottom w/wireway	P-103000504	ETN-BLADERACK6B	208V or 400V	81.0 x 24.0 x 42.0	466	\$6,695

EATON BLADEUPS (continued)

BLADEUPS OPTIONS

Description	Style Number	Dimensions (H x W x D, inches)	Weight (lb)	List Price
Extended Battery Modules				
BladeUPS 3U EBM ^{1,2}	103005747-6591	5.2 (3U) x 17.2 x 26.0	170	\$1,745
Extension Cable				
BladeUPS 3 Ft EBM Extension Cable	103006348-001	2.4 x 8.5 x 9.7	2	\$250

1. Shipped on pallet with dimensions of 5x40x48. BladeUPS EBMs are not TAA Compliant

Maintenance Bypass

BladeUPS Maintenance Bypass Module, 208V	103007415-5208	10.5 (6U) x 17.3 x 29.6	76	\$6,195
BladeUPS Maintenance Bypass Module, 400V	103007415-5400	10.5 (6U) x 17.3 x 29.6	76	\$6,195

UPS Paralleling

BladeUPS 60 kW Bus Bar, Bottom Entry	103007571-5591 ²	71.9 x 6.0 x 5.7	54	\$3,795
BladeUPS 60 kW Bus Bar, Top Entry	103007573-5591 ²	71.9 x 6.0 x 5.7	54	\$3,795
BladeUPS 60 kW Universal Wireway	103007569-5591 ²	10.4 (6U) x 19.0 x 34.0	45	\$1,445
BladeUPS 48 kW BusBar, Top Entry	103007828-5591 ²	51.0 x 6.0 x 5.7	40	\$3,195
BladeUPS 48 kW BusBar, Bottom Entry	103007830-5591 ²	51.0 x 6.0 x 5.7	40	\$3,195

2. Please consult Application Engineering when purchasing this item.

3. All bus bar assemblies are rated for 208 or 400V installations.

Distribution Options

See ePDU options in the Eaton Power Distribution and Enclosures section of this book.

SOFTWARE AND CONNECTIVITY OPTIONS

Bundled with Intelligent Power Software Suite CD and communication cable. See the software and connectivity product sections for more detail.

SERVICES

For detailed information on service plans, please refer to the Three-phase Service section on page 130.

EATON BLADEUPS (continued)

BLADEUPS BATTERY BACKUP TIMES (in minutes)

Load (kW)	Internal Battery	+1 EBM	+2 EBMs	+3 EBMs	+4 EBMs
2	44	85	137	199	258
3	30	56	89	128	165
4	23	42	66	94	120
5	18	33	51	73	94
6	13.6	27	42	60	76
7	11	23	32	50	64
8	9	18	28	43	55
9	7	15	24	38	48
10	6	13	22	33	42
11	5	11	20	30	38
12	4.7	9.5	17	27	34

Note: Backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc.

1 For parallel installations, add same number of EBMs to each 12kW UPS module.

BLADEUPS BATTERY BACKUP TIMES (Parallel UPS, in minutes)

Number of UPS Modules	Total Load (kW)	Configuration	Internal Battery	+1 EBM	+2 EBMs	+3 EBMs	+4 EBMs
2	12	N+1	14	27	42	60	76
3	24	N+1	8.7	18	28	43	55
4	36	N+1	7.3	15	24	38	48
5	48	N+1	6.7	13	23	35	44
6	60	N+1	6.2	13	22	33	42

BLADEUPS OPTIONS: RACK POWER MODULE (RPM)

The RPM delivers up to 36 kW of power in an organized manner to loads of various voltages, power cords and layouts. The 3U RPM can be deployed in the same rack with the UPS and IT equipment; there's no need for a dedicated infrastructure rack. The resulting architecture has fewer cables to manage, fewer distribution points to monitor, and greater flexibility for IT personnel make changes without an electrician.

- Provides plug-and-play primary distribution of power from three-phase input source to secondary power distribution devices
- Serves data center loads with various voltages, power cord configurations and layouts
- Distributes three-phase power to 12 poles, with choice of output receptacle types
- "Power Equalizer" LED gives quick visual indication of each circuit's load, reducing possibility of overloads and breakers tripped offline
- Load information available from the front of the rack, no need to check individual power strips in the rear of the cabinet (hot isle)
- Branch circuit monitoring option allows easy load monitoring over the network, with Power Xpert infrastructure
- Installs in only 3U of space in EIA 19-inch rack or Enclosure (or optional wall-mount), all hardware included
- Enables customer installation and changes without the services of a licensed electrician



RPM DIMENSIONS

	Dimensions (H x W x D, inches)	Dimensions (H x W x D, mm)	Weight (lb)	Weight (kg)
Installed	5.2 x 17.4 x 26.3	132 x 442 x 668	32	15
Shipped	16.2 x 21.5 x 31.0	5.2 x 17.4 x 26.3	44	20

RPM TOPSELLERS


Topseller RPMs are the most popular configurations.

Part Number	Input Cable	Receptacles		Metering	List Price
		Recep 1 (Qty)	Recep 2 (Qty)		
Y03113011100000	BladeUPS 208V 15'	L21-20 (2)	L21-20 (2)	Power Equalizer	\$2,790
Y03113022100000	BladeUPS 208V 15'	L21-30 (2)	L21-30 (2)	Power Equalizer	\$2,880
Y03114022100000	BladeUPS 208V 20'	L21-30 (2)	L21-30 (2)	Power Equalizer	\$2,955
Y03113055100000	BladeUPS 208V 15'	L6-30 (3)	L6-30 (3)	Power Equalizer	\$2,390
Y03113047100000	BladeUPS 208V 15'	L6-20 (3)	5-20 (6)	Power Equalizer	\$2,425
Y03113017100000	BladeUPS 208V 15'	L21-20 (2)	5-20 (6)	Power Equalizer	\$2,565
Y03113027100000	BladeUPS 208V 15'	L21-30 (2)	5-20 (6)	Power Equalizer	\$2,610
Y031220AA300000	IEC309-60 (60A) 10'	IEC C13 (12)	IEC C13 (12)	Energy Management	\$2,705
Y03100044100000	Hardwire (208V)	L6-20 (3)	L6-20 (3)	Power Equalizer	\$2,410
Y03100077100000	Hardwire (208V)	5-20 (6)	5-20 (6)	Power Equalizer	\$2,240
Y032420CD100000	BladeUPS 400V 10'	IEC C13 (12)	IEC C19 (6)	Power Equalizer	\$2,245
Y032440CD100000	BladeUPS 400V 20'	IEC C13 (12)	IEC C19 (6)	Power Equalizer	\$2,405
Y032000CC300000	Hardwire (400V)	IEC C13 (12)	IEC C13 (12)	Energy Management	\$3,275

EATON BLADEUPS (continued)

RPM ACCESSORIES

Description	Part Number	List Price
RPM wall-mount bracket kit	103006226	\$205



RACK POWER MODULE CONFIGURATOR

Description	Quantity	Part Number Digit	Value	List Price
Base 3U RPM Distribution Box	-	1	Y	
		2	0	
		3	3	
Input Voltage	208V	4	1	\$1,675
	400V		2	\$1,675
Input Cords: Connection	Hardwired	5	0	
	BladeUPS Unit 208V		1	
	IEC309-60 5 wire		2	
	NEMA L21-30P		3	
	BladeUPS Unit 400V		4	
Input Cords: Length	Hardwired	6	0	\$215
	8 feet		1	BladeUPS Unit 208V \$170 IEC309-60 5 wire \$640 NEMA L21-30P \$125 BladeUPS Unit 400V \$170
	10 feet		2	BladeUPS Unit 208V \$230 IEC309-60 5 wire \$645 NEMA L21-30P \$140 BladeUPS Unit 400V \$230
	15 feet		3	BladeUPS Unit 208V \$315 IEC309-60 5 wire \$705 NEMA L21-30P \$155 BladeUPS Unit 400V \$315
	20 feet		4	BladeUPS Unit 208V \$390 IEC309-60 5 wire \$765 NEMA L21-30P \$175 BladeUPS Unit 400V \$390
Future Option	-	7	0	-

EATON BLADEUPS (continued)

RACK POWER MODULE CONFIGURATOR (continued)

Description		Quantity	Part Number Digit	Value	List Price
Output Receptacle Plate #1 &	L21-20R	2	8 & 9	1	\$400
Output Receptacle Plate #2	L21-30R	2		2	\$445
	L6-15R	3		3	\$245
	L6-20R	3		4	\$260
	L6-30R	3		5	\$200
	5-15R	6		6	\$170
	5-20R	6		7	\$175
	L14-20R	3		8	\$180
	L14-30R	3		9	\$245
	IEC320-C13 (208V)	12		A	\$180
	IEC320-C19 (208V)	6		B	\$160
	IEC320-C13 (230V)	12		C	\$180
	IEC320-C19 (230V)	6		D	\$160
	L15-20	2		E	\$400
	L15-30	2		F	\$445
Metering Choices	Power Equalizer	-	10	1	-
	Energy Management System, NO card	-		2	\$695
	Energy Management System, with card	-		3	\$1,025
Future Option		-	11	0	-
	None	-	12	0	\$0
		-	13	0	-
		-	14	0	-
		-	15	0	-

How to order: 1. Select base model voltage (208V or 400V), 2. Select input connector option, 3. Select input cord length (corded units only), 4. Select first receptacle plate option, 5. Select second receptacle plate option, 6. Select metering option.

Example of configured model part number: Y03111022300000

BLADEUPS OPTIONS: EATON BLADEUPS PDU WITH MAINTENANCE BYPASS

K-1 RATED TP-1 TRANSFORMER, 480V IN 208V OUT AND (2) 42-POLE PANELBOARDS

The Eaton BladeUPS PDU with Maintenance Bypass saves money and space in the data center or network operations center while offering three functions in one cabinet. The BladeUPS PDU combines step-down transformation, power distribution (up to 84 pole positions) and maintenance bypass into a single cabinet—the perfect complement to a 60 kVA BladeUPS system.

- TP-1, K1-rated input transformer—Energy-star efficiency, 480-208/120V, along with integral voltage transformation, electrical isolation and high efficiency
- Integrated maintenance bypass, including maintenance bypass breaker, rectifier input breaker and UPS output breaker, all rated for 225A, for high availability
- Available with up to two Eaton PRL-1a 42-pole panelboards, or up to four subfeed breakers or full rated lugs. PRL-1a panels accept BAB or QBHW style breakers
- Multiple power functions in a single cabinet mean efficient use of space
- Free-standing, easy-access design that complements other modern data center equipment while providing ease of installation and use for flexible access and deployment options
- Warranty: Eighteen months



EATON BLADEUPS PDU WITH MAINTENANCE BYPASS

Catalog Number	Style Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
124100029-001	124100029-001	PDU for 60 kVA BladeUPS – 2 panels – 480:208V	60 kVA/60 kW	AC input 480V 3 phase 3 wire, ground, 60 Hz	(2) 42-pole panelboards (branch breakers not included)	80 x 30 x 36	1200	\$23,190

EATON BLADEUPS (continued)

EATON BLADEUPS PDU WITH MAINTENANCE BYPASS (continued)

Catalog Number	Style Number	Description	Rating (VA/Watts)	Input Connection	Output Receptacles	Dimensions (H x W x D, inches)	Weight (lb)	List Price
124100029-002	PTE06056BAS4100	PDU with bypass w/ 1 42 pole panelboard	60 kVA/60 kW	Hardwire 480 vac	(1) 42 pole panelboard Eaton PRL1	80 x 30 x 36	1150	\$22,730
124100029-003	PTE06056BAS41LL	PDU with bypass w/ 1 42 pole panelboard, full rated output lugs	60 kVA/60 kW	Hardwire 480 vac	(1) 42 pole panelboard Eaton PRL1, full output lugs	80 x 30 x 36	1170	\$23,420
124100029-004	PTE06056BAS412A	PDU with bypass w/ 1 42 pole panelboard, 2 subfeed breakers	60 kVA/60 kW	Hardwire 480 vac	(1) 42 pole panelboard Eaton PRL1, 2 subfeed breakers	80 x 30 x 36	1210	\$23,540
124100029-005	PTE06056BAS413A	PDU with bypass w/ 1 42 pole panelboard, 3 subfeed breakers	60 kVA/60 kW	Hardwire 480 vac	(1) 42 pole panelboard Eaton PRL1, 3 subfeed breakers	80 x 30 x 36	1225	\$27,130
124100029-006	PTE06056BAS414A	PDU with bypass w/ 1 42 pole panelboard, 4 subfeed breakers	60 kVA/60 kW	Hardwire 480 vac	(1) 42 pole panelboard Eaton PRL1, 4 subfeed breakers	80 x 30 x 36	1240	\$28,750
124100029-007	PTE06056BAS40LL	PDU with bypass w/ full rated output lugs	60 kVA/60 kW	Hardwire 480 vac	Full rated output lugs	80 x 30 x 36	1100	\$22,820
124100029-008	PTE06056BAS402A	PDU with bypass w/ 2 subfeed breakers	60 kVA/60 kW	Hardwire 480 vac	2 subfeed breakers	80 x 30 x 36	1130	\$25,270
124100029-009	PTE06056BAS403A	PDU with bypass w/ 3 subfeed breakers	60 kVA/60 kW	Hardwire 480 vac	3 subfeed breakers	80 x 30 x 36	1145	\$26,760
124100029-010	PTE06056BAS404A	PDU with bypass w/ 4 subfeed breakers	60 kVA/60 kW	Hardwire 480 vac	4 subfeed breakers	80 x 30 x 36	1160	\$28,410
124100029-011	PTE06056BAS42LL	PDU with bypass w/ 2 42 pole panelboard, full rated output lugs	60 kVA/60 kW	Hardwire 480 vac	(2) 42 pole panelboard Eaton PRL1, full output lugs	80 x 30 x 36	1210	\$23,890

Note:

1. Please contact Pre-sales Support to specify what trip ratings are needed for the subfeed breakers.
2. All subfeed breakers are standard Eaton FD frames, rated at 225A trip.
3. The PDU with bypass should be discounted at the same multiplier level as the BladeUPS system.

EATON 9355 UPS

Powerware series



Double-conversion (10–15 kVA)

This innovative design delivers one of the industry's best combinations of high efficiency, low input current distortion and highest power factor, while conserving valuable space and offering the most cost-effective, highest performance option available today.

- True double-conversion topology protects equipment from all nine of the most common power problems
- Industry leading power density, providing up to 20 percent more power capacity in a compact tower design including batteries
- Up to 350 percent more standard runtime
- Up to a 74 percent footprint reduction and up to an 83 percent total size reduction
- Flexible on-board power distribution modules (PDMs) allow for hardwired output or up to 15 different output receptacle options, reducing installation and site preparation expenses
- Plug-and-play rack Enclosure power distribution with the 9355 on-board PDU
- Inherently scalable from 10–15 and 20–30 kVA, allowing you to pay as you grow or increase capacity with no additional hardware purchases or installation concerns
- Eaton's patented Hot Sync paralleling technology allows for wireless paralleling in the event of communications failure, providing the industry's only truly redundant paralleling technology
- Flexible 0 footprint extended run configurations allow for adding additional runtime in the same industry-leading compact footprint
- Includes rear-mounted bypass switch
- Includes on-site 5x8 startup and operator training by Eaton field technician
- Includes one year of eNotify remote monitoring service (requires connectivity parts and self installation)

9355 (10–15 kVA) MODELS

Description	Part Number ¹	Rating	Input/Output Voltage	Base Runtime (min)	Dimensions (H x W x D, inches) ³	Weight (lb) ³	List Price
PW9355 10 kVA with 32-Battery (2-high)	KA1011100000010	10 kVA/9 kW	208/208	8	32.2 x 12.0 x 33.7	373	\$16,375
PW9355 10 kVA with 64-Battery (3-high)	KA1012100000010	10 kVA/9 kW	208/208	22	47.8 x 12.0 x 33.7	609	\$18,230
PW9355 10 kVA with 32-Battery (2-high)	KA1011200000010	10 kVA/9 kW	220/220 ²	8	32.2 x 12.0 x 33.7	373	\$16,375
PW9355 10 kVA with 64-Battery (3-high)	KA1012200000010	10 kVA/9 kW	220/220 ²	22	47.8 x 12.0 x 33.7	609	\$18,230
PW9355 10 kVA with 32-Battery and input isolation transformer (3-high)	KA1013400000010	10 kVA/9 kW	480/208	8	47.8 x 12.0 x 33.7	577	\$20,865
PW9355 10 kVA with 32-Battery and input isolation transformer (3-high)	KA1013600000010	10 kVA/9 kW	600/208	8	47.8 x 12.0 x 33.7	577	\$20,865
PW9355 15 kVA with 32-Battery (2-high)	KA1511100000010	15 kVA/13.5 kW	208/208	4	32.2 x 12.0 x 33.7	373	\$17,788
PW9355 15 kVA with 64-Battery (3-high)	KA1512100000010	15 kVA/13.5 kW	208/208	13	47.8 x 12.0 x 33.7	609	\$19,687
PW9355 15 kVA with 32-Battery (2-high)	KA1511200000010	15 kVA/13.5 kW	220/220 ²	4	32.2 x 12.0 x 33.7	373	\$17,788
PW9355 15 kVA with 64-Battery (3-high)	KA1512200000010	15 kVA/13.5 kW	220/220 ²	13	47.8 x 12.0 x 33.7	609	\$19,687
PW9355 15 kVA with 32-Battery and input isolation transformer (3-high)	KA1513400000010	15 kVA/13.5 kW	480/208	4	47.8 x 12.0 x 33.7	577	\$22,015
PW9355 15 kVA with 32-Battery and input isolation transformer (3-high)	KA1513600000010	15 kVA/13.5 kW	600/208	4	47.8 x 12.0 x 33.7	577	\$22,015

1. 50/60 Hz auto-sensing.

2. 220V units are wye connected 220/127V input and 220/127V output, three-phase, 4-wire plus ground.

3. Add 47 lbs for 2-high configurations or 50 lbs for 3-high configurations to determine shipping weight.

4. An input neutral is required for all configurations unless the input isolation transformer is used.

5. For parallel systems, change CTO digit #5 to a "2" and add \$300 to the list price and include Parallel Tie Cabinet. Eaton startup is required for factory warranty of parallel configuration.

SURGE PROTECTION

See the surge protection product section for more details.

SOFTWARE AND CONNECTIVITY OPTIONS

Description	Part Number	List Price
Power Xpert Gateway UPS Card	PXGXUPS (103007974-5591)	\$450

Bundled with Intelligent Power Software Suite CD and communication cable. See the software and connectivity sections for more details.

SERVICES

For detailed information on service plans, please refer to the Three-phase Service section on page 130.

EATON 9355 UPS

Powerware series *(continued)*

9355 OPTIONS

Description	Part Number	Additional Information	Input/Output Voltage	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PW9355 10-15 kVA 2-High Line & Match Extended Battery Module	103004192-5501	64 Batteries	-	32.2 x 12.0 x 30.2	480	\$6,099
PW9355 10-15 kVA 3-High Line & Match Extended Battery Module	103004193-5501	96 Batteries	-	47.8 x 12.0 x 30.2	710	\$8,702
PW9355 Wall Mount Parallel Tie Cabinet, 2-Breaker MBP (225A Bus, 200A Neutral, (1) 225A MBP, & (4) 80A MOB's)	124100020-001*	-	208V/208V	36.0 x 20.0 x 5.75	68'	\$1,705
PW9355 Wall Mount Parallel Tie Cabinet With MIS Breaker (225A MBP, 225A MIS, & (4) 80A MOB's)	124100020-002*	-	208V/208V	60 x 20.0 x 5.75	140	\$4,049
PW9355 Remote EPO Switch	103002939	Wall-mounted	-	-	-	\$286
PW9355 10-15 kVA Seismic Mounting Kit	103004194-5501	Zone 4 Kit	-	-	-	\$2,023
Remote Monitor Panel requires Industrial Relay X-Slot Card part		See section for Connectivity Options & Pricing				
CAN Bridge Parallel Card	103004336*	-	-	-	-	\$519

1. This is a net weight; please add 40 lb for the shipping weight of the panels and 50 lb for panels with panelboard provisions.

* Eaton startup is required for factory warranty of parallel configuration

9355 BYPASS PANELS

Description	Part Number	Input/Output Voltage	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PW9355 15 kVA 3-breaker Maintenance Bypass Panel (100A Bus, 200A Neutral, & 60A MBP, MIB, MIS)	124100027-001	208V/208V	48.0 x 20.0 x 5.8	120	\$3,588
PW9355 15 kVA 3-breaker Maintenance Bypass Panel with integral 120 KA TVSS (100A Bus, 200A Neutral, & 60A MBP, MIB, MIS)	124100027-002	208V/208V	60.0 x 20.0 x 5.8	120	\$6,810
PW9355 15 kVA 3-breaker Maintenance Bypass Panel with 36-Pole Distribution Provisions (Cutler-Hammer GHB 65 kAIC)	124100027-003	208V/208V	72.0 x 20.0 x 5.8	210	\$4,004
PW9355 15 kVA 3-breaker Maintenance Bypass Panel with 36-Pole Distribution Provisions & Integrated TVSS (Cutler-Hammer GHB 65 kAIC)	124100027-004	208V/208V	90.0 x 20.0 x 5.8	225	\$7,384
PW9355 15 kVA 3-breaker Maintenance Bypass Panel with 36-Pole Distribution Provisions (Cutler-Hammer GHBW 22 kAIC)	124100027-006	208V/208V	72.0 x 20.0 x 5.8	210	\$4,004
PW9355 15 kVA 3-breaker Maintenance Bypass Panel with 36-Pole Distribution Provisions (Cutler-Hammer BAB 10 kAIC)	124100027-007	208V/208V	72.0 x 20.0 x 5.8	210	\$4,004
PW9355 15 kVA 3-breaker Maintenance Bypass Panel with 36-Pole Distribution Provisions & Integrated TVSS (Cutler-Hammer GBHW 22 kAIC)	124100027-008	208V/208V	90.0 x 20.0 x 5.8	225	\$7,384
PW9355 15 kVA 3-breaker Maintenance Bypass Panel with 36-Pole Distribution Provisions & Integrated TVSS (Cutler-Hammer BAB 10 kAIC)	124100027-009	208V/208V	90.0 x 20.0 x 5.8	225	\$7,384

1. This is a net weight; please add 40 lb for the shipping weight of the panels and 50 lb for panels with panelboard provisions.

OUTPUT RECEPTACLES

Receptacle Codes	(Qty) NEMA Type	Enter "Receptacle Code" into CTO Digits #	Price Adder for EACH Receptacle Code Chosen
2	(1) L15-30R	9, 10 or 11 only	\$220
3	(1) L21-20R	9, 10 or 11 only	\$220
4	(1) L21-30R	9, 10 or 11 only	\$220
A	(2) 5-15R	9,10,11,12	\$220
B	(2) 5-20R UL	9,10,11,12	\$220
D	(2) 6-15R	9,10,11,12	\$220
E	(2) 6-20R	9,10,11,12	\$220
F	(2) L5-15R	9,10,11,12	\$220
G	(1) L5-20R*	9,10,11,12	\$220
H	(1) L5-30R*	9,10,11,12	\$220
I	(2) L6-15R	9,10,11,12	\$220
J	(1) L6-20R*	9,10,11,12	\$220
K	(1) L6-30R*	9,10,11,12	\$220
L	(1) L14-20R*	9,10,11,12	\$220
M	(1) L14-30R*	9,10,11,12	\$220
X	Blank Panel	9,10,11,12	\$20
N	(2) IEC 320 C13 (120V)	9,10,11,12	\$220
P	(2) IEC 320 C19 (120V)	9,10,11,12	\$220

Note: Arrange receptacle codes in numerical-alphabetical order in digits 9 through 12 of the CTO number

Example 1: a PDM with an L21-20, an L14-30, and Qty 2 IEC320-C19 would have digits 9 through 12 of the CTO arranged as "3MPP"

Example 2: a PDM with a 5-15R, and an L6-30, and an L14-30 would have digits 9 through 12 of the CTO arranged as "AKMX"

The combined quantities of LOCKING receptacles (denoted by *) must not exceed 4 per unit.

Please be sure to utilize the "X" designation for any of the 4 total slots not populated.

EATON 9355 UPS

Powerware series (continued)

BUILT-IN CONNECTIVITY OPTIONS

Description	Value for CTO Digit 8	Part Number (if ordered separately)	List Price
NONE (No Pre-installed X-Slot card)	0	-	\$0
Modbus Card-X-Slot	4	103005425-5591	\$661
Relay Interface Card-X-Slot (AS/400 Compatible)	5	1018460	\$146
Industrial Relay and Display Drive Card X-Slot	6	103003055	\$335

Note: You can have up to two optional connectivity cards installed.

9355 BATTERY BACKUP TIMES (in minutes) @ 0.9 POWER FACTOR

Load (VA/Watts)	UPS + Internal					UPS + Internal				
	32 Battery	+1 EBM 64	+2 EBM 64	+3 EBM 64	+4 EBM 64	64 Battery	+1 EBM 96	+2 EBM 96	+3 EBM 96	
15000/13500	4.6	23.0	43.0	65.1	88.6	13.3	43.0	76.7	113.0	
14500/13050	4.9	24.1	45.2	68.3	93.0	14.1	45.2	80.5	119.0	
14000/12600	5.2	25.2	47.3	71.5	97.4	14.9	47.3	84.2	125.0	
13500/12150	5.5	26.4	49.4	74.7	102.0	15.8	49.4	88.1	130.0	
13000/11700	5.8	27.6	51.6	78.1	106.0	16.7	51.6	92.0	136.0	
12500/11250	6.1	28.8	54.0	81.6	111.0	17.6	54.0	96.2	142.0	
12000/10800	6.5	30.2	56.5	85.5	116.0	18.6	56.5	101.0	149.0	
11500/10350	6.9	31.6	59.3	89.7	122.0	19.2	59.3	106.0	156.0	
11000/9900	7.3	33.3	62.4	94.4	129.0	20.2	62.4	111.0	164.0	
10500/9450	7.8	35.1	65.9	99.6	136.0	21.4	65.9	117.0	174.0	
10000/9000	8.4	37.2	69.8	106.0	144.0	22.6	69.8	124.0	184.0	
9500/8550	9.1	39.6	74.2	112.0	153.0	24.1	74.2	132.0	196.0	
9000/8100	9.9	42.3	79.4	120.0	163.0	25.7	79.4	141.0	209.0	
8500/7650	10.8	45.5	85.2	129.0	175.0	27.6	85.2	152.0	225.0	
8000/7200	11.9	49.1	91.9	139.0	189.0	29.8	91.9	164.0	242.0	
7500/6750	13.1	53.2	99.7	151.0	205.0	32.3	99.7	178.0	263.0	
7000/6300	14.6	58.0	109.0	164.0	224.0	35.2	109.0	194.0	286.0	
6500/5850	16.3	63.5	119.0	180.0	245.0	38.6	119.0	212.0	314.0	
6000/5400	18.4	70.0	131.0	198.0	270.0	42.5	131.0	234.0	346.0	
5500/4950	20.1	77.6	145.0	220.0	300.0	47.2	145.0	259.0	383.0	
5000/4500	22.4	86.6	162.0	245.0	334.0	52.6	162.0	289.0	428.0	
4500/4050	25.2	97.4	182.0	276.0	376.0	59.2	182.0	325.0	-	
4000/3600	28.6	110.0	207.0	313.0	426.0	67.1	207.0	369.0	-	
3500/3150	32.8	127.0	238.0	359.0	-	77.0	238.0	423.0	-	
3000/2700	38.3	148.0	277.0	418.0	-	89.7	277.0	-	-	
2500/2250	45.6	176.0	329.0	-	-	107.0	329.0	-	-	

Note: Backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc.

EATON 9355 UPS

Powerware series (continued)

9355 (20–30 KVA) MODELS

20 kVA (18 kW)

Description	Part Number ¹	Input/Output Voltage	Base Runtime (min)	Dimensions (H x W x D, inches) ³	Weight (lb) ³	List Price	System Price
PW9355 20 kVA with Internal Batteries	KB2013100000010	208/208	18	66.0 x 20.0 x 34.1	1160	\$24,393	\$24,393
PW9355 20 kVA Single Feed with Options Cabinet & Internal Batteries	KB2013100000010 KBT001100000010*	208/208 Input Isolation options Cab	18	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 535	\$24,393 \$5,624	\$30,017
PW9355 20 kVA with Internal Batteries & Dual Feed Isolation Transformer (2 Opt Cabs)	KB2013100000010 KBT001100000010* KBT002100000010	208/208 Input Isolation options Cab Output Isolation options Cab	18	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 535 535	\$24,393 \$5,624 \$5,624	\$35,641
PW9355 20 kVA with Internal Batteries	KB2013200000010	220/220 ²	18	66.0 x 20.0 x 34.1	1160	\$24,393	\$24,393
PW9355 20 kVA with Internal Batteries & Single Feed Options Cabinet	KB2013100000010 KBT001200000010*	480/208 Input Isolation options Cab	18	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 535	\$24,393 \$5,624	\$30,017
PW9355 20 kVA Dual Feed with Options Cabinets & Internal Batteries (2 Opt Cabs)	KB2013100000010 KBT002200000010 KBT001200000010*	480/208 Input Isolation options Cab Output Isolation options Cab	18	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 535 535	\$24,393 \$5,624 \$5,624	\$35,641
PW9355 20 kVA Single Feed with Options Cabinets & Internal Batteries	KB2013100000010 KBT001300000010*	600/208 Input Isolation options Cab	18	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 535	\$24,393 \$5,624	\$30,017
PW9355 20 kVA Dual Feed with Options Cabinets & Internal Batteries	KB2013100000010 KBT001300000010* KBT002300000010	600/208 Input Isolation options Cab Output Isolation options Cab	18	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 535 535	\$24,393 \$5,624 \$5,624	\$35,641
PW9355 20 kVA Single Feed with Options Cabinet & Internal Batteries (1 Opt Cab)	KB2013100000010 KBT004200000010*	480/480 Input Isolation options Cab	18	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 792	\$24,393 \$11,248	\$35,641

30 kVA (27 kW)

Description	UPS Part (CTO) Number	Input/Output Voltage	Base Runtime (min)	Dimensions (H x W x D, inches) ³	Weight (lb) ³	List Price	System Price
PW9355 30 kVA with Internal Batteries	KB3013100000010	208/208	11	66.0 x 20.0 x 34.1	1160	\$25,565	\$25,565
PW9355 30 kVA Single Feed with Options Cabinet & Internal Batteries, including Isolation	KB3013100000010 KBT001100000010*	208/208 Input Isolation options Cab	11	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 535	\$25,565 \$5,624	\$31,189
PW9355 30 kVA with Internal Batteries & Dual Feed Isolation Transformer (2 Opts Cabs)	KB3013100000010 KBT001100000010* KBT002100000010	208/208 Input Isolation options Cab Output Isolation options Cab	11	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 535 535	\$25,565 \$5,624 \$5,624	\$36,813
PW9355 30 kVA with Internal Batteries	KB3013200000010	220/220 ²	11	66.0 x 20.0 x 34.1	1160	\$25,565	\$25,565
PW9355 30 kVA with Internal Batteries & Single Feed Options Cabinet	KB3013100000010 KBT001200000010*	480/208 Input Isolation options Cab	11	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 535	\$25,565 \$5,624	\$31,189
PW9355 30 kVA Dual Feed with Options Cabinets & Internal Batteries (2 Opts Cabs)	KB3013100000010 KBT001200000010* KBT002200000010	480/208 Input Isolation options Cab Output Isolation options Cab	11	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 535 535	\$25,565 \$5,624 \$5,624	\$36,813
PW9355 30 kVA Single Feed with Options Cabinet & Internal Batteries	KB3013100000010 KBT001300000010*	600/208 Input Isolation options Cab	11	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 535	\$25,565 \$5,624	\$31,189
PW9355 30 kVA Dual Feed with Options Cabinet & Internal Batteries (2 Opts Cabs)	KB3013100000010 KBT001300000010* KBT002300000010	600/208 Input Isolation options Cab Output Isolation options Cab	11	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 535 535	\$25,565 \$5,624 \$5,624	\$36,813
PW9355 30 kVA Single Feed with Options Cabinet & Internal Batteries (1 Opt Cab)	KB3013100000010 KBT004200000010*	480/480 Input Isolation options Cab	11	66.0 x 20.0 x 34.1 66.0 x 20.0 x 34.1	1160 792	\$25,565 \$11,248	\$36,813

* contains MBP Rotary Style

1. 50/60 Hz auto-sensing.

2. 220V units are wye connected 220/127V input and 220/127V output, three-phase, 4-wire plus ground.

3. Add 47 lb for 2-high configurations or 50 lbs for 3-high configurations to determine shipping weight.

4. An input neutral is required for all configurations unless the input isolation transformer is used.

5. For parallel systems, change CTO digit #5 to a "2" and add \$500 to the list price and include Parallel Tie Cabinet.. Eaton startup is required for factory warranty of parallel configuration.

EATON 9355 UPS

Powerware series *(continued)*

9355 OPTIONS

Description	Part Number	Rating	Input/Output Voltage	Dimensions (H x W x D, inches)	Weight (lb) ¹	List Price
PW9355 20 & 30 kVA 2 String Line & Match Extended Battery Cabinet	103005183	36	-	66.0 x 20.0 x 34.1	1105.0	\$8,775
PW9355 20 & 30 kVA 4 String Line & Match Extended Battery Cabinet	103004868	72	-	66.0 x 20.0 x 34.1	2060.0	\$13,392
Option Cabinet, Containing Maintenance Bypass, with No Transformer	KBT000000000010	-	208/208	67.0 x 20.0 x 34.1	205.0	\$2,511
PW9355 30 kVA Wall-mount Parallel Tie Cabinet 2-Breaker MBP (400A Bus, 200A Neutral, 1 350A MBP, & (4) 110A MOB's)	124100026-001*	-	208/208	48.0 x 20.0 x 5.8	150.0 ¹	\$3,166
PW9355 30 kVA Wall-mount Parallel Tie Cabinet with MIS Breaker (350A MBP, 350A MIS, & (4) 110A MOB's)	124100026-002*	-	208/208	57.0 x 24.0 x 11.3	235	\$7,324
Remote EPO Switch	103002939	Wall-mounted	-	-	-	\$286
Zone 4 Seismic Kit (UPS Cabinet only)	103004896	Zone 4 Kit	-	-	-	\$546
Remote Monitor Panel requires Industrial Relay X-Slot Card part		See section for Connectivity Options & Pricing				
CAN Bridge Parallel Card	103004336*	-	-	-	-	\$519
UPS Optional Output Breaker (125A, Change Digit #5 in CTO number to "3" for RT systems)						\$250

1. This is a net weight; please add 40 lb for the shipping weight of the panels and 50 lb for panels with panelboard provisions.

Notes: Up to 3 EBM's can be added to each UPS for extended runtime. To find items and pricing for spare parts, kVA upgrades and parallel upgrades, please refer to the 9355 services page.

* Eaton startup is required for factory warranty of parallel configuration

9355 BYPASS PANELS

Description	Part Number	Input/Output Voltage	Dimensions (H x W x D, inches)	Weight (lb) ¹	List Price
PW9355 20 & 30 kVA 3-breaker Maintenance Bypass Panel (225A Bus, 225A Neutral, & 110A MBP, 125A MIB, 110A MIS)	124100028-001	208/208	48.0 x 20.0 x 5.8	120	\$4,095
PW9355 20 & 30 kVA 3-breaker Maintenance Bypass Panel with integral 120 KA TVSS (225A Bus, 225A Neutral, & 110A MBP, 125A MIB, 110A MIS)	124100028-002	208/208	60.0 x 20.0 x 5.8	120	\$7,775
PW9355 20 & 30kVA 3-Breaker Maintenance Bypass Panel with 36-pole Distribution Provisions (Cutler-Hammer GHB 65 kAIC)	124100028-003	208/208	72.0 x 20.0 x 5.8	210	\$4,723
PW9355 20 & 30 kVA 3-Breaker Maintenance Bypass Panel with 36-pole Distribution Provisions & Integrated TVSS (Cutler-Hammer GHB 65 kAIC)	124100028-004	208/208	90.0 x 20.0 x 5.8	225	\$8,135
PW9355 20 & 30kVA 3-Breaker Maintenance Bypass Panel with 36-pole Distribution Provisions (Cutler-Hammer GBHW 22 kAIC)	124100028-006	208/208	72.0 x 20.0 x 5.8	210	\$4,723
PW9355 20 & 30kVA 3-Breaker Maintenance Bypass Panel with 36-pole Distribution Provisions (Cutler-Hammer BAB 10 kAIC)	124100028-007	208/208	72.0 x 20.0 x 5.8	210	\$4,723
PW9355 20 & 30 kVA 3-Breaker Maintenance Bypass Panel with 36-pole Distribution Provisions & Integrated TVSS (Cutler-Hammer GBHW 22 kAIC)	124100028-008	208/208	90.0 x 20.0 x 5.8	225	\$8,135
PW9355 20 & 30 kVA 3-Breaker Maintenance Bypass Panel with 36-pole Distribution Provisions & Integrated TVSS (Cutler-Hammer BAB 10 kAIC)	124100028-009	208/208	90.0 x 20.0 x 5.8	225	\$8,135

1. This is a net weight; please add 40 lb for the shipping weight of the panels and 50 lb for panels with panelboard provisions.

Note: Please specify preference for breakers.

9355 BUILT-IN CONNECTIVITY OPTIONS

Available X-Slot card options

Description	Value for CTO Digit 8	Part Number (if ordered separately)	List Price
NONE (No pre-installed X-Slot card)	0	-	\$0
Modbus Card-X-Slot	4	103005425-5591	\$661
Relay Interface Card-X-Slot (AS/400 Compatible)	5	1018460	\$146
Industrial Relay and Display Drive Card X-Slot	6	103003055	\$335

Note: UPS has two X-Slots, one of which can be populated or factory installed, with the second X-Slot accessory supplied separately.

SOFTWARE AND CONNECTIVITY OPTIONS

Description	Part Number	List Price
Power Xpert Gateway UPS Card	PXGXUPS (103007974-5591)	\$450

Bundled with Intelligent Power Software Suite CD and communication cable. See the software and connectivity sections for more details.

EATON 9355 UPS

Powerware series (*continued*)

9355 BATTERY BACKUP TIMES (in minutes)

Load (VA/Watts)	UPS w/Internal Battery	Internal Battery +EBC 36	Internal Battery +EBC 72	Internal Battery +2 EBC 72	Internal Battery +3 EBC 72
30000/27000	11	31	56	89	108
29000/26100	11	33	58	90	109
28000/25200	12	35	60	93	111
27000/24300	12	38	62	95	114
26000/23400	13	40	65	98	118
25000/22500	14	43	68	101	124
24000/21600	14	46	71	103	129
23000/20700	15	48	74	106	134
22000/19800	16	51	76	109	144
21000/18900	17	53	79	111	152
20000/18000	18	56	82	114	160
19000/17100	19	58	85	117	175
18000/16200	20	62	88	120	189
17000/15300	22	66	92	130	204
16000/14400	24	71	96	142	219
15000/13500	26	75	101	154	234
14000/12600	28	79	105	166	249
13000/11700	31	84	110	178	265
12000/10800	35	88	114	201	280
11000/9900	38	94	119	226	319
10000/9000	42	101	134	251	355
7500/6750	58	117	188	347	471
5000/4500	90	188	294	543	610

Note: Battery backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc.

SERVICES

For detailed information on service plans, please refer to the Three-phase Service section on page 130.

EATON EMERGENCY LIGHTING UPS

Eaton's Emergency Lighting product line offers a UPS system and line and match battery cabinets to achieve the minimum UL 924 required 90 minutes of runtime. The Eaton Emergency Lighting UPS line combines the industry's highest capacity and smallest footprint, making it the most cost-effective solution to comply with Emergency Lighting.

All solutions are fully tested to comply with UL 924.

- 90 minutes of runtime
- Allows for a manually operated and protected test switch
- 10-30 kVA
- 208, 277 and 480V options



SINGLE-PHASE EMERGENCY LIGHTING

Description	Part Number	Individual Description	Quantity Required	Rating (kVA/kW)	Input/Output Voltage	System Runtime (min)	Dimensions (H x W x D, inches)	Weight (lb)	Individual List Price	System List Price
Eaton Emergency Lighting Single-phase 7 kW 277V UPS System	K4101200000000	9155 10 kVA UPS	1						\$14,567	
	BH-10KEL2081P-100	UPS Upgrade	1						\$2,712	
	103004193-5501	9155 Battery Cabinet	2	10/7.2	277/277	134	47.8 x 48.0 x 33.7	2,408	\$8,702	\$46,467
	BH-EBM96EL-600	Battery Upgrade	2						\$926	
	BH-KBT001-200	277/277V Transformer	1						\$9,932	
Eaton Emergency Lighting Single-phase 9 kW 277V UPS System	K4151200000000	9155 15 kVA UPS	1						\$16,632	
	BH-15KEL2081P-100	UPS Upgrade	1						\$3,120	
	103004193-5501	9155 Battery Cabinet	2	15/9	277/277	120	47.8 x 48.0 x 33.7	2,408	\$8,702	\$48,940
	BH-EBM96EL-600	Battery Upgrade	2						\$926	
	BH-KBT001-200	277/277V Transformer	1						\$9,932	

THREE-PHASE EMERGENCY LIGHTING

Description	Part Number	Individual Description	Quantity Required	Rating (kVA/kW)	Input/Output Voltage	System Runtime (min)	Dimensions (H x W x D, inches)	Weight (lb)	Individual List Price	System List Price
Eaton Emergency Lighting Three-phase 8.5 kW 208V UPS System	KA1012100000010	9355 10 kVA UPS	1						\$18,230	
	BH-10KEL2083P-100	UPS Upgrade	1	10/8.5	208/208	124	47.8 x 36.0 x 33.7	2,029	\$3,472	\$40,958
	103004193-5501	9355 Battery Cabinet	2						\$8,702	
	BH-EBM96EL-600	Battery Upgrade	2						\$926	
	KA1512100000010	9355 15 kVA UPS	1						\$19,687	
Eaton Emergency Lighting Three-phase 13 kW 208V UPS System	BH-15KEL2083P-100	UPS Upgrade	1	15/13.1	208/208	113	47.8 x 48.0 x 33.7	2,739	\$3,876	\$52,447
	103004193-5501	9355 Battery Cabinet	3						\$8,702	
	BH-EBM96EL-600	Battery Upgrade	3						\$926	
	KB2013100000010	9355 20 kVA UPS	1						\$24,393	
	BH-20KEL2083P-100	UPS Upgrade	1	20/18	208/208	114	66.0 x 60.0 x 34.1	5,280	\$4,583	\$58,694
Eaton Emergency Lighting Three-phase 18 kW 208V UPS System	103004868	9355 Battery Cabinet	2						\$13,392	
	BH-EBC72EL-600	Battery Upgrade	2						\$1,467	
	KB3013100000010	9355 30 kVA UPS	1						\$25,565	
	BH-30KEL208SF-100	UPS Upgrade	1	30/24	208/208	108	66.0 x 60.0 x 34.1	5,280	\$4,955	\$60,238
	103004868	9355 Battery Cabinet	2						\$13,392	
Eaton Emergency Lighting Three-phase 24 kW 208V UPS System	BH-EBC72EL-600	Battery Upgrade	2						\$1,467	
	KB3013100000010	9355 30 kVA UPS	1						\$25,565	
	BH-30KEL2083P-100	UPS Upgrade	1	30/27	208/208	90	66.0 x 80.0 x 34.1	7,340	\$4,955	\$75,097
	103004868	9355 Battery Cabinet	3						\$13,392	
	BH-EBC72EL-600	Battery Upgrade	3						\$1,467	
Eaton Emergency Lighting Three-phase 18 kW 480V UPS System	KB2013100000010	9355 20 kVA UPS	1						\$24,393	
	BH-20KEL2083P-100	UPS Upgrade	1	20/18	480/277	114	66.0 x 80.0 x 34.1	6,072	\$4,583	\$72,191
	103004868	9355 Battery Cabinet	2						\$13,392	
	BH-EBC72EL-600	Battery Upgrade	2						\$1,467	
	KBT0042000000010	9355 Options Cabinet	1						\$11,248	
Eaton Emergency Lighting Three-phase 24 kW 480V UPS System	BH-KBT004-200	Options Upgrade	1						\$2,249	
	KB3013100000010	9355 30 kVA UPS	1						\$25,565	
	BH-30KEL208SF-100	UPS Upgrade	1	30/24	480/277	108	66.0 x 80.0 x 34.1	6,072	\$4,955	\$73,735
	103004868	9355 Battery Cabinet	2						\$13,392	
	BH-EBC72EL-600	Battery Upgrade	2						\$1,467	
Eaton Emergency Lighting Three-phase 27 kW 480V UPS System	KBT0042000000010	9355 Options Cabinet	1						\$11,248	
	BH-KBT004-200	Options Upgrade	1						\$2,249	
	KB3013100000010	9355 30 kVA UPS	1						\$25,565	
	BH-30KEL2083P-100	UPS Upgrade	1	30/27	480/277	90	66.0 x 100.0 x 34.1	8,132	\$4,955	\$88,594
	103004868	9355 Battery Cabinet	3						\$13,392	
Eaton Emergency Lighting Three-phase 27 kW 480V UPS System	BH-EBC72EL-600	Battery Upgrade	3						\$1,467	
	KBT0042000000010	9355 Options Cabinet	1						\$11,248	
	BH-KBT004-200	Options Upgrade	1						\$2,249	

EATON 93E UPS & ACCESSORIES

The Eaton 93E UPS delivers three key benefits that drive a lower total cost of ownership (TCO): internal batteries, compact footprint and energy-efficiency.

Energy-efficient

- Delivers up to 98% efficiency
- Up to 7% more efficient than competitive units
- Helps you qualify for local utility rebates and incentives

Internal batteries

- Deliver up to 21 minutes of runtime
- Pre-wired for easy installation

Compact footprint

- Up to 35% smaller than similarly specified competitive solutions
- Allows dedication of more floor space to revenue-producing equipment



20-30 kVA

40-60 kVA

93E 20 and 30 KVA UPS MODELS (50/60 Hz)

Description	Part Number	Input/Output Voltage	Input Feed	Internal Runtime (min)	Dimensions (H x W x D, inches)	Weight (lb)	List Price
20 kVA (16 kW) Requires hardware to upgrade to 30 kVA or add EBCs¹							
20 kVA UPS Single Feed with Internal Batteries	9EF02GG03001003	208 or 220V	Single	12	53.5 x 20.9 x 31.5	831	\$20,400
20 kVA UPS Single Feed with Internal Batteries & MS Network Card	9EF02GG03021003	208 or 220V	Single	12	53.5 x 20.9 x 31.5	831	\$20,650
20 kVA UPS Single Feed with Internal Batteries & MS Network/ModBus Card	9EF02GG03031003	208 or 220V	Single	12	53.5 x 20.9 x 31.5	831	\$20,750
20 kVA UPS Dual Feed with Internal Batteries	9EF02GG03002003	208 or 220V	Dual	12	53.5 x 20.9 x 31.5	840	\$20,500
20 kVA UPS Dual Feed with Internal Batteries & MS Network Card	9EF02GG03022003	208 or 220V	Dual	12	53.5 x 20.9 x 31.5	840	\$20,750
20 kVA UPS Dual Feed with Internal Batteries & MS Network/ModBus Card	9EF02GG03032003	208 or 220V	Dual	12	53.5 x 20.9 x 31.5	840	\$20,850
20 kVA (16 kW) Upgrade to 30 kVA by Firmware, EBC capable²							
20 kVA UPS Single Feed with Internal Batteries	9EA02GG05001003	208 or 220V	Single	21	53.5 x 20.9 x 31.5	1049	\$21,800
20 kVA UPS Single Feed with Internal Batteries & MS Network Card	9EA02GG05021003	208 or 220V	Single	21	53.5 x 20.9 x 31.5	1049	\$22,050
20 kVA UPS Single Feed with Internal Batteries & MS Network/ModBus Card	9EA02GG05031003	208 or 220V	Single	21	53.5 x 20.9 x 31.5	1049	\$22,150
20 kVA UPS Dual Feed with Internal Batteries	9EA02GG05002003	208 or 220V	Dual	21	53.5 x 20.9 x 31.5	1058	\$21,900
20 kVA UPS Dual Feed with Internal Batteries & MS Network Card	9EA02GG05022003	208 or 220V	Dual	21	53.5 x 20.9 x 31.5	1058	\$22,150
20 kVA UPS Dual Feed with Internal Batteries & MS Network/ModBus Card	9EA02GG05032003	208 or 220V	Dual	21	53.5 x 20.9 x 31.5	1058	\$22,250
30 kVA (24 kW) With EBC runtime addition capability²							
30 kVA UPS Single Feed with Internal Batteries	9EA03GG05001003	208 or 220V	Single	12	53.5 x 20.9 x 31.5	1049	\$23,500
30 kVA UPS Single Feed with Internal Batteries & MS Network Card	9EA03GG05021003	208 or 220V	Single	12	53.5 x 20.9 x 31.5	1049	\$23,750
30 kVA UPS Single Feed with Internal Batteries & MS Network/ModBus Card	9EA03GG05031003	208 or 220V	Single	12	53.5 x 20.9 x 31.5	1049	\$23,850
30 kVA UPS Dual Feed with Internal Batteries	9EA03GG05002003	208 or 220V	Dual	12	53.5 x 20.9 x 31.5	1058	\$23,600
30 kVA UPS Dual Feed with Internal Batteries & MS Network Card	9EA03GG05022003	208 or 220V	Dual	12	53.5 x 20.9 x 31.5	1058	\$23,850
30 kVA UPS Dual Feed with Internal Batteries & MS Network/ModBus Card	9EA03GG05032003	208 or 220V	Dual	12	53.5 x 20.9 x 31.5	1058	\$23,950

EATON 93E UPS & ACCESSORIES

(continued)

93E (20-30 KVA) MAINTENANCE BYPASS OPTIONS: INTEGRATED ACCESSORY CABINETS - SIAC-B, IAC-B and WALL MOUNT BYPASS CABINETS

Description	Part Number	Input/Output Voltage	Input Feed	Installation Location	Dimensions (H x W x D, inches)	Weight (lb)	List Price
93E 20-30 kVA SIAC-B - Slim line Bypass for Single Feed Units (right)	9EZHA1010000000	208 or 220V	Single	Right	53.5 x 8.0 x 31.5	165	\$3,600
93E 20-30 kVA SIAC-B - Slim line Bypass for Single Feed Units (left) ³	9EZHA1020000000	208 or 220V	Single	Left	53.5 x 8.0 x 31.5	165	\$3,600
93E 20-30 kVA SIAC-B - Slim line Bypass for Dual Feed Units (right)	9EZHA2010000000	208 or 220V	Dual	Right	53.5 x 8.0 x 31.5	178	\$4,000
93E 20-30 kVA SIAC-B - Slim line Bypass for Dual Feed Units (left) ³	9EZHA2020000000	208 or 220V	Dual	Left	53.5 x 8.0 x 31.5	178	\$4,000
93E 20-30 kVA IAC-B - Maintenance Bypass for Single Feed Units (full width)	9EZBA1000000000	208 or 220V	Single	Either	53.5 x 20.9 x 31.5	237	\$7,100
93E 20-30 kVA IAC-B - Maintenance Bypass for Dual Feed Units (full width)	9EZBA2000000000	208 or 220V	Dual	Either	53.5 x 20.9 x 31.5	237	\$7,300
93E 20-30 kVA Wall Mount Maintenance Bypass Panel ⁴	M1BAAX0X1XXXXXX	208 or 220V	Single ³	Wall	57.0 x 24.0 x 11.3	400	\$5,400
93E 20-30 kVA Wall Mount Maintenance Bypass Panel With 36 Pole Distribution	M9EZGA110000000	208 or 220V	Single ³	Wall	73.5 x 24.0 x 11.3	400	\$5,800

93E (20-30 KVA) TRANSFORMER OPTIONS: INTEGRATED TRANSFORMER CABINET - (ITC)

Description	Part Number	Input/Output Voltage	Input Feed	Installation Location	Dimensions (H x W x D, inches)	Weight (lb)	List Price
93E 20-30 kVA IAC - 480V input transformer, Single Transformer ⁵	9EZFAA0000000000	480/208V	Single	Line and match	53.5 x 20.9 x 31.5	496	\$7,400
93E 20-30 kVA IAC - 480V input, 480V output Dual Transformers ⁵	9EZFAB0000000000	480/480V	Single	Line and match	53.5 x 20.9 x 31.5	834	\$9,900

93E (20-30 KVA) POWER DISTRIBUTION OPTIONS: INTEGRATED ACCESSORY CABINET - DISTRIBUTION - IAC-D

Description	Part Number	Input Voltage	Subfeed #1 Rating	Subfeed #2 Rating	Subfeed #3 Rating	Dimensions (H x W x D, inches)	Weight (lb)	List Price
93E 20-30 kVA IAC-D - W/42-pole Dist Panelboard and No Subfeed Breakers ⁶	9EZDA0000000000	208 or 220V	None	None	None	53.5 x 20.9 x 31.5	238	\$8,000
93E 20-30 kVA IAC-D - W/42-pole Dist Panelboard 1-125A Subfeed BRKR ⁶	9EZDAA0000000000	208 or 220V	125A	None	None	53.5 x 20.9 x 31.5	258	\$8,500
93E 20-30 kVA IAC-D - W/42-pole Dist Panelboard 2-125A Subfeed BRKR ⁶	9EZDAAA000000000	208 or 220V	125A	125A	None	53.5 x 20.9 x 31.5	278	\$9,000
93E 20-30 kVA IAC-D - W/42-pole Dist Panelboard 3-125A Subfeed BRKR ⁶	9EZDAAAA00000000	208 or 220V	125A	125A	125A	53.5 x 20.9 x 31.5	298	\$9,500

Subfeed Breaker Options

Subfeed breakers are also available in 60A and 40A ratings

Subfeed Breaker Options				
Subfeed breakers are also available in 60A and 40A ratings	Breaker Trip Rating changes	Original	New	Pricing change
Subfeed #1 = Part number digit 6 (9EZDA*A"000000000)	From 125A to 60A	A	B	None
Subfeed #2 = Part number digit 7 (9EZDAA*A"000000000)	From 125A to 40A	A	C	None
Subfeed #3 = Part number digit 8 (9EZDAAA*A"000000000)				

93E (20-30 KVA) PARALLELING CABINET OPTIONS: INTEGRATED ACCESSORY CABINET - TIE & BYPASS IAC-TB or TIE ONLY - IAC-T and WALL MOUNT CABINETS

Description	Part Number	Input/Output Voltage	Output Rating	Dimensions (H x W x D, inches)	Weight (lb)	List Price
93E 20-30 kVA IAC-TB - Tie/Bypass for 1+1 Redundant with Maintenance Bypass	9EZCA0100000000	208 or 220V	30kVA	53.5 x 20.9 x 31.5	326	\$9,800
93E 20-30 kVA IAC-TB - Tie/Bypass for 2+0 Capacity with Maintenance Bypass	9EZCA0200000000	208 or 220V	60kVA	53.5 x 20.9 x 31.5	326	\$10,500
93E 20-30 kVA IAC-T - Tie for up to 3+1 Redundant system	9ZEZA0400000000	208 or 220V	90kVA	53.5 x 20.9 x 31.5	375	\$11,000
93E 20-30 90 kVA Wall Mount Maintenance Bypass Panel	M1BI0X0X1XXXXXX	208 or 220V	90kVA	57.0 x 24.0 x 11.3	350	\$8,000
93E 20-30 90 kVA Wall Mount Maintenance Bypass Panel With 36 Pole Distribution	M9EZGA310000000	208 or 220V	90kVA	57.0 x 24.0 x 11.3	350	\$9,000

EATON 93E UPS & ACCESSORIES

(continued)

93E (20-30 kVA) EXTENDED BATTERY CABINET OPTIONS

Description	Part Number	Number of Batteries	DC Voltage	Number of Strings	Dimensions (H x W x D, inches)	Weight (lb)	List Price
93E 20-30 kVA Extended Battery Cabinet ⁶	9EZAAB000000000	36	216V	2	53.5 x 20.9 x 31.5	1182	\$10,300
93E 20-30 kVA Extended Battery Cabinet ⁶	9EZAAC000000000	54	216V	3	53.5 x 20.9 x 31.5	1585	\$13,500

Notes:

1. Contact service for information on kVA upgrade kits
2. External battery cabinet (EBC) can be added at any time, however requires authorized service
3. Eaton recommends you use a left side SAIC-B if Extended battery cabinets (EBC) are to be installed
4. Wall mount bypass are three-breaker type, therefore for dual feed, separate feed will be required to be supplied by others to feed rectifier
5. Mount Transformer or IDC cabinets on the same side as SAIC-B cabinet
6. Maximum of 2 Extended Battery Cabinets can be bought for a system. See runtime chart.

93E 20 kVA BATTERY RUNTIME CHART

UPS Part No	9EF-----	UPS Part No	9EA-----	9EA-----	9EA-----	9EA-----	9EA-----
EBC		EBC		9EZAAB----	9EZAAC----	9EZAAB----	9EZAAC----
% Load on UPS	Internal Battery	% Load on UPS	Internal Battery	Qty 1	Qty 1	Qty 2	Qty 2
100%	12	100%	21	55	74	95	138
90%	14	90%	24	71	95	122	177
80%	17	80%	27	81	109	139	203
75%	18	75%	30	87	118	150	219
70%	19	70%	32	95	128	163	237
67%	21	67%	34	100	135	172	251
60%	23	60%	38	113	152	194	283
50%	28	50%	47	139	187	239	348
40%	37	40%	60	179	242	309	450
30%	51	30%	84	250	338	431	-
25%	63	25%	103	310	419	-	-
20%	81	20%	134	403	-	-	-
10%	185	10%	305	-	-	-	-

93E 30 kVA BATTERY RUNTIME CHART

UPS Part No	9EA-----	9EA-----	9EA-----	9EA-----	9EA-----
EBC		9EZAAB----	9EZAAC----	9EZAAB----	9EZAAC----
% Load on UPS	Internal Battery	Qty 1	Qty 1	Qty 2	Qty 2
100%	12	33	45	58	84
90%	14	38	51	51	95
80%	17	44	59	76	110
75%	18	48	64	82	119
70%	20	52	70	89	130
67%	21	55	74	95	138
60%	24	62	84	107	157
50%	30	77	104	133	194
40%	38	100	135	172	251
30%	53	139	187	239	348
25%	65	171	231	294	429
20%	84	221	312	381	-
10%	188	-	-	-	-

Note: Backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc.

EATON 93E UPS & ACCESSORIES

(continued)

93E 40 and 60 KVA UPS MODELS (50/60 Hz)

Description	Part Number	Input/Output Voltage	Input Feed	Internal Runtime (min) Load 100%/50%	Dimensions (H x W x D, inches)	Weight (lb)	List Price
40 kVA (32 kW) Requires hardware to upgrade to 60 kVA or add EBCs¹							
40 kVA UPS Single Feed with Internal Batteries	9EG04GG03001003	208 or 220V	Single	7 / 20	74.0 x 23.6 x 31.5	1301	\$36,000
40 kVA UPS Single Feed with Internal Batteries & MS Network Card	9EG04GG03021003	208 or 220V	Single	7 / 20	74.0 x 23.6 x 31.5	1301	\$36,250
40 kVA UPS Single Feed with Internal Batteries & MS Network/ModBus Card	9EG04GG03031003	208 or 220V	Single	7 / 20	74.0 x 23.6 x 31.5	1301	\$36,350
40 kVA UPS Dual Feed with Internal Batteries	9EG04GG03002003	208 or 220V	Dual	7 / 20	74.0 x 23.6 x 31.5	1315	\$36,100
40 kVA UPS Dual Feed with Internal Batteries & MS Network Card	9EG04GG03022003	208 or 220V	Dual	7 / 20	74.0 x 23.6 x 31.5	1315	\$36,350
40 kVA UPS Dual Feed with Internal Batteries & MS Network/ModBus Card	9EG04GG03032003	208 or 220V	Dual	7 / 20	74.0 x 23.6 x 31.5	1315	\$36,450
40 kVA (32 kW) Upgrade to 30 kVA by Firmware, EBC capable²							
40 kVA UPS Single Feed with Internal Batteries	9EB04GG05001003	208 or 220V	Single	12 / 29	74.0 x 23.6 x 31.5	1499	\$38,500
40 kVA UPS Single Feed with Internal Batteries & MS Network Card	9EB04GG05021003	208 or 220V	Single	12 / 29	74.0 x 23.6 x 31.5	1499	\$38,750
40 kVA UPS Single Feed with Internal Batteries & MS Network/ModBus Card	9EB04GG05031003	208 or 220V	Single	12 / 29	74.0 x 23.6 x 31.5	1499	\$38,850
40 kVA UPS Dual Feed with Internal Batteries	9EB04GG05002003	208 or 220V	Dual	12 / 29	74.0 x 23.6 x 31.5	1513	\$38,600
40 kVA UPS Dual Feed with Internal Batteries & MS Network Card	9EB04GG05022003	208 or 220V	Dual	12 / 29	74.0 x 23.6 x 31.5	1513	\$38,850
40 kVA UPS Dual Feed with Internal Batteries & MS Network/ModBus Card	9EB04GG05032003	208 or 220V	Dual	12 / 29	74.0 x 23.6 x 31.5	1513	\$38,950
60 kVA (48 kW) With EBC runtime addition capability²							
60 kVA UPS Single Feed with Internal Batteries	9EB06GG05001003	208 or 220V	Single	6.6 / 18	74.0 x 23.6 x 31.5	1499	\$43,000
60 kVA UPS Single Feed with Internal Batteries & MS Network Card	9EB06GG05021003	208 or 220V	Single	6.6 / 18	74.0 x 23.6 x 31.5	1499	\$43,250
60 kVA UPS Single Feed with Internal Batteries & MS Network/ModBus Card	9EB06GG05031003	208 or 220V	Single	6.6 / 18	74.0 x 23.6 x 31.5	1499	\$43,350
60 kVA UPS Dual Feed with Internal Batteries	9EB06GG05002003	208 or 220V	Dual	6.6 / 18	74.0 x 23.6 x 31.5	1513	\$43,100
60 kVA UPS Dual Feed with Internal Batteries & MS Network Card	9EB06GG05022003	208 or 220V	Dual	6.6 / 18	74.0 x 23.6 x 31.5	1513	\$43,350
60 kVA UPS Dual Feed with Internal Batteries & MS Network/ModBus Card	9EB06GG05032003	208 or 220V	Dual	6.6 / 18	74.0 x 23.6 x 31.5	1513	\$43,450

93E (40-60 KVA) MAINTENANCE BYPASS OPTIONS: INTEGRATED ACCESSORY CABINETS - SIAC-B, IAC-B and WALL MOUNT BYPASS CABINETS

Description	Part Number	Input/Output Voltage	Input Feed	Installation Location	Dimensions (H x W x D, inches)	Weight (lb)	List Price
93E 40-60 kVA SIAC-B - Slim line Bypass for Single Feed Units (right)	9EZHB1010000000	208 or 220V	Single	Right	74.0 x 8.0 x 31.5	252	\$4,900
93E 40-60 kVA SIAC-B - Slim line Bypass for Single Feed Units (left) ³	9EZHB1020000000	208 or 220V	Single	Left	74.0 x 8.0 x 31.5	252	\$4,900
93E 40-60 kVA SIAC-B - Slim line Bypass for Dual Feed Units (right)	9EZHB2010000000	208 or 220V	Dual	Right	74.0 x 8.0 x 31.5	277	\$5,500
93E 40-60 kVA SIAC-B - Slim line Bypass for Dual Feed Units (left) ³	9EZHB2020000000	208 or 220V	Dual	Left	74.0 x 8.0 x 31.5	277	\$5,500
93E 40-60 kVA IAC-B - Maintenance Bypass for Single Feed Units (full width)	9EZBB1000000000	208 or 220V	Single	Either	74.0 x 20.9 x 31.5	334	\$9,500
93E 40-60 kVA IAC-B - Maintenance Bypass for Dual Feed Units (full width)	9EZBB2000000000	208 or 220V	Dual	Either	74.0 x 20.9 x 31.5	364	\$9,900
93E 40-60 kVA Wall Mount Maintenance Bypass Panel ⁴	M1BFFX0X1XXXXXX	208 or 220V	Single ³	Wall	57.0 x 24.0 x 11.3	700	\$8,000
93E 40-60 kVA Wall Mount Maintenance Bypass Panel With 36 Pole Distribution	M9EZGB110000000	208 or 220V	Single ³	Wall	73.5 x 24.0 x 11.3	725	\$9,000

EATON 93E UPS & ACCESSORIES

(continued)

93E (40-60 KVA) TRANSFORMER OPTIONS: INTEGRATED TRANSFORMER CABINET - (ITC)

Description	Part Number	Input/Output Voltage	Input Feed	Installation Location	Dimensions (H x W x D, inches)	Weight (lb)	List Price
93E 40-60 kVA IAC - 480V input transformer, Single Transformer ⁵	9EZFBAA000000000	480/208V	Single	Line and match	74.0 x 31.3 x 31.5	918	\$7,400
93E 40-60 kVA IAC - 480V input, 480V output Dual Transformers ⁵	9EZFBB000000000	480/480V	Single	Line and match	74.0 x 31.3 x 31.5	1446	\$9,900

93E (40-60 KVA) POWER DISTRIBUTION OPTIONS: INTEGRATED ACCESSORY CABINET - DISTRIBUTION - IAC-D

Description	Part Number	Input Voltage	Subfeed #1 Rating	Subfeed #2 Rating	Subfeed #3 Rating	Dimensions (H x W x D, inches)	Weight (lb)	List Price
93E 40-60 kVA IAC-D - W/42-pole Dist Panelboard and No Subfeed Breakers ⁵	9EZDB000000000	208 or 220V	None	None	None	74.0 x 20.9 x 31.5	315	\$8,500
93E 40-60 kVA IAC-D - W/42-pole Dist Panelboard 1-250A Subfeed BRKR ⁵	9EZDBA000000000	208 or 220V	250A	None	None	74.0 x 20.9 x 31.5	258	\$9,100
93E 40-60 kVA IAC-D - W/42-pole Dist Panelboard 2-250A Subfeed BRKR ⁵	9EZDBAA000000000	208 or 220V	250A	250A	None	74.0 x 20.9 x 31.5	278	\$9,700
93E 40-60 kVA IAC-D - W/42-pole Dist Panelboard 3-250A Subfeed BRKR ⁵	9EZDBAAA000000000	208 or 220V	250A	250A	250A	74.0 x 20.9 x 31.5	298	\$10,300

Subfeed Breaker Options

Subfeed breakers are also available in 125A and 80A ratings	Breaker Trip Rating changes	Original	New	Pricing change
Subfeed #1 = Part number digit 6 (9EZDA*A*000000000)	From 250A to 125A	A	B	None
Subfeed #2 = Part number digit 7 (9EZDAA*A*000000000)	From 250A to 80A	A	C	None
Subfeed #3 = Part number digit 8 (9EZDAAA*A*000000000)				

93E (40-60 KVA) PARALLELING CABINET OPTIONS: INTEGRATED ACCESSORY CABINET - TIE & BYPASS IAC-TB or TIE ONLY - IAC-T and WALL MOUNT CABINETS

Description	Part Number	Input/Output Voltage	Output Rating	Dimensions (H x W x D, inches)	Weight (lb)	List Price
93E 40-60 kVA IAC-TB - Tie/Bypass for 1+1 Redundant with Maintenance Bypass	9EZCB0100000000	208 or 220V	60kVA	74.0 x 20.9 x 31.5	350	\$13,000
93E 40-60 kVA IAC-TB - Tie/Bypass for 2+0 Capacity with Maintenance Bypass	9EZCB0200000000	208 or 220V	120kVA	74.0 x 20.9 x 31.5	456	\$15,000
93E 40-60 kVA IAC-T - Tie for up to 3+1 Redundant system	9EZEB0400000000	208 or 220V	180kVA	74.0 x 20.9 x 31.5	404	\$16,000
93E 40-60 180 kVA Wall Mount Maintenance Bypass Panel	M1BN0X0X1XXXXXX	208 or 220V	180kVA	73.5 x 24.0 x 11.3	350	\$15,500
93E 40-60 180 kVA Wall Mount Maintenance Bypass Panel With 36 Pole Distribution	M9EZGB310000000	208 or 220V	180kVA	90.0 x 36.0 x 11.3	550	\$16,500

93E (40-60 KVA) EXTENDED BATTERY CABINET OPTIONS

Description	Part Number	Number of Batteries	DC Voltage	Number of Strings	Dimensions (H x W x D, inches)	Weight (lb)	List Price
93E 40-60 kVA Extended Battery Cabinet ⁶	9EZABB000000000	72	216V	4	74.0 x 31.3 x 31.5	2713	\$20,000
93E 40-60 kVA Extended Battery Cabinet ⁶	9EZABC000000000	108	216V	6	74.0 x 31.3 x 31.5	3117	\$26,000

Notes:

1. Contact service for information on kVA upgrade kits
2. External battery cabinet (EBC) can be added at any time, however requires authorized service
3. Eaton recommends you use a left side SAIC-B if Extended battery cabinets (EBC) are to be installed
4. Wall mount bypass are three-breaker type, therefore for dual feed, separate feed will be required to be supplied by others to feed rectifier
5. Mount Transformer or IDC cabinets on the same side as SAIC-B cabinet
6. Maximum of 2 Extended Battery Cabinets can be bought for a system. See runtime chart.

SERVICES

For detailed information on service plans, please refer to the Three-phase Service section on page 130.

EATON 93E UPS & ACCESSORIES

(continued)

93E 40 kVA BATTERY RUNTIME CHART

UPS Part No	9EG-----	UPS Part No	9EB-----	9EB-----	9EB-----	9EB-----	9EB-----
EBC		EBC		9EZABB----	9EZABC----	9EZABB----	9EZABC----
% Load on UPS	Internal Battery	% Load on UPS	Internal Battery	Qty 1	Qty 1	Qty 2	Qty 2
100%	7	100%	12	46	65	85	128
90%	9	90%	14	52	73	96	146
80%	11	80%	17	60	85	111	168
75%	12	75%	18	65	92	120	181
70%	13	70%	19	70	99	130	197
67%	14	67%	21	74	105	138	209
60%	16	60%	23	84	119	156	236
50%	20	50%	29	104	147	193	291
40%	26	40%	37	134	190	249	376
30%	36	30%	52	186	263	345	-
25%	44	25%	64	228	324	425	-
20%	57	20%	82	295	418	-	-
10%	128	10%	183	-	-	-	-

93E 60 kVA BATTERY RUNTIME CHART

UPS Part No	9EB-----	9EB-----	9EB-----	9EB-----	9EB-----
EBC		9EZAAB----	9EZAAC----	9EZAAB----	9EZAAC----
% Load on UPS	Internal Battery	Qty 1	Qty 1	Qty 2	Qty 2
100%	6.6	27	39	51	77
90%	7.7	31	44	58	88
80%	9.0	36	51	67	102
75%	10.0	39	56	73	111
70%	11.0	43	61	80	121
67%	12.0	46	65	85	128
60%	14.0	52	73	96	146
50%	18.0	65	92	120	181
40%	23.0	84	119	156	236
30%	33.0	117	166	217	329
25%	40.0	144	204	268	404
20%	52.0	186	263	345	-
10%	114.0	412	-	-	-

Note: Backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc.

EATON 9390IT UPS

Powerware series

Double-conversion

- All-in-one, space efficient, completely integrated system with internal batteries (40 kVA) and distribution delivers optimal end-of-row data center solution
- Industry leading power density, providing up to 23 percent more power capacity in a compact all-in-one tower with internal batteries
- **Industry's smallest footprint at 40 kVA, providing up to a 61 percent footprint reduction**
- Scalable 40 kVA modular building block, allowing for cost-effective expansion to 80 kVA with an on-board tie cabinet and 160 kVA with a four-module tie cabinet
- Up to 40 percent more STANDARD runtime, eliminating the need for external battery cabinets
- On-board pre-wired maintenance bypass and integrated distribution cabinets provide greater redundancy and reduce installation and maintenance costs
- Reduced footprint extended run modules for longer runtime applications
- Inherently 208 or 480 Vac-capable with no transformers
- Patented Powerware Hot Sync® paralleling technology enables paralleling of up to four 9390 UPSs for additional capacity or redundancy
- Power management software suite includes applications for remote UPS monitoring, management and shutdown to help insure system and data integrity
- Includes Eaton Saver System, ESS
- Factory startup (5x8) included standard on all models; one-year parts warranty, 90-day labor warranty from startup date; two-year battery warranty on internal batteries
- 9390IT with distribution from 40-160 kVA (standalone units only)
- Includes on-site 5x8 startup and operator training by Eaton field technician
- Includes one year of eNotify remote monitoring service (requires connectivity parts and self installation)



9390IT (40 kVA) BASE MODELS

Part Number	Description	Rating (kVA/kW)	Input/Output Voltage	Base Run- time (min)	Dimensions (H x W x D, inches)	Weight (lb)	List Price
TA04A1001150010	9390IT 40 kVA UPS with internal batteries	40 kVA/36 kW	208/208	8	73.7 x 27.9 x 31.0	1,445	\$38,540
TA04A2001150010	9390IT 40 kVA UPS with internal batteries	40 kVA/36 kW	480/480	8	73.7 x 27.9 x 31.0	1,445	\$35,550
TA04A1001180010	9390IT 40 kVA extended-run UPS module (no internal batteries)	40 kVA/36 kW	208/208	0	73.7 x 18.9 x 31.6	590	\$35,152
TA04A2001180010	9390IT 40 kVA extended-run UPS module (no internal batteries)	40 kVA/36 kW	480/480	0	73.7 x 18.9 x 31.6	540	\$33,280
TA04A1001153010	9390IT 40 kVA UPS with internal batteries and integrated three-breaker maintenance bypass sidecar (175A BIB, MBP, & MIS breakers)	40 kVA/36 kW	208/208	8	73.7 x 35.9 x 31.0	1,595	\$43,090
TA04A2001153010	9390IT 40 kVA UPS with internal batteries and integrated three-breaker maintenance bypass sidecar (70A BIB, MBP, & MIS breakers)	40 kVA/36 kW	480/480	8	73.7 x 35.9 x 31.0	1,595	\$40,100
TA04A1001183010	9390IT 40 kVA extended-run UPS module and integrated three-breaker maintenance bypass sidecar (175A BIB, MBP, & MIS breakers)	40 kVA/36 kW	208/208	0	73.7 x 26.9 x 31.6	740	\$39,702
TA04A2001183010	9390IT 40 kVA extended-run UPS module and integrated three-breaker maintenance bypass sidecar (70A BIB, MBP, & MIS breakers)	40 kVA/36 kW	480/480	0	73.7 x 26.9 x 31.6	690	\$37,830
TA04A1001159010	9390IT 40 kVA UPS with internal batteries and two-system parallel tie sidecar (with output system load breaker)	40 kVA/36 kW	208/208	8	73.7 x 35.9 x 31.0	1,595	\$43,090
TA04A2001159010	9390IT 40 kVA UPS with internal batteries and two-system parallel tie sidecar (with output system load breaker)	40 kVA/36 kW	480/480	8	73.7 x 35.9 x 31.0	1,595	\$40,100
TA04A1001189010	9390IT 40 kVA with internal batteries and two-system parallel tie sidecar (with output system load breaker and no internal batteries)	40 kVA/36 kW	208/208	0	73.7 x 26.9 x 31.6	740	\$39,702
TA04A2001189010	9390IT 40 kVA with internal batteries and two-system parallel tie sidecar (with output system load breaker and no internal batteries)	40 kVA/36 kW	480/480	0	73.7 x 26.9 x 31.6	690	\$37,830

For Order Notes please to the bottom of the next page

EATON 9390IT UPS

Powerware series *(continued)*

9390IT WITH DISTRIBUTION

Part Number	Description	Rating (kVA/kW)	Input/Output Voltage	Base Run- time (min)	Dimensions (H x W x D, inches)	Weight (lb)	List Price
TA04A100115K010	9390IT 40 kVA UPS with internal batteries and integrated IT distribution. Includes 12 / L6-30 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	40 kVA/36 kW	208/208	8	73.7 x 34.9 x 31.0	1,590	\$48,722
TA04A100115P010	9390IT 40 kVA UPS with internal batteries and integrated IT distribution. Includes 6 / L21-30 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	40 kVA/36 kW	208/208	8	73.7 x 34.9 x 31.0	1,590	\$46,599
TA04A100115R010	9390IT 40 kVA UPS with internal batteries and integrated IT distribution. Includes 4 / IEC309-60 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	40 kVA/36 kW	208/208	8	73.7 x 34.9 x 31.0	1,590	\$49,604
TA04A100118K010	9390IT 40 kVA extended-run UPS module with integrated IT distribution. Includes 12 / L6-30 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	40 kVA/36 kW	208/208	-	73.7 x 26.9 x 31.0	735	\$37,123
TA04A100118P010	9390IT 40 kVA extended-run UPS module with integrated IT distribution. Includes 6 / L21-30 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	40 kVA/36 kW	208/208	-	73.7 x 26.9 x 31.0	735	\$35,000
TA04A100118R010	9390IT 40 kVA extended-run UPS module with integrated IT distribution. Includes 4 / IEC309-60 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	40 kVA/36 kW	208/208	-	73.7 x 26.9 x 31.0	735	\$38,004
TE04A400118P010	9390IT 40 kVA extended-run UPS module with integrated IT distribution. Includes 4 / L22-30 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	40 kVA/36 kW	400/400	-	73.7 x 26.9 x 31.0	735	\$47,780
TE04A400118R010	9390IT 40 kVA extended-run UPS module with integrated IT distribution. Includes 2 / IEC309-60 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	40 kVA/36 kW	400/400	-	73.7 x 26.9 x 31.0	735	\$48,273
TB08A100118P010	9390IT 80 kVA extended-run UPS module with integrated IT distribution. Includes 12 / L21-30 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	80 kVA/72 kW	208/208	-	73.7 x 26.9 x 31.0	790	\$60,570
TB08A100118R010	9390IT 80 kVA extended-run UPS module with integrated IT distribution. Includes 6 / IEC309-60 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	80 kVA/72 kW	208/208	-	73.7 x 26.9 x 31.0	790	\$64,238
TF08A400118P010	9390IT 80 kVA extended-run UPS module with integrated IT distribution. Includes 6 / L22-30 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	80 kVA/72 kW	400/400	-	73.7 x 26.9 x 31.0	785	\$62,917
TF08A400118R010	9390IT 80 kVA extended-run UPS module with integrated IT distribution. Includes 4 / IEC309-60 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	80 kVA/72 kW	400/400	-	73.7 x 26.9 x 31.0	785	\$64,881
TG12A400118P010	9390IT 120 kVA extended-run UPS module with integrated IT distribution. Includes 9 / L22-30 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	120 kVA/108 kW	400/400	-	73.7 x 43.9 x 31.0	1,110	\$70,658
TH16A400118R010	9390IT 160 kVA extended-run UPS module with integrated IT distribution. Includes 6 / IEC209-60 receptacles with three breaker maintenance bypass (BIB, MBP, & MIS breakers)	160 kVA/144 kW	400/400	-	73.7 x 43.9 x 31.0	1,200	\$76,174

1. To order a parallel system, change digit 5 to a B and digit 7 or 8 (Can-Bridge Card) must also be 2. 2. On-board maintenance bypass side-car systems have 65 kAIC breakers @ 208 Vac and 35 kAIC breakers @ 480 Vac. 3. For Load-sync Control, digit 15 must be a 2 and requires one wall-mounted control box for two systems—see miscellaneous parts. 4. For runtimes exceeding 8 minutes, an extended Run-UPS BASE Module and battery cabinet is required

EATON 9390IT UPS

Powerware series (continued)

CONNECTIVITY OPTIONS

Description	CTO Part Number	List Price
HotSync CAN Bridge Card (required to obtain RS485 Port for RMP II/RIM II/SCM II)	103004336	\$519
Power Xpert Gateway UPS Card	103007974-5591	\$450
ModBus Communication Card	103002510-5501	\$661
Standard Relay Card (<60 Vac rated, IBM AS/400)	1018460	\$146
Industrial Relay and Display Drive Card X-Slot (5A @ 250 Vac)	103003055	\$335

9390IT OPTIONS (40 kVA)

Part Number	Description	Input/Output Voltage	Dimensions (H x W x D, inches)	Weight (lb)	List Price
T04112000000001	IDC with MBS and main output breaker	208/208	73.7 x 35.8 x 31.6	350	\$6,521
T04112200000021	IDC with MBS, K-13 isolation transformer	208/208	73.7 x 35.8 x 31.6	1,350	\$9,431
T04152200000021	IDC with MBS, K-13 isolation transformer	480/208	73.7 x 35.8 x 31.6	1,350	\$9,691
T04112040000021	IDC with three-breaker MBS and 42-pole distribution panel	208/208	73.7 x 35.8 x 31.6	350	\$8,580
T04112044000021	IDC with three-breaker MBS and (2) 42-pole distribution panels	208/208	73.7 x 35.8 x 31.6	350	\$10,639
T04112041000021	IDC with three-breaker MBS, 42-pole distribution panel and (1) sub-feed breaker	208/208	73.7 x 35.8 x 31.6	350	\$9,484
TP0442111100010	Parallel tie maintenance bypass cabinet, (4) UPS modules 120 kVA N+1, 160 kVA capacity (150A MOB, 600A MIS, 600A MBP)	208/208	73.5 x 36.0 x 11.5	600	\$11,544
TP0442211100010	Parallel tie maintenance bypass cabinet, (4) UPS modules 120 kVA N+1, 160 kVA capacity (70A MOB, 250A MIS, 250A MBP)	480/480	57.0 x 24.0 x 11.5	600	\$5,408

9390IT EXTENDED BATTERY OPTIONS

Part Number	Description	Rating	Input/Output Voltage	Base Run-time (min)	Dimensions (H x W x D, inches)	Weight (lb)	List Price
TS0403E20111100	40 kVA Extended-run battery cabinet	240 Cell	480V Link	22	73.7 x 22.5 x 31.6	2,395	\$15,323
TL0403E33111100	40 kVA Extended-run battery cabinet	240 Cell	480V Link	42	73.7 x 42.7 x 31.6	3,580	\$21,292
TL0403B47111100	40 kVA Extended-run battery cabinet	240 Cell	480V Link	66	73.7 x 42.7 x 31.6	4,785	\$40,689
TS0803E20111100	80 kVA Extended-run battery cabinet	240 Cell	480V Link	7	73.7 x 22.5 x 31.6	2,405	\$15,699
TL0803E33111100	80 kVA Extended-run battery cabinet	240 Cell	480V Link	18	73.7 x 42.7 x 31.6	3,590	\$21,702
TL0803E50111100	80 kVA Extended-run battery cabinet	240 Cell	480V Link	29	73.7 x 42.7 x 31.6	4,835	\$26,662
TL1203E28111100	120 kVA Extended-run battery cabinet	240 Cell	480V Link	7	73.7 x 42.7 x 31.6	3,245	\$19,797
TL1203E28211100	120 kVA Extended-run battery cabinet	480 Cell	480V Link	20	73.7 x 85.4 x 31.6	6,490	\$39,118
TL1203E50211100	120 kVA Extended-run battery cabinet	480 Cell	480V Link	43	73.7 x 85.4 x 31.6	9,670	\$52,843
TL1603E39111100	160 kVA Extended-run battery cabinet	240 Cell	480V Link	8	73.7 x 42.7 x 31.6	3,920	\$23,418
TL1603E33211100	160 kVA Extended-run battery cabinet	480 Cell	480V Link	18	73.7 x 85.4 x 31.6	7,180	\$43,125
TL1603E50211100	160 kVA Extended-run battery cabinet	480 Cell	480V Link	29	73.7 x 85.4 x 31.6	9,670	\$53,043

Order Notes

1. All weights are installed weight, add 65 lb to determine shipping weight
2. Main breaker feeds input of isolation transformer
3. All IDC cabinets listed above include three-breaker UPS wrap-around maintenance bypass switch
4. 42-pole load centers are Cutler-Hammer series, type PRL1A; use type BAB or QBHW bolt-on breakers
5. 40 kVA IDC uses 175A C-H type "JG" breakers at 208V and 70A C-H type "EG" breakers at 480V
6. All breakers have adjustable trip settings; please refer to the Installation Manual for details
7. For seismic zone 4 construction change digit 10 to 1
8. Cabinets ordered remotely will include only one set of side panels and no interconnect (battery cabinet to UPS or battery cabinet to battery)

NON-MATCHING MAINTENANCE BYPASS PANELS (40 kVA)

Part Number	Description	Rating (amps)	Input/Output Voltage	Dimensions (H x W x D, inches)	Weight (lb)	List Price
M90BEA1XXX	Maintenance bypass, 208/208V, three-breaker 10 kAIC (225A MIS/MBP/BIB)	225	208/208	73.0 x 24.0 x 11.5	400	\$4,503
M90BFA1XXX	Maintenance bypass, 208/208V, three-breaker 35 kAIC (175A MIS/MBP/BIB)	175	208/208	73.0 x 24.0 x 11.5	400	\$4,295

EATON 9390IT UPS

Powerware series *(continued)*

NON-MATCHING MAINTENANCE BYPASS PANELS (40 kVA) *(continued)*

Part Number	Description	Rating (amps)	Input/Output Voltage	Dimensions (H x W x D, inches)	Weight (lb)	List Price
M90BGA1XXX	Maintenance bypass, 208/208V, three-breaker 65 kAIC (175A MIS/MBP/BIB)	175	208/208	73.0 x 24.0 x 11.5	400	\$4,711
M90BEE1XXX	Maintenance bypass, 480/480V, three-breaker 10 kAIC (100A MIS/MBP/BIB)	100	480/480	73.0 x 24.0 x 11.5	400	\$3,359
M90BFE1XXX	Maintenance bypass, 480/480V, three-breaker 35 kAIC (70A MIS/MBP/BIB)	70	480/480	73.0 x 24.0 x 11.5	400	\$4,087
M90BGE1XXX	Maintenance bypass, 480/480V, three-breaker 65 kAIC (70A MIS/MBP/BIB)	70	480/480	73.0 x 24.0 x 11.5	400	\$4,503

MISCELLANEOUS PARTS

Part Number	Description	List Price
103006244	REPO switch, wall-mount ¹	\$426
103004223	Remote Monitor Panel "RMP II" ²	\$1,113
103004221	Relay Interface Module "RIM II" ²	\$1,092
103004222	Supervisory Contact Module "SCM II" ²	\$1,206
103007974-5591	Power Xpert Gateway UPS Card	\$450
103004336	HotSync CAN Bridge Card, (used for paralleling units and/or RMP II/RIM II/SCM II interface) ³	\$519
103004179	9390 UPS/IDC seismic mounting kit ⁴	\$718
103001040	9390 output sync control box, 208 Vac	\$11,336
103001041	9390 output sync control box, 480 Vac	\$7,072
103003876	UPS/ battery cabinet/ IDC side panel kit	\$738
152601664	Battery cabinet to battery cabinet interconnect cables (IBC-S cabinet)	\$73
152601526	Battery cabinet to battery cabinet interconnect cables (IBC-L cabinet)	\$73

Notes

1. UPS EPO is selectable as N/O or N/C. 2. Requires HotSync CAN Bridge Card to interface with these devices (only one CAN card required for up to four remote devices). Each UPM requires one card for paralleling. Same card can be used for communication to RS485 devices (RMP II, RIM II, SCM II). Remote devices (RMP II, RIM II, SCM II) require protected 120V AC source hardwired to the device. 3. HotSync CAN Bridge Card for parallel operation requires Eaton Service Engineer to configure. 4. 40–80 kVA IDC Seismic kit cannot be installed in the field. Must be factory installed. Order via CTO.

SERVICES

For detailed information on service plans, please refer to the Three-phase Service section on page 130.

9390IT BATTERY BACKUP TIMES (in minutes)*

Load (VA/Watts)	UPS w/Internal Battery
40,000 / 36,000	8.3
36,000 / 32,400	9.9
32,000 / 28,800	11.7
28,000 / 25,200	14.5
24,000 / 21,600	17.2
20,000 / 18,000	21.8
16,000 / 14,400	30.1
12,000 / 10,800	42.7
8,000 / 7,200	60.0
4,000 / 3,600	86.5

* Battery backup times are approximate and may vary with equipment, configuration, battery age, temperature, etc.

POWER-SUPPRESS 100 and POWER-SUPPRESS T7

Ultra-isolator Noise Suppressor and Isolation Provider

The Power-Suppress 100 offers the following advanced features:

- Traps unwanted harmonics
- Removes surge voltages and minimizes reflected THD
- Eliminates load generated feedback
- Available in both hardwired or line cord/receptacle models
- Fast and easy installation
- Long life operation
- Small footprint—saves valuable space
- Meets FCC Category A
- UL 1012, cUL, UL 1449

The Power-Suppress T7 provides these features

- Traps unwanted harmonics
- 20,000,000:1 (146 dB) common-mode reduction
- Normal-mode noise reduction
- Transient suppression system with status indicators
- Exclusive shielding
- K-20 rated
- Over-temperature protection
- Clean, noise-free power output
- High efficiency
- Fast, easy installation
- UL and cUL listed requirements

POWER-SUPPRESS 100: 500 to 7500 VA

Catalog Number	Style Number	Description	Input/Output Voltage	Dimensions (H x W x D, inches)	Weight (lb)	List Price
Line-cord/receptacle models						
T100R-0500	T100R-0500	PWR SUPPRESS T100 RCPT 500 VA	120V IN, 120V OUT	6.5 x 6.1 x 12.0	22	\$833
T100R-0750	T100R-0750	PWR SUPPRESS T100 RCPT 750 VA	120V IN, 120V OUT	6.5 x 6.1 x 12.0	28	\$890
T100R-1000	T100R-1000	PWR SUPPRESS T100 RCPT 1000 VA	120V IN, 120V OUT	6.5 x 6.1 x 12.0	31	\$903
T100R-1800	T100R-1800	PWR SUPPRESS T100 RCPT 1800 VA	120V IN, 120V OUT	10.5 x 11.1 x 17.0	54	\$1,196
T100R-2400	T100R-2400	PWR SUPPRESS T100 RCPT 2400 VA	120V IN, 120V OUT	10.5 x 11.1 x 17.0	58	\$1,356
Terminal style models						
T100H-0500	T100H-0500	PWR SUPPRESS T100 HW 500 VA	120/240V IN, 120/240V OUT	6.4 x 6.1 x 12.0	22	\$851
T100H-0750	T100H-0750	PWR SUPPRESS T100 HW 750 VA	120/240V IN, 120/240V OUT	6.4 x 6.1 x 12.0	28	\$898
T100H-1000	T100H-1000	PWR SUPPRESS T100 HW 1000 VA	120/240V IN, 120/240V OUT	6.4 x 6.1 x 12.0	31	\$914
T100H-1800	T100H-1800	PWR SUPPRESS T100 HW 1800 VA	120/240V IN, 120/240V OUT	10.3 x 11.1 x 17.0	54	\$1,073
T100H-2500	T100H-2500	PWR SUPPRESS T100 HW 2500 VA	120/240V IN, 120/240V OUT	10.3 x 11.1 x 17.0	58	\$1,324
T100H-5000	T100H-5000	PWR SUPPRESS T100 HW 5000 VA	120/240V IN, 120/240V OUT	10.3 x 11.1 x 17.0	86	\$1,929
T100H-5001*	T100H-5001	PWR SUPPRESS T100 HW V 5000 VA	240/480V IN, 120/240V OUT	10.3 x 11.1 x 17.0	92	\$2,334
T100H-7500	T100H-7500	PWR SUPPRESS T100 HW 7500 VA	120/240V IN, 120/240V OUT	10.3 x 11.1 x 17.0	116	\$2,341
T100H-7501*	T100H-7501	PWR SUPPRESS T100 HW 7500 VA	240/480V IN, 120/240V OUT	10.3 x 11.1 x 17.0	111	\$2,833

* Please note the higher input voltage on these models

POWER-SUPPRESS T7: 15 to 225 kVA

Catalog Number	Style Number	Description	Dimensions (H x W x D, inches)	Weight (lb)	List Price
T7H208-15K	97201-31	PWR SUPPRESS T7 208/208V 15 kVA	31 x 35 x 18	420	\$10,770
T7H208-30K	97203-31	PWR SUPPRESS T7 208/208V 30 kVA	31 x 35 x 18	490	\$11,000
T7H208-50K	97205-31	PWR SUPPRESS T7 208/208V 50 kVA	43 x 43 x 22	710	\$12,810
T7H208-75K	97207-31	PWR SUPPRESS T7 208/208V 75 kVA	43 x 43 x 22	950	\$15,150
T7H480-100K	97410-31	PWR SUPPRESS T7 480/208V 100 kVA	43 x 43 x 22	990	\$18,250
T7H480-125K	97412-31	PWR SUPPRESS T7 480/208V 125 kVA	43 x 43 x 22	1,140	\$21,100
T7H480-150K	97415-31	PWR SUPPRESS T7 480/208V 150 kVA	43 x 43 x 22	1,240	\$22,540
T7H480-15K	97401-31	PWR SUPPRESS T7 480/208V 15 kVA	35 x 31 x 18	420	\$12,110
T7H480-225K	97422-31	PWR SUPPRESS T7 480/208V 225 kVA	55 x 47 x 28	1,780	\$26,510
T7H480-30K	97403-31	PWR SUPPRESS T7 480/208V 30 kVA	35 x 31 x 18	490	\$11,720
T7H480-50K	97405-31	PWR SUPPRESS T7 480/208V 50 kVA	43 x 43 x 22	710	\$12,990
T7H480-75K	97407-31	PWR SUPPRESS T7 480/208V 75 kVA	43 x 43 x 22	810	\$16,160

POWER-SURE 700

The Power-Sure 700 provides intelligent protection for transmitters & industrial controls.

- Fast microprocessor controlled voltage regulation
- Tight output voltage regulation
- Zero-current switching
- Wide input regulation range
- Triple shielded, computer grade transformer
- Highly efficient—97% typical
- High inrush capability
- Transient protection and high frequency filter
- Includes input circuit breaker
- Manual bypass switch
 - Optional 10-45 kVA
 - Standard 50+ kVA

POWER-SURE 700 POWER CONDITIONERS: 208/208V

Catalog Number	Style Number	Description	Dimensions** (H x W x D, inches)	Weight (lb)	List Price
TBL-010K-6	TBL-010K-6	PWRSURE 700 208/208V 10 kVA	30.2 x 22.2 x 29.0	440	\$16,855
TBL-015K-6	TBL-015K-6	PWRSURE 700 208/208V 15 kVA	30.2 x 22.2 x 29.0	520	\$18,240
TBL-025K-6	TBL-025K-6	PWRSURE 700 208/208V 25 kVA	44.2 x 22.2 x 29.0	700	\$26,305
TBL-030K-6	TBL-030K-6	PWRSURE 700 208/208V 30 kVA	30.2 x 22.2 x 29.0	720	\$22,780
TBL-045K-6	TBL-045K-6	PWRSURE 700 208/208V 45 kVA	30.2 x 22.2 x 29.0	950	\$28,385
TBL-050K-6	TBL-050K-6	PWRSURE 700 208/208V 50 kVA	66.0 x 29.0 x 35.5	970	\$34,620
TBL-075K-6	TBL-075K-6	PWRSURE 700 208/208V 75 kVA	76.0 x 34.4 x 35.5	1100	\$45,665
TBL-100K-6	TBL-100K-6	PWRSURE 700 208/208V 100 kVA	76.0 x 34.4 x 35.5	1660	\$52,820
TBL-125K-6	TBL-125K-6	PWRSURE 700 208/208V 125 kVA	76.0 x 34.4 x 35.5	1980	\$59,690
TBL-150K-6	TBL-150K-6	PWRSURE 700 208/208V 150 kVA	76.0 x 34.4 x 35.5	2200	\$71,025
TBL-225K-6	TBL-225K-6	PWRSURE 700 208/208V 225 kVA	77.4 x 56.0 x 41.5	3300	\$109,780
TBL-300K-6	TBL-300K-6	PWRSURE 700 208/208V 300 kVA	77.4 x 56.0 x 41.5	4000	\$130,805

POWER-SURE 700 POWER CONDITIONERS: 240/208V

Catalog Number	Style Number	Description	Dimensions (H x W x D, inches)	Weight (lb)	List Price
TCL-010K-6	TCL-010K-6	PWRSURE 700 240/208V 10 kVA	30.2 x 22.2 x 29.0	440	\$16,960
TCL-015K-6	TCL-015K-6	PWRSURE 700 240/208V 15 kVA	30.2 x 22.2 x 29.0	520	\$18,240
TCL-030K-6	TCL-030K-6	PWRSURE 700 240/208V 30 kVA	30.2 x 22.2 x 29.0	720	\$22,080
TCL-045K-6	TCL-045K-6	PWRSURE 700 240/208V 45 kVA	30.2 x 22.2 x 29.0	950	\$33,410
TCL-050K-6	TCL-050K-6	PWRSURE 700 240/208V 50 kVA	66.0 x 29.0 x 35.5	970	\$29,205
TCL-075K-6	TCL-075K-6	PWRSURE 700 240/208V 75 kVA	76.0 x 34.4 x 35.5	1100	\$42,190
TCL-100K-6	TCL-100K-6	PWRSURE 700 240/208V 100 kVA	76.0 x 34.4 x 35.5	1660	\$54,820

POWER-SURE 700 POWER CONDITIONERS: 480/208V

Catalog Number	Style Number	Description	Dimensions (H x W x D, inches)	Weight (lb)	List Price
TDL-010K-6	TDL-010K-6	PWRSURE 700 480/208V 10 kVA	30.2 x 22.2 x 29.0	440	\$18,675
TDL-015K-6	TDL-015K-6	PWRSURE 700 480/208V 15 kVA	30.2 x 22.2 x 29.0	520	\$20,660
TDL-025K-6	TDL-025K-6	PWRSURE 700 480/208V 25 kVA	44.2 x 22.2 x 29.0	700	\$22,190
TDL-030K-6	TDL-030K-6	PWRSURE 700 480/208V 30 kVA	30.2 x 22.2 x 29.0	720	\$23,150
TDL-045K-6	TDL-045K-6	PWRSURE 700 480/208V 45 kVA	30.2 x 22.2 x 29.0	950	\$30,275
TDL-050K-6	TDL-050K-6	PWRSURE 700 480/208V 50 kVA	66.0 x 29.0 x 35.5	970	\$30,455
TDL-075K-6	TDL-075K-6	PWRSURE 700 480/208V 75 kVA	76.0 x 34.4 x 35.5	1100	\$45,400
TDL-100K-6	TDL-100K-6	PWRSURE 700 480/208V 100 kVA	76.0 x 34.4 x 35.5	1660	\$49,260
TDL-125K-6	TDL-125K-6	PWRSURE 700 480/208V 125 kVA	76.0 x 34.4 x 35.5	1980	\$48,990
TDL-150K-6	TDL-150K-6	PWRSURE 700 480/208V 150 kVA	76.0 x 34.4 x 35.5	2200	\$54,685
TDL-225K-6	TDL-225K-6	PWRSURE 700 480/208V 225 kVA	77.4 x 56.0 x 41.5	3300	\$95,835
TDL-300K-6	TDL-300K-6	PWRSURE 700 480/208V 300 kVA	77.4 x 56.0 x 41.5	4000	\$101,480

POWER-SURE 700 (continued)

POWER-SURE 700 POWER CONDITIONERS: 480/480V

Catalog Number	Style	Description	Dimensions (H x W x D, inches)	Weight (lb)	List
	Number				Price
TDN-010K-6	TDN-010K-6	PWRSURE 700 480/480V 10 kVA	30.2 x 22.2 x 29.0	440	\$17,250
TDN-025K-6	TDN-025K-6	PWRSURE 700 480/480V 25 kVA	44.2 x 22.2 x 29.0	700	\$24,315
TDN-030K-6	TDN-030K-6	PWRSURE 700 480/480V 30 kVA	30.2 x 22.2 x 29.0	720	\$24,255
TDN-045K-6	TDN-045K-6	PWRSURE 700 480/480V 45 kVA	30.2 x 22.2 x 29.0	950	\$31,175
TDN-075K-6	TDN-075K-6	PWRSURE 700 480/480V 75 kVA	76.0 x 34.4 x 35.5	1100	\$36,660
TDN-100K-6	TDN-100K-6	PWRSURE 700 480/480V 100 kVA	76.0 x 34.4 x 35.5	1660	\$53,245
TDN-125K-6	TDN-125K-6	PWRSURE 700 480/480V 125 kVA	76.0 x 34.4 x 35.5	1980	\$49,575
TDN-150K-6	TDN-150K-6	PWRSURE 700 480/480V 150 kVA	76.0 x 34.4 x 35.5	2200	\$59,880
TDN-225K-6	TDN-225K-6	PWRSURE 700 480/480V 225 kVA	77.4 x 56.0 x 41.5	3300	\$87,890
TDN-300K-6	TDN-300K-6	PWRSURE 700 480/480V 300 kVA	77.4 x 56.0 x 41.5	4000	\$107,890

POWER-SURE 700 POWER CONDITIONERS: 600/208V

Catalog Number	Style	Description	Dimensions** (H x W x D, inches)	Weight (lb)	List
	Number				Price
TEL-010K-6	TEL-010K-6	PWRSURE 700 600/208V 10 kVA	30.2 x 22.2 x 29.0	440	\$17,565
TEL-015K-6	TEL-015K-6	PWRSURE 700 600/208V 15 kVA	30.2 x 22.2 x 29.0	520	\$18,870
TEL-025K-6	TEL-025K-6	PWRSURE 700 600/208V 25 kVA	44.2 x 22.2 x 29.0	700	\$22,870
TEL-030K-6	TEL-030K-6	PWRSURE 700 600/208V 30 kVA	30.2 x 22.2 x 29.0	720	\$23,070
TEL-045K-6	TEL-045K-6	PWRSURE 700 600/208V 45 kVA	30.2 x 22.2 x 29.0	950	\$30,530
TEL-050K-6	TEL-050K-6	PWRSURE 700 600/208V 50 kVA	66.0 x 29.0 x 35.5	970	\$31,065
TEL-075K-6	TEL-075K-6	PWRSURE 700 600/208V 75 kVA	76.0 x 34.4 x 35.5	1100	\$47,475
TEL-100K-6	TEL-100K-6	PWRSURE 700 600/208V 100 kVA	76.0 x 34.4 x 35.5	1660	\$56,425
TEL-125K-6	TEL-125K-6	PWRSURE 700 600/208V 125 kVA	76.0 x 34.4 x 35.5	1980	\$51,335
TEL-150K-6	TEL-150K-6	PWRSURE 700 600/208V 150 kVA	76.0 x 34.4 x 35.5	2200	\$69,560
TEL-225K-6	TEL-225K-6	PWRSURE 700 600/208V 225 kVA	77.4 x 56.0 x 41.5	3300	\$95,835
TEL-300K-6	TEL-300K-6	PWRSURE 700 600/208V 300 kVA	77.4 x 56.0 x 41.5	4000	\$107,755

POWER-SURE 700 POWER CONDITIONERS: 600/480V

Catalog Number	Style	Description	Dimensions (H x W x D, inches)	Weight (lb)	List
	Number				Price
TEN-010K-6	TEN-010K-6	PWRSURE 700 600/480V 10 kVA	30.2 x 22.2 x 29.0	440	\$17,250
TEN-015K-6	TEN-015K-6	PWRSURE 700 600/480V 15 kVA	30.2 x 22.2 x 29.0	520	\$19,405
TEN-025K-6	TEN-025K-6	PWRSURE 700 600/480V 25 kVA	44.2 x 22.2 x 29.0	700	\$21,385
TEN-030K-6	TEN-030K-6	PWRSURE 700 600/480V 30 kVA	30.2 x 22.2 x 29.0	720	\$24,000
TEN-045K-6	TEN-045K-6	PWRSURE 700 600/480V 45 kVA	30.2 x 22.2 x 29.0	950	\$27,425
TEN-075K-6	TEN-075K-6	PWRSURE 700 600/480V 75 kVA	76.0 x 34.4 x 35.5	1100	\$43,675
TEN-100K-6	TEN-100K-6	PWRSURE 700 600/480V 100 kVA	76.0 x 34.4 x 35.5	1660	\$51,285
TEN-125K-6	TEN-125K-6	PWRSURE 700 600/480V 125 kVA	76.0 x 34.4 x 35.5	1980	\$53,040
TEN-150K-6	TEN-150K-6	PWRSURE 700 600/480V 150 kVA	76.0 x 34.4 x 35.5	2200	\$62,945
TEN-225K-6	TEN-225K-6	PWRSURE 700 600/480V 225 kVA	77.4 x 56.0 x 41.5	3300	\$90,880
TEN-300K-6	TEN-300K-6	PWRSURE 700 600/480V 300 kVA	77.4 x 56.0 x 41.5	4000	\$103,190

** 10 & 15 KVA units utilize the next larger cabinet size when the meter option is included

POWER-SURE 700 OPTIONS

Suffix	Description	List Price Adder
B	Maintenance Bypass 10 kVA to 30 kVA	\$1,625
B	Maintenance Bypass 45 kVA	\$2,700
M1	Standard Meter option	\$3,792
M2	Premium Meter option	\$5,192
S	Integrated Surge Protection	\$1,800
W	Extended Regulation range (+10% to -40%)	C/F

POWER-SURE 800

Power Conditioners (500VA to 25 kVA)

Superior power conditioning for industrial, commercial and medical equipment. Power-Sure 800 power conditioners provide high quality power with inherent surge protection, noise and bi-directional harmonic filtering, as well as superior isolation. Power-Sure 800 units range from office models to floor or wall/panel mounted industrial models and provide an excellent solution for any application with noisy or poor power quality.

- Superior isolation
- Tight voltage regulation
- High immunity to distortion
- Lightning and surge protection
- Protection against power interruptions
- Power factor correction
- Bi-directional harmonic filtering
- Meets ANSI standards for computers with inputs as low as 50% of nominal
- UL 1012, UL 544 and cUL Listed
- K-30 rated design

POWER-SURE 800 POWER CONDITIONERS: 60 Hz Models—Receptacle Style (Plug-and-play)

Catalog Number	Style Number	Description	Dimensions (H x W x D, inches)	Weight (lb)	List Price
T800R-00500	T800R-00500	PWRSURE 800 OFC/RCPT 500 VA	8.5 x 12.8 x 9.5	32	\$923
T800R-00700	T800R-00700	PWRSURE 800 OFC/RCPT 700 VA	8.5 x 12.8 x 9.5	35	\$1,259
T800R-00850	T800R-00850	PWRSURE 800 OFC/RCPT 800 VA	8.5 x 12.8 x 9.5	37	\$1,298
T800R-01000	T800R-01000	PWRSURE 800 OFC/RCPT 1 kVA	8.5 x 12.8 x 17.5	46	\$1,378
T800R-01600	T800R-01600	PWRSURE 800 OFC/RCPT 1.6 kVA	8.5 x 12.8 x 17.5	62	\$1,728
T800R-02100	T800R-02100	PWRSURE 800 OFC/RCPT 2.1 kVA	8.5 x 12.8 x 17.5	65	\$1,890
T800R-02500	T800R-02500	PWRSURE 800 OFC/RCPT 2.5 kVA	8.5 x 12.8 x 17.5	68	\$1,982
T800R-03500	T800R-03500	PWRSURE 800 OFC/RCPT 3.5 kVA	8.5 x 12.8 x 17.5	72	\$2,376
T800R-03501	T800R-03501	PWRSURE 800 OFC/RCPT 3.5 kVA	8.5 x 12.8 x 17.5	73	\$2,512
T800R-05000	T800R-05000	PWRSURE 800 OFC/RCPT 5 kVA	15.0 x 23.8 x 22.5	176	Contact factory
T800R-07500	T800R-07500	PWRSURE 800 OFC/RCPT 7.5 kVA	15.0 x 23.8 x 22.5	210	Contact factory
T800R-10000	T800R-10000	PWRSURE 800 OFC/RCPT 10 kVA	15.0 x 23.8 x 22.5	256	Contact factory
T800R-15000	T800R-15000	PWRSURE 800 OFC/RCPT 15 kVA	15.0 x 23.8 x 22.5	314	Contact factory

POWER-SURE 800 POWER CONDITIONERS: 60 Hz Models—Hardwired Wall or Panel Mount

Catalog Number	Style Number	Description	Dimensions (H x W x D, inches)	Weight (lb)	List Price
T800P-00500	T800P-00500	PWRSURE 800 PNL/HW 500 VA	9.0 x 14.0 x 10.0	52	\$1,107
T800P-00750	T800P-00750	PWRSURE 800 PNL/HW 750 VA	9.0 x 14.0 x 10.0	60	\$1,433
T800P-01000	T800P-01000	PWRSURE 800 PNL/HW 1 kVA	9.0 x 14.0 x 10.0	82	\$1,421
T800P-01500	T800P-01500	PWRSURE 800 PNL/HW 1.5 kVA	13.0 x 16.5 x 14.8	106	\$2,048
T800P-02000	T800P-02000	PWRSURE 800 PNL/HW 2 kVA	13.0 x 16.5 x 14.8	125	\$1,979
T800P-03000	T800P-03000	PWRSURE 800 PNL/HW 3 kVA	13.0 x 16.5 x 14.8	142	\$3,070
T800P-05000	T800P-05000	PWRSURE 800 PNL/HW 5 kVA	27.0 x 22.5 x 28.5	437	\$5,510
T800P-08000	T800P-08000	PWRSURE 800 PNL/HW 8 kVA	27.0 x 22.5 x 28.5	495	\$6,785
T800P-10000	T800P-10000	PWRSURE 800 PNL/HW 10 kVA	27.0 x 22.5 x 28.5	537	\$8,285

POWER-SURE 800 POWER CONDITIONERS: 60 Hz Models—Hardwired Floor Mount

Catalog Number	Style Number	Description	Dimensions (H x W x D, inches)	Weight (lb)	List Price
T800F-05000	T800F-05000	PWRSURE 800 FLR/HW 5 kVA	23.0 x 20.0 x 28.5	407	\$5,615
T800F-08000	T800F-08000	PWRSURE 800 FLR/HW 8 kVA	23.0 x 20.0 x 28.5	465	\$6,780
T800F-10000	T800F-10000	PWRSURE 800 FLR/HW 10 kVA	23.0 x 20.0 x 28.5	407	\$7,610
T800F-15000	T800F-15000	PWRSURE 800 FLR/HW 15 kVA	35.0 x 25.0 x 39.5	830	\$11,820
T800F-20000	T800F-20000	PWRSURE 800 FLR/HW 20 kVA	35.0 x 25.0 x 39.5	950	\$14,305
T800F-25000	T800F-25000	PWRSURE 800 FLR/HW 25 kVA	35.0 x 25.0 x 39.5	1070	\$16,335

POWER-SURE 800

CUSTOM OUTPUT RECEPTACLES

Suffix	NEMA	Volts	Amps	Output Panels used*
A	(1) 5-15R	120	15	1
B	(2) 5-15R	120	15	1
C	(1) 5-20R	120	20	1
D	(2) 5-20R	120	20	1
E	(1) 5-30R	120	30	1.5
F	(1) 6-15R	208/240	15	1
G	(2) 6-15R	208/240	15	1
H	(1) 6-20R	208/240	20	1
I	(2) 6-20R	208/240	20	1
J	(1) 6-30R	208/240	30	1.5
K	(1) 6-50R	208/240	50	1.5
L	(1) 14-20R	120/240	20	1
M	(1) 14-30R	120/240	30	1.5
N	(1) L5-15R	120	120	1
P	(2) L5-15R	120	15	1
R	(1) L5-20R	120	20	1
S	(1) L5-30R	120	30	1
T	(1) L6-15R	208/240	15	1
U	(2) L6-15R	208/240	15	1
V	(1) L6-20R	208/240	20	1
W	(1) L6-30R	208/240	30	1
X	(1) L14-30R	120/240	20	1
Y	(1) L14-20R	120/240	30	1

Example:

T800R-100002B2Y Consists of 2 (2)5-15R receptacles and 2 (1)L14-30R receptacles

Power Xpert Meter 4000/6000/8000

Power Quality Metering Products

You can't manage what you can't measure, and you certainly can't measure something you can't even see—without a power quality instrument that is. Invisible and fleeting power disturbances can be silent killers—the electronic equivalent of high blood pressure.


Eaton's Power Xpert 4000/6000/8000 meters represent a new genre of power quality instruments and world-class power monitoring that reduces day to day operating costs and helps avoid costly business interruptions. The meters combine state-of-the-art technology with next generation power diagnostics, data trending and performance benchmarking, along with a "Twist-n-Click" LCD: a new paradigm for simplicity and ease of use in the market place.



In addition the meters have an embedded Web server that enables users to surf to the meter over the Internet via a standard Web browser. The new platform offers advanced functionality like high speed impulsive transient waveform capture, 6 Mhz sampling rate (six samples every millionth of a second) with one millisecond time stamping, anti-aliasing, ITIC analysis and automatic trigger settings, open field upgradeable firmware, up to 8 GB memory and optional digital, relay I/O card.

Features and Benefits

- Free download of Power Xpert Meter Profiler to trend and predict energy usage
- Embedded Web Server -- see and analyze waveforms, trends, harmonics directly in your web browser or LCD meter graphic display
- Automatic power quality analysis and trigger setting with built-in ITIC performance curve: detect and capture sags, swells, transients and flicker
- Comprehensive power, energy and demand measurements for 138 standard data points logged
- At-a-glance view of power quality analysis with patented Power Quality Index gauge, statistically derived trending and red-yellow-green indicators for overall power health
- Energy usage patterns can be effortlessly analyzed with the month-to-month, week-to-week comparison chart. Raw data can be easily exported with the 'Save Table' option to other applications such as Excel for further analysis or graphing
- Industry-standard communication protocols, to support a multitude of configurations and third-party software: HTTP, FTP, Modbus RTU, Modbus TCP, SNMP, SMTP, NTP, COMTRADE
- 4000 to 6000 meter firmware upgrade available
- High storage capacity
 - 4000 meter offers 2 GB
 - 6000 meter offers 4 GB
 - 8000 meter offers 8 GB
- ANSI C12.20 accuracy
- CE and Industry Canada certified



Applications

Identify power quality problems

- Identify harmonics, sags, swells and transients damaging or disrupting sensitive, mission critical IT equipment
- Boost IT equipments service life to the maximum
- Analyze sequence of events up to one millisecond time resolution
- Protect motors from damage
- Preserve the integrity of processes and batches
- Prevent blown capacitor bank fuses
- Protect transformers and conductors from overheating

Detect and record high speed transients

- Avoid equipment damage and disruption
- Identify equipment malfunction

Monitor circuit loading

- Avoid overloads and nuisance overload trips
- Maximize equipment utilization
- Manage emergency overloads

Manage energy utilization

- Reduce peak demand charges and power factor penalties
- Identify excessive energy consumption

Power Xpert Meter 4000/6000/8000 (continued)

Power Quality Metering Products

POWER XPERT METER 4000/6000/8000


Catalog Number	Style Number	Description	List Price
PXM 4000 METERS			
PXM4051A1AA	65D4061G001	PXM 4000 Meter, 2 GB, AC, no options	\$5,555
PXM4051A1BA	65D4061G002	PXM 4000 Meter, 2 GB, AC, w/ Com. Exp. Card	\$6,780
PXM4051A1AB	65D4061G005	PXM 4000 Meter, 2 GB, AC, w/ I/O Card	\$6,225
PXM4051A1BB	65D4061G006	PXM 4000 Meter, 2 GB, AC, w/ Com. Exp. & I/O Cards	\$7,445
PXM4251A1AA	65D4261G001	PXM 4000 Meter, 2 GB, AC, w/ VAUX	\$6,450
PXM4251A1BA	65D4261G002	PXM 4000 Meter, 2 GB, AC, w/ VAUX & Com. Exp. Card	\$7,675
PXM4251A1AB	65D4261G005	PXM 4000 Meter, 2 GB, AC, w/ VAUX & I/O Card	\$7,115
PXM4251A1BB	65D4261G006	PXM 4000 Meter, 2 GB, AC, w/ VAUX, Com. Exp. & I/O Cards	\$8,340
PXM 6000 METERS			
PXM6051A1AA	65D6061G001	PXM 6000 Meter, 4 GB, AC, no options	\$7,785
PXM6051A1BA	65D6061G002	PXM 6000 Meter, 4 GB, AC, w/ Com. Exp. Card	\$9,005
PXM6051A1AB	65D6061G005	PXM 6000 Meter, 4 GB, AC, w/ I/O Card	\$8,450
PXM6051A1BB	65D6061G006	PXM 6000 Meter, 4 GB, AC, w/ Com. Exp. & I/O Cards	\$9,675
PXM6251A1AA	65D6261G001	PXM 6000 Meter, 4 GB, AC, w/ VAUX	\$8,675
PXM6251A1BA	65D6261G002	PXM 6000 Meter, 4 GB, AC, w/ VAUX & Com. Exp. Card	\$9,900
PXM6251A1AB	65D6261G005	PXM 6000 Meter, 4 GB, AC, w/ VAUX & I/O Card	\$9,340
PXM6251A1BB	65D6261G006	PXM 6000 Meter, 4 GB, AC, w/ VAUX, Com. Exp. & I/O Cards	\$10,565
PXM 8000 METERS			
PXM8051A1AA	65D8061G001	PXM 8000 Meter, 8 GB, AC, no options	\$10,010
PXM8051A1BA	65D8061G002	PXM 8000 Meter, 8 GB, AC, w/ Com. Exp. Card	\$11,230
PXM8051A1AB	65D8061G005	PXM 8000 Meter, 8 GB, AC, w/ I/O Card	\$10,675
PXM8051A1BB	65D8061G006	PXM 8000 Meter, 8 GB, AC, w/ Com. Exp. & I/O Cards	\$11,900
PXM8251A1AA	65D8261G001	PXM 8000 Meter, 8 GB, AC, w/ VAUX	\$10,900
PXM8251A1BA	65D8261G002	PXM 8000 Meter, 8 GB, AC, w/ VAUX & Com. Exp. Card	\$12,125
PXM8251A1AB	65D8261G005	PXM 8000 Meter, 8 GB, AC, w/ VAUX & I/O Card	\$11,570
PXM8251A1BB	65D8261G006	PXM 8000 Meter, 8 GB, AC, w/ VAUX, Com. Exp. & I/O Cards	\$12,790

POWER XPERT METER 4000/6000/8000 ACCESSORIES

Catalog Number	Style Number	Description	List Price
PX-PMBA	66B2133G01	PXM Bracket Assembly for back-to-back meter to display mount	\$222
PXMI0-B	66D2101G11	I/O card: 8 Digital Input, 2 Solid State Output, 3 Relay Out	\$667
PXMCE-B	66D2102G11	Com Expansion Card: Ethernet 100FX, 10/100T, RS-485, RS-232	\$1,224
PXD-MMG	66D2117G01	PXM Meter Graphic Display Module	\$1,780
PX-PMBB	66D2148G01	Panel mnt bracket retrofit assembly for PXM LCD to an IQA cu	\$166
PX-PMBC	66D2150G01	Panel mnt bracket assembly for reduced PXM LCD Display rear	\$166
PXM-4KUPG	65D1001G01	POWER XPERT METER 4000 TO 6000 LICENSE UPGRADE KEY	\$2,615

Power Xpert Meter 4000/6000/8000 Catalog Numbering System

PXM 8 0 5 1 A 1 B B



POWER XPERT METER 2000

Compact Power Quality Metering Products

The meters combine state-of-the-art technology with waveform viewing and recording, data trending and performance benchmarking. The embedded Web server enables users to surf to the meter over the Internet via a standard Web browser. This platform offers adaptability such as field-upgradeable firmware and optional digital inputs/outputs and analog outputs.

Applications

Identify power quality problems to help:

- Protect motors from damage
- Preserve the integrity of processes and batches
- Prevent blown capacitor bank fuses
- Protect transformers and conductors from overheating



POWER XPERT METER 2000

Catalog Number	Description	List Price
PXM 2250 Meters		
PXM2250MA51105	PXM2250 Meter/Display 50Hz 1A 90-265V AC/DC	\$2,089
PXM2250MA51405	PXM2250 Meter/Display 50Hz 1A 24-48V DC	\$2,089
PXM2250MA55105	PXM2250 Meter/Display 50Hz 5A 90-265V AC/DC	\$2,089
PXM2250MA55405	PXM2250 Meter/Display 50Hz 5A 24-48V DC	\$2,089
PXM2250MA61105	PXM2250 Meter/Display 60Hz 1A 90-265V AC/DC	\$2,089
PXM2250MA61405	PXM2250 Meter/Display 60Hz 1A 24-48V DC	\$2,089
PXM2250MA65105	PXM2250 Meter/Display 60Hz 5A 90-265V AC/DC	\$2,089
PXM2250MA65115	PXM2250 Meter/Display 60Hz 5A 90-265V AC/DC w/2DO&2DI	\$2,554
PXM2250MA65125	PXM2250 Meter/Display 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$3,072
PXM2250MA65135	PXM2250 Meter/Display 60Hz 5A 90-265V AC/DC w/4AO 0-1	\$3,072
PXM2250MA65145	PXM2250 Meter/Display 60Hz 5A 90-265V AC/DC w/4AO 4-20	\$2,661
PXM2250MA65405	PXM2250 Meter/Display 60Hz 5A 24-48V DC	\$2,089
PXM2250MA65415	PXM2250 Meter/Display 60Hz 5A 24-48V DC w/2DO&2DI	\$2,554
PXM2250MA65425	PXM2250 Meter/Display 60Hz 5A 24-48V DC w/4KYZ&4DI	\$3,072
PXM2250MA65435	PXM2250 Meter/Display 60Hz 5A 24-48V DC w/4AO 0-1	\$3,072
PXM2250MA65445	PXM2250 Meter/Display 60Hz 5A 24-48V DC w/4AO 4-20	\$2,661
PXM2250TA51105	PXM2250 Transducer Only 50Hz 1A 90-265V AC/DC	\$1,909
PXM2250TA51405	PXM2250 Transducer Only 50Hz 1A 24-48V DC	\$1,909
PXM2250TA55105	PXM2250 Transducer Only 50Hz 5A 90-265V AC/DC	\$1,909
PXM2250TA55405	PXM2250 Transducer Only 50Hz 5A 24-48V DC	\$1,909
PXM2250TA61105	PXM2250 Transducer Only 60Hz 1A 90-265V AC/DC	\$1,909
PXM2250TA61405	PXM2250 Transducer Only 60Hz 1A 24-48V DC	\$1,909
PXM2250TA65105	PXM2250 Transducer Only 60Hz 5A 90-265V AC/DC	\$1,909
PXM2250TA65115	PXM2250 Transducer Only 60Hz 5A 90-265V AC/DC w/2DO&2DI	\$2,376
PXM2250TA65125	PXM2250 Transducer Only 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$2,893
PXM2250TA65135	PXM2250 Transducer Only 60Hz 5A 90-265V AC/DC w/4AO 0-1	\$2,893
PXM2250TA65145	PXM2250 Transducer Only 60Hz 5A 90-265V AC/DC w/4AO 4-20	\$2,483
PXM2250TA65405	PXM2250 Transducer Only 60Hz 5A 24-48V DC	\$1,909
PXM2250TA65415	PXM2250 Transducer Only 60Hz 5A 24-48V DC w/2DO&2DI	\$2,376
PXM2250TA65425	PXM2250 Transducer Only 60Hz 5A 24-48V DC w/4KYZ&4DI	\$2,893
PXM2250TA65435	PXM2250 Transducer Only 60Hz 5A 24-48V DC w/4AO 0-1	\$2,893
PXM2250TA65445	PXM2250 Transducer Only 60Hz 5A 24-48V DC w/4AO 4-20	\$2,483
PXM 2260 Meters		
PXM2260MA51105	PXM2260 Meter/Display 50Hz 1A 90-265V AC/DC	\$2,468
PXM2260MA51405	PXM2260 Meter/Display 50Hz 1A 24-48V DC	\$2,468
PXM2260MA55105	PXM2260 Meter/Display 50Hz 5A 90-265V AC/DC	\$2,468
PXM2260MA55405	PXM2260 Meter/Display 50Hz 5A 24-48V DC	\$2,468
PXM2260MA61105	PXM2260 Meter/Display 60Hz 1A 90-265V AC/DC	\$2,468
PXM2260MA61405	PXM2260 Meter/Display 60Hz 1A 24-48V DC	\$2,468
PXM2260MA65105	PXM2260 Meter/Display 60Hz 5A 90-265V AC/DC	\$2,468

POWER XPERT METER 2000 *(continued)*

Power Quality Metering Products

POWER XPERT METER 2000 *(continued)*

Catalog Number	Description	List Price
PXM 2260 Meters (continued)		
PXM2260MA65115	PXM2260 Meter/Display 60Hz 5A 90-265V AC/DC w/2DO&2DI	\$2,934
PXM2260MA65125	PXM2260 Meter/Display 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$3,452
PXM2260MA65135	PXM2260 Meter/Display 60Hz 5A 90-265V AC/DC w/4AO 0-1	\$3,452
PXM2260MA65145	PXM2260 Meter/Display 60Hz 5A 90-265V AC/DC w/4AO 4-20	\$3,041
PXM2260MA65405	PXM2260 Meter/Display 60Hz 5A 24-48V DC	\$2,468
PXM2260MA65415	PXM2260 Meter/Display 60Hz 5A 24-48V DC w/2DO&2DI	\$2,934
PXM2260MA65425	PXM2260 Meter/Display 60Hz 5A 24-48V DC w/4KYZ&4DI	\$3,452
PXM2260MA65435	PXM2260 Meter/Display 60Hz 5A 24-48V DC w/4AO 0-1	\$3,452
XM2260MA65445	PXM2260 Meter/Display 60Hz 5A 24-48V DC w/4AO 4-20	\$3,041
PXM2260TA51105	PXM2260 Transducer Only 50Hz 1A 90-265V AC/DC	\$2,289
PXM2260TA51405	PXM2260 Transducer Only 50Hz 1A 24-48V DC	\$2,289
PXM2260TA55105	PXM2260 Transducer Only 50Hz 5A 90-265V AC/DC	\$2,289
PXM2260TA55405	PXM2260 Transducer Only 50Hz 5A 24-48V DC	\$2,289
PXM2260TA61105	PXM2260 Transducer Only 60Hz 1A 90-265V AC/DC	\$2,289
PXM2260TA61405	PXM2260 Transducer Only 60Hz 1A 24-48V DC	\$2,289
PXM2260TA65105	PXM2260 Transducer Only 60Hz 5A 90-265V AC/DC	\$2,289
PXM2260TA65115	PXM2260 Transducer Only 60Hz 5A 90-265V AC/DC w/2DO&2DI	\$2,755
PXM2260TA65125	PXM2260 Transducer Only 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$3,272
PXM2260TA65135	PXM2260 Transducer Only 60Hz 5A 90-265V AC/DC w/4AO 0-1	\$3,272
PXM2260TA65145	PXM2260 Transducer Only 60Hz 5A 90-265V AC/DC w/4AO 4-20	\$2,862
PXM2260TA65405	PXM2260 Transducer Only 60Hz 5A 24-48V DC	\$2,289
PXM2260TA65415	PXM2260 Transducer Only 60Hz 5A 24-48V DC w/2DO&2DI	\$2,755
PXM2260TA65425	PXM2260 Transducer Only 60Hz 5A 24-48V DC w/4KYZ&4DI	\$3,272
PXM2260TA65435	PXM2260 Transducer Only 60Hz 5A 24-48V DC w/4AO 0-1	\$3,272
PXM2260TA65445	PXM2260 Transducer Only 60Hz 5A 24-48V DC w/4AO 4-20	\$2,862
PXM 2270 Meters		
PXM2270MA51105	PXM2270 Meter/Display 50Hz 1A 90-265V AC/DC	\$3,270
PXM2270MA51405	PXM2270 Meter/Display 50Hz 1A 24-48V DC	\$3,270
PXM2270MA55105	PXM2270 Meter/Display 50Hz 5A 90-265V AC/DC	\$3,270
PXM2270MA55405	PXM2270 Meter/Display 50Hz 5A 24-48V DC	\$3,270
PXM2270MA61105	PXM2270 Meter/Display 60Hz 1A 90-265V AC/DC	\$3,270
PXM2270MA61405	PXM2270 Meter/Display 60Hz 1A 24-48V DC	\$3,270
PXM2270MA65105	PXM2270 Meter/Display 60Hz 5A 90-265V AC/DC	\$3,270
PXM2270MA65115	PXM2270 Meter/Display 60Hz 5A 90-265V AC/DC w/2DO&2DI	\$3,736
PXM2270MA65125	PXM2270 Meter/Display 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$4,254
PXM2270MA65135	PXM2270 Meter/Display 60Hz 5A 90-265V AC/DC w/4AO 0-1	\$4,254
PXM2270MA65145	PXM2270 Meter/Display 60Hz 5A 90-265V AC/DC w/4AO 4-20	\$3,843
PXM2270MA65405	PXM2270 Meter/Display 60Hz 5A 24-48V DC	\$3,270
PXM2270MA65415	PXM2270 Meter/Display 60Hz 5A 24-48V DC w/2DO&2DI	\$3,736
PXM2270MA65425	PXM2270 Meter/Display 60Hz 5A 24-48V DC w/4KYZ&4DI	\$4,254
PXM2270MA65435	PXM2270 Meter/Display 60Hz 5A 24-48V DC w/4AO 0-1	\$4,254
PXM2270MA65445	PXM2270 Meter/Display 60Hz 5A 24-48V DC w/4AO 4-20	\$3,843
PXM2270TA51105	PXM2270 Transducer Only 50Hz 1A 90-265V AC/DC	\$3,188
PXM2270TA51405	PXM2270 Transducer Only 50Hz 1A 24-48V DC	\$3,188
PXM2270TA55105	PXM2270 Transducer Only 50Hz 5A 90-265V AC/DC	\$3,188
PXM2270TA55405	PXM2270 Transducer Only 50Hz 5A 24-48V DC	\$3,188
PXM2270TA61105	PXM2270 Transducer Only 60Hz 1A 90-265V AC/DC	\$3,188
PXM2270TA61405	PXM2270 Transducer Only 60Hz 1A 24-48V DC	\$3,188
PXM2270TA65105	PXM2270 Transducer Only 60Hz 5A 90-265V AC/DC	\$3,188
PXM2270TA65115	PXM2270 Transducer Only 60Hz 5A 90-265V AC/DC w/2DO&2DI	\$3,653
PXM2270TA65125	PXM2270 Transducer Only 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$4,171

POWER XPERT METER 2000 *(continued)*

Power Quality Metering Products

POWER XPERT METER 2000 *(continued)*

Catalog Number	Description	List Price
PXM 2270 Meters (continued)		
PXM2270TA65135	PXM2270 Transducer Only 60Hz 5A 90-265V AC/DC w/4AO 0-1	\$4,171
PXM2270TA65145	PXM2270 Transducer Only 60Hz 5A 90-265V AC/DC w/4AO 4-20	\$3,762
PXM2270TA65405	PXM2270 Transducer Only 60Hz 5A 24-48V DC	\$3,188
PXM2270TA65415	PXM2270 Transducer Only 60Hz 5A 24-48V DC w/2DO&2DI	\$3,653
PXM2270TA65425	PXM2270 Transducer Only 60Hz 5A 24-48V DC w/4KYZ&4DI	\$4,171
PXM2270TA65435	PXM2270 Transducer Only 60Hz 5A 24-48V DC w/4AO 0-1	\$4,171
PXM2270TA65445	PXM2270 Transducer Only 60Hz 5A 24-48V DC w/4AO 4-20	\$3,762
PXM 2280 Meters		
PXM2280MA51105	PXM2280 Meter/Display 50Hz 1A 90-265V AC/DC	\$4,084
PXM2280MA51405	PXM2280 Meter/Display 50Hz 1A 24-48V DC	\$4,084
PXM2280MA55105	PXM2280 Meter/Display 50Hz 5A 90-265V AC/DC	\$4,084
PXM2280MA55405	PXM2280 Meter/Display 50Hz 5A 24-48V DC	\$4,084
PXM2280MA61105	PXM2280 Meter/Display 60Hz 1A 90-265V AC/DC	\$4,084
PXM2280MA61405	PXM2280 Meter/Display 60Hz 1A 24-48V DC	\$4,084
PXM2280MA65105	PXM2280 Meter/Display 60Hz 5A 90-265V AC/DC	\$4,084
PXM2280MA65115	PXM2280 Meter/Display 60Hz 5A 90-265V AC/DC w/2DO&2DI	\$4,557
PXM2280MA65125	PXM2280 Meter/Display 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$5,110
PXM2280MA65135	PXM2280 Meter/Display 60Hz 5A 90-265V AC/DC w/4AO 0-1	\$5,110
PXM2280MA65145	PXM2280 Meter/Display 60Hz 5A 90-265V AC/DC w/4AO 4-20	\$4,666
PXM2280MA65405	PXM2280 Meter/Display 60Hz 5A 24-48V DC	\$4,084
PXM2280MA65415	PXM2280 Meter/Display 60Hz 5A 24-48V DC w/2DO&2DI	\$4,557
PXM2280MA65425	PXM2280 Meter/Display 60Hz 5A 24-48V DC w/4KYZ&4DI	\$5,110
PXM2280MA65435	PXM2280 Meter/Display 60Hz 5A 24-48V DC w/4AO 0-1	\$5,110
PXM2280MA65445	PXM2280 Meter/Display 60Hz 5A 24-48V DC w/4AO 4-20	\$4,666
PXM2280TA51105	PXM2280 Transducer Only 50Hz 1A 90-265V AC/DC	\$3,846
PXM2280TA51405	PXM2280 Transducer Only 50Hz 1A 24-48V DC	\$3,846
PXM2280TA55105	PXM2280 Transducer Only 50Hz 5A 90-265V AC/DC	\$3,846
PXM2280TA55405	PXM2280 Transducer Only 50Hz 5A 24-48V DC	\$3,846
PXM2280TA61105	PXM2280 Transducer Only 60Hz 1A 90-265V AC/DC	\$3,846
PXM2280TA61405	PXM2280 Transducer Only 60Hz 1A 24-48V DC	\$3,846
PXM2280TA65105	PXM2280 Transducer Only 60Hz 5A 90-265V AC/DC	\$3,846
PXM2280TA65115	PXM2280 Transducer Only 60Hz 5A 90-265V AC/DC w/2DO&2DI	\$4,317
PXM2280TA65125	PXM2280 Transducer Only 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$4,860
PXM2280TA65135	PXM2280 Transducer Only 60Hz 5A 90-265V AC/DC w/4AO 0-1	\$4,860
PXM2280TA65145	PXM2280 Transducer Only 60Hz 5A 90-265V AC/DC w/4AO 4-20	\$4,426
PXM2280TA65405	PXM2280 Transducer Only 60Hz 5A 24-48V DC	\$3,846
PXM2280TA65415	PXM2280 Transducer Only 60Hz 5A 24-48V DC w/2DO&2DI	\$4,317
PXM2280TA65425	PXM2280 Transducer Only 60Hz 5A 24-48V DC w/4KYZ&4DI	\$4,860
PXM2280TA65435	PXM2280 Transducer Only 60Hz 5A 24-48V DC w/4AO 0-1	\$4,860
PXM2280TA65445	PXM2280 Transducer Only 60Hz 5A 24-48V DC w/4AO 4-20	\$4,426
PXM 2290 Meters		
PXM2290MA51105	PXM2290 Meter/Display 50Hz 1A 90-265V AC/DC	\$5,975
PXM2290MA51405	PXM2290 Meter/Display 50Hz 1A 24-48V DC	\$5,975
PXM2290MA55105	PXM2290 Meter/Display 50Hz 5A 90-265V AC/DC	\$5,975
PXM2290MA55405	PXM2290 Meter/Display 50Hz 5A 24-48V DC	\$5,975
PXM2290MA61105	PXM2290 Meter/Display 60Hz 1A 90-265V AC/DC	\$5,975
PXM2290MA61405	PXM2290 Meter/Display 60Hz 1A 24-48V DC	\$5,975
PXM2290MA65105	PXM2290 Meter/Display 60Hz 5A 90-265V AC/DC	\$5,975
PXM2290MA65115	PXM2290 Meter/Display 60Hz 5A 90-265V AC/DC w/2DO&2DI	\$6,465
PXM2290MA65125	PXM2290 Meter/Display 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$7,085
PXM2290MA65135	PXM2290 Meter/Display 60Hz 5A 90-265V AC/DC w/4AO 0-1	\$7,085

POWER XPERT METER 2000 (continued)

Power Quality Metering Products

POWER XPERT METER 2000 (continued)


Catalog Number	Description	List Price
PXM 2290 Meters (continued)		
PXM2290MA65145	PXM2290 Meter/Display 60Hz 5A 90-265V AC/DC w/4AO 4-20	\$6,580
PXM2290MA65405	PXM2290 Meter/Display 60Hz 5A 24-48V DC	\$5,975
PXM2290MA65415	PXM2290 Meter/Display 60Hz 5A 24-48V DC w/2DO&2DI	\$6,465
PXM2290MA65425	PXM2290 Meter/Display 60Hz 5A 24-48V DC w/4KYZ&4DI	\$7,085
PXM2290MA65435	PXM2290 Meter/Display 60Hz 5A 24-48V DC w/4AO 0-1	\$7,085
PXM2290MA65445	PXM2290 Meter/Display 60Hz 5A 24-48V DC w/4AO 4-20	\$6,580
PXM2290TA51105	PXM2290 Transducer Only 50Hz 1A 90-265V AC/DC	\$5,735
PXM2290TA51405	PXM2290 Transducer Only 50Hz 1A 24-48V DC	\$5,735
PXM2290TA55105	PXM2290 Transducer Only 50Hz 5A 90-265V AC/DC	\$5,735
PXM2290TA55405	PXM2290 Transducer Only 50Hz 5A 24-48V DC	\$5,735
PXM2290TA61105	PXM2290 Transducer Only 60Hz 1A 90-265V AC/DC	\$5,735
PXM2290TA61405	PXM2290 Transducer Only 60Hz 1A 24-48V DC	\$5,735
PXM2290TA65105	PXM2290 Transducer Only 60Hz 5A 90-265V AC/DC	\$5,735
PXM2290TA65115	PXM2290 Transducer Only 60Hz 5A 90-265V AC/DC w/2DO&2DI	\$6,220
PXM2290TA65125	PXM2290 Transducer Only 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$6,840
PXM2290TA65135	PXM2290 Transducer Only 60Hz 5A 90-265V AC/DC w/4AO 0-1	\$6,840
PXM2290TA65145	PXM2290 Transducer Only 60Hz 5A 90-265V AC/DC w/4AO 4-20	\$6,335
PXM2290TA65405	PXM2290 Transducer Only 60Hz 5A 24-48V DC	\$5,735
PXM2290TA65415	PXM2290 Transducer Only 60Hz 5A 24-48V DC w/2DO&2DI	\$6,220
PXM2290TA65425	PXM2290 Transducer Only 60Hz 5A 24-48V DC w/4KYZ&4DI	\$6,840
PXM2290TA65435	PXM2290 Transducer Only 60Hz 5A 24-48V DC w/4AO 0-1	\$6,840
PXM2290TA65445	PXM2290 Transducer Only 60Hz 5A 24-48V DC w/4AO 4-20	\$6,335

*Prices subject to change.

POWER XPERT METER 2000 ACCESSORIES

Catalog Number	Description	List Price
IQ250/260-I01	PXM 2000 I/O Card-2 Relay Outputs/2 Status Inputs	\$504
IQ250/260-I02	PXM 2000 I/O Card-4 KYZ Pulses/4 Status Inputs	\$1,065
IQ250/260-I03	PXM 2000 I/O Card-4 Analog Outputs - 0-1 mA	\$1,065
IQ250/260-I04	PXM 2000 I/O Card-4 Analog Outputs - 4-20 mA	\$621
IQ250-PMAC	Panel Mounting Adapter Kit-PXM2000 To IQ A/DP/DATA	\$89
PXM2000-GCK	PXM 2000 Gateway Card Kit to Upgrade an IQ 250/260 to a PXM 2000	\$835

PXM 2250 M A 6 5 1 0 5



Example 1: **PXM2270MA65145** (PXM 2270 Meter/Display 60 Hz, 5 A, 90 – 265 Vac/dc W/4AO)

Example 2: **PXM2250MA65105** (PXM 2250 Meter/Display 60 Hz, 5 A, 90 – 265 Vac/dc)

IQ 250/260 SERIES

Metering Products

The IQ 250 and IQ 260 electronic meters provide capabilities you wouldn't normally expect in an affordable, compact meter—such as fast sampling rate and accurate metering for a full range of power attributes. The meter can be configured either from the easy-to-read display or remotely (accessible via a Power Xpert Gateway) via included configuration software. In addition, built-in slots allow for upgrades to input/output option cards.

Applications

Identify power quality problems to help:

- Comprehensive metering
- High-end accuracy
- Self-test capability to validate accuracy
- Large, easy-to-read display
- Local or remote configuration
- Industry-standard communication protocols (Modbus)
- Mix-and-match input/output options
- Integration with Eaton's Power Xpert Architecture
- Field-upgradeable



IQ 250/260 SERIES

Catalog Number	Description	List Price
IQ 250 Meters		
IQ250MA51100	IQ250 Meter/Display 50Hz 1A 90-265V AC/DC	\$1,392
IQ250MA51400	IQ250 Meter/Display 50Hz 1A 24-48V DC	\$1,392
IQ250MA55100	IQ250 Meter/Display 50Hz 5A 90-265V AC/DC	\$1,392
IQ250MA55400	IQ250 Meter/Display 50Hz 5A 24-48V DC	\$1,392
IQ250MA61100	IQ250 Meter/Display 60Hz 1A 90-265V AC/DC	\$1,392
IQ250MA61400	IQ250 Meter/Display 60Hz 1A 24-48V DC	\$1,392
IQ250MA65100	IQ250 Meter/Display 60Hz 5A 90-265V AC/DC	\$1,392
IQ250MA65110	IQ250 Meter/Display 60Hz 5A 90-265V AC/DC w/2DO&2DI	\$1,896
IQ250MA65114	IQ250 Meter/Display 60Hz 5A 90-265V AC/DC w/2DO&2DI&4AO	\$2,515
IQ250MA65120	IQ250 Meter/Display 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$2,456
IQ250MA65140	IQ250 Meter/Display 60Hz 5A 90-265V AC/DC w/4AO	\$2,012
IQ250MA65400	IQ250 Meter/Display 60Hz 5A 24-48V DC	\$1,392
IQ250MA65410	IQ250 Meter/Display 60Hz 5A 24-48V DC w/2DO&2DI	\$1,896
IQ250MA65414	IQ250 Meter/Display 60Hz 5A 24-48V DC w/2DO&2DI&4AO	\$2,515
IQ250MA65420	IQ250 Meter/Display 60Hz 5A 24-48V DC w/4KYZ&4DI	\$2,456
IQ250MA65440	IQ250 Meter/Display 60Hz 5A 24-48V DC w/4AO	\$2,012
IQ250ML51100	IQ250 Meter/Display Log 50Hz 1A 90-265V AC/DC	\$1,826
IQ250ML51400	IQ250 Meter/Display Log 50Hz 1A 24-48V DC	\$1,826
IQ250ML55100	IQ250 Meter/Display Log 50Hz 5A 90-265V AC/DC	\$1,826
IQ250ML55400	IQ250 Meter/Display Log 50Hz 5A 24-48V DC	\$1,826
IQ250ML61100	IQ250 Meter/Display Log 60Hz 1A 90-265V AC/DC	\$1,826
IQ250ML61400	IQ250 Meter/Display Log 60Hz 1A 24-48V DC	\$1,826
IQ250ML65100	IQ250 Meter/Display Log 60Hz 5A 90-265V AC/DC	\$1,826
IQ250ML65110	IQ250 Meter/Display Log 60Hz 5A 90-265V AC/DC w/2DO&2DI	\$2,328
IQ250ML65114	IQ250 Meter/Display Log 60Hz 5A 90-265V AC/DC w/2DO&2DI&4AO	\$2,946
IQ250ML65120	IQ250 Meter/Display Log 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$2,914
IQ250ML65130	IQ250 Meter/Display Log 60Hz 5A 90-265V AC/DC w/4AO 0-1mA	\$2,914
IQ250ML65140	IQ250 Meter/Display Log 60Hz 5A 90-265V AC/DC w/4AO	\$2,445
IQ250ML65400	IQ250 Meter/Display Log 60Hz 5A 24-48V DC	\$1,826
IQ250ML65410	IQ250 Meter/Display Log 60Hz 5A 24-48V DC w/2DO&2DI	\$2,328
IQ250ML65414	IQ250 Meter/Display Log 60Hz 5A 24-48V DC w/2DO&2DI&4AO	\$2,946
IQ250ML65420	IQ250 Meter/Display Log 60Hz 5A 24-48V DC w/4KYZ&4DI	\$2,914
IQ250ML65440	IQ250 Meter/Display Log 60Hz 5A 24-48V DC w/4AO	\$2,445

IQ 250/260 SERIES *(continued)***Metering Products****IQ 250/260 SERIES** *(continued)*

Configuration Number	Catalog Number	Description	List Price
IQ 250 Meters (continued)			
IQ250TA51100	IQ250 Transducer Only 50Hz 1A 90-265V AC/DC		\$1,199
IQ250TA51400	IQ250 Transducer Only 50Hz 1A 24-48V DC		\$1,199
IQ250TA55100	IQ250 Transducer Only 50Hz 5A 90-265V AC/DC		\$1,199
IQ250TA55400	IQ250 Transducer Only 50Hz 5A 24-48V DC		\$1,199
IQ250TA61100	IQ250 Transducer Only 60Hz 1A 90-265V AC/DC		\$1,199
IQ250TA61400	IQ250 Transducer Only 60Hz 1A 24-48V DC		\$1,199
IQ250TA65100	IQ250 Transducer Only 60Hz 5A 90-265V AC/DC		\$1,199
IQ250TA65110	IQ250 Transducer Only 60Hz 5A 90-265V AC/DC w/2DO&2DI		\$1,701
IQ250TA65114	IQ250 Transducer Only 60Hz 5A 90-265V AC/DC w/2DO&2DI&4AO		\$2,322
IQ250TA65120	IQ250 Transducer Only 60Hz 5A 90-265V AC/DC w/4KYZ&4DI		\$2,261
IQ250TA65140	IQ250 Transducer Only 60Hz 5A 90-265V AC/DC w/4AO		\$1,818
IQ250TA65400	IQ250 Transducer Only 60Hz 5A 24-48V DC		\$1,199
IQ250TA65410	IQ250 Transducer Only 60Hz 5A 24-48V DC w/2DO&2DI		\$1,701
IQ250TA65414	IQ250 Transducer Only 60Hz 5A 24-48V DC w/2DO&2DI&4AO		\$2,322
IQ250TA65420	IQ250 Transducer Only 60Hz 5A 24-48V DC w/4KYZ&4DI		\$2,261
IQ250TA65440	IQ250 Transducer Only 60Hz 5A 24-48V DC w/4AO		\$1,818
IQ250TL51100	IQ250 Transducer Log 50Hz 1A 90-265V AC/DC		\$1,647
IQ250TL51400	IQ250 Transducer Log 50Hz 1A 24-48V DC		\$1,647
IQ250TL55100	IQ250 Transducer Log 50Hz 5A 90-265V AC/DC		\$1,647
IQ250TL55400	IQ250 Transducer Log 50Hz 5A 24-48V DC		\$1,647
IQ250TL61100	IQ250 Transducer Log 60Hz 1A 90-265V AC/DC		\$1,647
IQ250TL61400	IQ250 Transducer Log 60Hz 1A 24-48V DC		\$1,647
IQ250TL65100	IQ250 Transducer Log 60Hz 5A 90-265V AC/DC		\$1,647
IQ250TL65110	IQ250 Transducer Log 60Hz 5A 90-265V AC/DC w/2DO&2DI		\$2,142
IQ250TL65114	IQ250 Transducer Log 60Hz 5A 90-265V AC/DC w/2DO&2DI&4AO		\$2,759
IQ250TL65120	IQ250 Transducer Log 60Hz 5A 90-265V AC/DC w/4KYZ&4DI		\$2,728
IQ250TL65130	IQ250 Transducer Log 60Hz 5A 90-265V AC/DC w/4AO 0-1mA		\$2,728
IQ250TL65140	IQ250 Transducer Log 60Hz 5A 90-265V AC/DC w/4AO		\$2,258
IQ250TL65400	IQ250 Transducer Log 60Hz 5A 24-48V DC		\$1,647
IQ250TL65410	IQ250 Transducer Log 60Hz 5A 24-48V DC w/2DO&2DI		\$2,142
IQ250TL65414	IQ250 Transducer Log 60Hz 5A 24-48V DC w/2DO&2DI&4AO		\$2,759
IQ250TL65420	IQ250 Transducer Log 60Hz 5A 24-48V DC w/4KYZ&4DI		\$2,728
IQ250TL65440	IQ250 Transducer Log 60Hz 5A 24-48V DC w/4AO		\$2,258
IQ 260 Meters			
IQ260MA51400	IQ260 Meter/Display 50Hz 1A 24-48V DC		\$1,803
IQ260MA55100	IQ260 Meter/Display 50Hz 5A 90-265V AC/DC		\$1,803
IQ260MA55400	IQ260 Meter/Display 50Hz 5A 24-48V DC		\$1,803
IQ260MA61100	IQ260 Meter/Display 60Hz 1A 90-265V AC/DC		\$1,803
IQ260MA61400	IQ260 Meter/Display 60Hz 1A 24-48V DC		\$1,803
IQ260MA65100	IQ260 Meter/Display 60Hz 5A 90-265V AC/DC		\$1,803
IQ260MA65110	IQ260 Meter/Display 60Hz 5A 90-265V AC/DC w/2DO&2DI		\$2,306
IQ260MA65114	IQ260 Meter/Display 60Hz 5A 90-265V AC/DC w/2DO&2DI&4AO		\$2,926
IQ260MA65120	IQ260 Meter/Display 60Hz 5A 90-265V AC/DC w/4KYZ&4DI		\$2,867
IQ260MA65140	IQ260 Meter/Display 60Hz 5A 90-265V AC/DC w/4AO		\$2,423
IQ260MA65400	IQ260 Meter/Display 60Hz 5A 24-48V DC		\$1,803
IQ260MA65410	IQ260 Meter/Display 60Hz 5A 24-48V DC w/2DO&2DI		\$2,306
IQ260MA65414	IQ260 Meter/Display 60Hz 5A 24-48V DC w/2DO&2DI&4AO		\$2,926
IQ260MA65420	IQ260 Meter/Display 60Hz 5A 24-48V DC w/4KYZ&4DI		\$2,867
IQ260MA65440	IQ260 Meter/Display 60Hz 5A 24-48V DC w/4AO		\$2,423
IQ260ML51100	IQ260 Meter/Display Log 50Hz 1A 90-265V AC/DC		\$2,242
IQ260ML51400	IQ260 Meter/Display Log 50Hz 1A 24-48V DC		\$2,242

IQ 250/260 SERIES (continued)

Metering Products

IQ 250/260 SERIES (continued)

Catalog Number	Description	List Price
IQ 260 Meters (continued)		
IQ260ML55100	IQ260 Meter/Display Log 50Hz 5A 90-265V AC/DC	\$2,242
IQ260ML55400	IQ260 Meter/Display Log 50Hz 5A 24-48V DC	\$2,242
IQ260ML61100	IQ260 Meter/Display Log 60Hz 1A 90-265V AC/DC	\$2,242
IQ260ML61400	IQ260 Meter/Display Log 60Hz 1A 24-48V DC	\$2,242
IQ260ML65100	IQ260 Meter/Display Log 60Hz 5A 90-265V AC/DC	\$2,242
IQ260ML65110	IQ260 Meter/Display Log 60Hz 5A 90-265V AC/DC w/2D0&2DI	\$2,742
IQ260ML65114	IQ260 Meter/Display Log 60Hz 5A 90-265V AC/DC w/2D0&2DI&4A0	\$3,359
IQ260ML65120	IQ260 Meter/Display Log 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$3,324
IQ260ML65130	IQ260 Meter/Display Log 60Hz 5A 90-265V AC/DC w/4A0 0-1mA	\$3,324
IQ260ML65140	IQ260 Meter/Display Log 60Hz 5A 90-265V AC/DC w/4A0	\$2,859
IQ260ML65400	IQ260 Meter/Display Log 60Hz 5A 24-48V DC	\$2,242
IQ260ML65410	IQ260 Meter/Display Log 60Hz 5A 24-48V DC w/2D0&2DI	\$2,742
IQ260ML65414	IQ260 Meter/Display Log 60Hz 5A 24-48V DC w/2D0&2DI&4A0	\$3,359
IQ260ML65420	IQ260 Meter/Display Log 60Hz 5A 24-48V DC w/4KYZ&4DI	\$3,324
IQ260ML65440	IQ260 Meter/Display Log 60Hz 5A 24-48V DC w/4A0	\$2,859
IQ260TA51100	IQ260 Transducer Only 50Hz 1A 90-265V AC/DC	\$1,609
IQ260TA51400	IQ260 Transducer Only 50Hz 1A 24-48V DC	\$1,609
IQ260TA55100	IQ260 Transducer Only 50Hz 5A 90-265V AC/DC	\$1,609
IQ260TA55400	IQ260 Transducer Only 50Hz 5A 24-48V DC	\$1,609
IQ260TA61100	IQ260 Transducer Only 60Hz 1A 90-265V AC/DC	\$1,609
IQ260TA61400	IQ260 Transducer Only 60Hz 1A 24-48V DC	\$1,609
IQ260TA65100	IQ260 Transducer Only 60Hz 5A 90-265V AC/DC	\$1,609
IQ260TA65110	IQ260 Transducer Only 60Hz 5A 90-265V AC/DC w/2D0&2DI	\$2,112
IQ260TA65114	IQ260 Transducer Only 60Hz 5A 90-265V AC/DC w/2D0&2DI&4A0	\$2,733
IQ260TA65120	IQ260 Transducer Only 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$2,672
IQ260TA65140	IQ260 Transducer Only 60Hz 5A 90-265V AC/DC w/4A0	\$2,230
IQ260TA65400	IQ260 Transducer Only 60Hz 5A 24-48V DC	\$1,609
IQ260TA65410	IQ260 Transducer Only 60Hz 5A 24-48V DC w/2D0&2DI	\$2,112
IQ260TA65414	IQ260 Transducer Only 60Hz 5A 24-48V DC w/2D0&2DI&4A0	\$2,733
IQ260TA65420	IQ260 Transducer Only 60Hz 5A 24-48V DC w/4KYZ&4DI	\$2,672
IQ260TA65440	IQ260 Transducer Only 60Hz 5A 24-48V DC w/4A0	\$2,230
IQ260TL51100	IQ260 Transducer Log 50Hz 1A 90-265V AC/DC	\$2,058
IQ260TL51400	IQ260 Transducer Log 50Hz 1A 24-48V DC	\$2,058
IQ260TL55100	IQ260 Transducer Log 50Hz 5A 90-265V AC/DC	\$2,058
IQ260TL55400	IQ260 Transducer Log 50Hz 5A 24-48V DC	\$2,058
IQ260TL61100	IQ260 Transducer Log 60Hz 1A 90-265V AC/DC	\$2,058
IQ260TL61400	IQ260 Transducer Log 60Hz 1A 24-48V DC	\$2,058
IQ260TL65100	IQ260 Transducer Log 60Hz 5A 90-265V AC/DC	\$2,058
IQ260TL65110	IQ260 Transducer Log 60Hz 5A 90-265V AC/DC w/2D0&2DI	\$2,555
IQ260TL65114	IQ260 Transducer Log 60Hz 5A 90-265V AC/DC w/2D0&2DI&4A0	\$3,171
IQ260TL65120	IQ260 Transducer Log 60Hz 5A 90-265V AC/DC w/4KYZ&4DI	\$3,137
IQ260TL65130	IQ260 Transducer Log 60Hz 5A 90-265V AC/DC w/4A0 0-1mA	\$3,137
IQ260TL65140	IQ260 Transducer Log 60Hz 5A 90-265V AC/DC w/4A0	\$2,673
IQ260TL65400	IQ260 Transducer Log 60Hz 5A 24-48V DC	\$2,058
IQ260TL65410	IQ260 Transducer Log 60Hz 5A 24-48V DC w/2D0&2DI	\$2,555
IQ260TL65414	IQ260 Transducer Log 60Hz 5A 24-48V DC w/2D0&2DI&4A0	\$3,171
IQ260TL65420	IQ260 Transducer Log 60Hz 5A 24-48V DC w/4KYZ&4DI	\$3,137
IQ260TL65440	IQ260 Transducer Log 60Hz 5A 24-48V DC w/4A0	\$2,673

*Prices subject to change.


IQ 250/260 SERIES *(continued)*

Metering Products

IQ 250/260 ACCESSORIES (I/O Cards Offered for Upgrade)

Catalog Number	Description	List Price
IQ250/260-I01	PXM 2000 I/O Card-2 Relay Outputs/2 Status Inputs	\$504
IQ250/260-I02	PXM 2000 I/O Card-4 KYZ Pulses/4 Status Inputs	\$1,065
IQ250/260-I03	PXM 2000 I/O Card-4 Analog Outputs - 0–1 mA	\$1,065
IQ250/260-I04	PXM 2000 I/O Card-4 Analog Outputs - 4–20 mA	\$621
IQ250-PMAC	Panel Mounting Adapter Kit-PXM2000 To IQ A/DP/DATA	\$89
PXM2000-GCK	PXM 2000 Gateway Card Kit to Upgrade an IQ 250/260 to a PXM 2000	\$835

IQ 250/260 Catalog Numbering System



Example 1: **IQ250MA65140** (IQ 250 Meter/Display 60 Hz, 5 A, 90 – 265 Vac/dc W/4A0)

Example 2: **IQ260MA65100** (IQ 260 Meter/Display 60 Hz, 5 A, 90 – 265 Vac/dc)

IQ 130/140/150 SERIES

Metering Products

Providing the first line of defense against costly power problems, Eaton's IQ 100 electronic power meters can perform the work of an entire wall of legacy metering equipment utilizing today's technology. Eaton's IQ 100 meters use 24-bit AD converters that sample at more than 400 samples per cycle and meet ANSI C12.20 standards for accuracy of 0.5 percent. With such high-performance measurement capability, these meters can be confidently used for primary revenue metering and submetering applications.

Applications

- Utility and commercial metering
- Substations, industrial facilities, power generation sites and campuses
- Submetering
- Load studies and voltage recording
- Analog meter replacement



IQ 130/140/150 SERIES

Catalog Number	Description	List Price
IQ 130 Meters		
IQ130MA5110	IQ130 Meter/Display 50Hz 1A 90-265V AC/DC	\$469
IQ130MA5111	IQ130 Meter/Display 50Hz 1A 90-265V AC/DC w/Modbus/KYZ Out	\$622
IQ130MA5112	IQ130 Meter/Display 50Hz 1A 90-265V AC/DC w/Ethernet/KYZ	\$1,022
IQ130MA5140	IQ130 Meter/Display 50Hz 1A 24-48V DC	\$469
IQ130MA5510	IQ130 Meter/Display 50Hz 5A 90-265V AC/DC	\$469
IQ130MA5511	IQ130 Meter/Display 50Hz 5A 90-265V AC/DC w/Modbus/KYZ Out	\$622
IQ130MA5512	IQ130 Meter/Display 50Hz 5A 90-265V AC/DC w/Ethernet/KYZ	\$1,022
IQ130MA5540	IQ130 Meter/Display 50Hz 5A 24-48V DC	\$469
IQ130MA6110	IQ130 Meter/Display 60Hz 1A 90-265V AC/DC	\$469
IQ130MA6111	IQ130 Meter/Display 60Hz 1A 90-265V AC/DC w/Modbus/KYZ Out	\$622
IQ130MA6112	IQ130 Meter/Display 60Hz 1A 90-265V AC/DC w/Ethernet/KYZ	\$1,022
IQ130MA6140	IQ130 Meter/Display 60Hz 1A 24-48V DC	\$469
IQ130MA6510	IQ130 Meter/Display 60Hz 5A 90-265V AC/DC	\$469
IQ130MA6511	IQ130 Meter/Display 60Hz 5A 90-265V AC/DC w/Modbus/KYZ Out	\$622
IQ130MA6512	IQ130 Meter/Display 60Hz 5A 90-265V AC/DC w/Ethernet/KYZ	\$1,022
IQ130MA6540	IQ130 Meter/Display 60Hz 5A 24-48V DC	\$469
IQ130MA6541	IQ130 Meter/Display 60Hz 5A 24-48V DC w/Modbus/KYZ Out	\$622
IQ130MA6542	IQ130 Meter/Display 60Hz 5A 24-48V DC w/Ethernet/KYZ	\$1,022
IQ130TA5111	IQ130 Transducer Only 50Hz 1A 90-265V AC/DC w/Modbus/KYZ Out	\$469
IQ130TA5112	IQ130 Transducer Only 50Hz 1A 90-265V AC/DC w/Ethernet/KYZ	\$925
IQ130TA5141	IQ130 Transducer Only 50Hz 1A 24-48V DC w/Modbus/KYZ Out	\$469
IQ130TA5142	IQ130 Transducer Only 50Hz 1A 24-48V DC w/Ethernet/KYZ	\$925
IQ130TA5511	IQ130 Transducer Only 50Hz 5A 90-265V AC/DC w/Modbus/KYZ Out	\$469
IQ130TA5512	IQ130 Transducer Only 50Hz 5A 90-265V AC/DC w/Ethernet/KYZ	\$925
IQ130TA5541	IQ130 Transducer Only 50Hz 5A 24-48V DC w/Modbus/KYZ Out	\$469
IQ130TA5542	IQ130 Transducer Only 50Hz 5A 24-48V DC w/Ethernet/KYZ	\$925
IQ130TA6111	IQ130 Transducer Only 60Hz 1A 90-265V AC/DC w/Modbus/KYZ Out	\$469
IQ130TA6112	IQ130 Transducer Only 60Hz 1A 90-265V AC/DC w/Ethernet/KYZ	\$925
IQ130TA6141	IQ130 Transducer Only 60Hz 1A 24-48V DC w/Modbus/KYZ Out	\$469
IQ130TA6142	IQ130 Transducer Only 60Hz 1A 24-48V DC w/Ethernet/KYZ	\$925
IQ130TA6511	IQ130 Transducer Only 60Hz 5A 90-265V AC/DC w/Modbus/KYZ Out	\$469
IQ130TA6512	IQ130 Transducer Only 60Hz 5A 90-265V AC/DC w/Ethernet/KYZ	\$925
IQ130TA6541	IQ130 Transducer Only 60Hz 5A 24-48V DC w/Modbus/KYZ Out	\$469
IQ130TA6542	IQ130 Transducer Only 60Hz 5A 24-48V DC w/Ethernet/KYZ	\$925
IQ 140 Meters		
IQ140MA5110	IQ140 Meter/Display 50Hz 1A 90-265V AC/DC	\$607
IQ140MA5111	IQ140 Meter/Display 50Hz 1A 90-265V AC/DC w/Modbus/KYZ Out	\$760
IQ140MA5112	IQ140 Meter/Display 50Hz 1A 90-265V AC/DC w/Ethernet/KYZ	\$1,160

IQ 130/140/150 SERIES (continued)

Metering Products

IQ 130/140/150 SERIES (continued)

Catalog Number	Description	List Price
IQ 140 Meters (continued)		
IQ140MA5140	IQ140 Meter/Display 50Hz 1A 24-48V DC	\$607
IQ140MA5510	IQ140 Meter/Display 50Hz 5A 90-265V AC/DC	\$607
IQ140MA5511	IQ140 Meter/Display 50Hz 5A 90-265V AC/DC w/Modbus/KYZ Out	\$760
IQ140MA5512	IQ140 Meter/Display 50Hz 5A 90-265V AC/DC w/Ethernet/KYZ	\$1,160
IQ140MA5540	IQ140 Meter/Display 50Hz 5A 24-48V DC	\$607
IQ140MA6110	IQ140 Meter/Display 60Hz 1A 90-265V AC/DC	\$607
IQ140MA6111	IQ140 Meter/Display 60Hz 1A 90-265V AC/DC w/Modbus/KYZ Out	\$760
IQ140MA6112	IQ140 Meter/Display 60Hz 1A 90-265V AC/DC w/Ethernet/KYZ	\$1,160
IQ140MA6140	IQ140 Meter/Display 60Hz 1A 24-48V DC	\$607
IQ140MA6510	IQ140 Meter/Display 60Hz 5A 90-265V AC/DC	\$607
IQ140MA6511	IQ140 Meter/Display 60Hz 5A 90-265V AC/DC w/Modbus/KYZ Out	\$760
IQ140MA6512	IQ140 Meter/Display 60Hz 5A 90-265V AC/DC w/Ethernet/KYZ	\$1,160
IQ140MA6540	IQ140 Meter/Display 60Hz 5A 24-48V DC	\$607
IQ140MA6541	IQ140 Meter/Display 60Hz 5A 24-48V DC w/Modbus/KYZ Out	\$760
IQ140MA6542	IQ140 Meter/Display 60Hz 5A 24-48V DC w/Ethernet/KYZ	\$1,160
IQ140TA5111	IQ140 Transducer Only 50Hz 1A 90-265V AC/DC w/Modbus/KYZ Out	\$607
IQ140TA5112	IQ140 Transducer Only 50Hz 1A 90-265V AC/DC w/Ethernet/KYZ	\$1,063
IQ140TA5141	IQ140 Transducer Only 50Hz 1A 24-48V DC w/Modbus/KYZ Out	\$607
IQ140TA5142	IQ140 Transducer Only 50Hz 1A 24-48V DC w/Ethernet/KYZ	\$1,063
IQ140TA5511	IQ140 Transducer Only 50Hz 5A 90-265V AC/DC w/Modbus/KYZ Out	\$607
IQ140TA5512	IQ140 Transducer Only 50Hz 5A 90-265V AC/DC w/Ethernet/KYZ	\$1,063
IQ140TA5541	IQ140 Transducer Only 50Hz 5A 24-48V DC w/Modbus/KYZ Out	\$607
IQ140TA5542	IQ140 Transducer Only 50Hz 5A 24-48V DC w/Ethernet/KYZ	\$1,063
IQ140TA6111	IQ140 Transducer Only 60Hz 1A 90-265V AC/DC w/Modbus/KYZ Out	\$607
IQ140TA6112	IQ140 Transducer Only 60Hz 1A 90-265V AC/DC w/Ethernet/KYZ	\$1,063
IQ140TA6141	IQ140 Transducer Only 60Hz 1A 24-48V DC w/Modbus/KYZ Out	\$607
IQ140TA6142	IQ140 Transducer Only 60Hz 1A 24-48V DC w/Ethernet/KYZ	\$1,063
IQ140TA6511	IQ140 Transducer Only 60Hz 5A 90-265V AC/DC w/Modbus/KYZ Out	\$607
IQ140TA6512	IQ140 Transducer Only 60Hz 5A 90-265V AC/DC w/Ethernet/KYZ	\$1,063
IQ140TA6541	IQ140 Transducer Only 60Hz 5A 24-48V DC w/Modbus/KYZ Out	\$607
IQ140TA6542	IQ140 Transducer Only 60Hz 5A 24-48V DC w/Ethernet/KYZ	\$1,063
IQ 150 Meters		
IQ150MA5110	IQ150 Meter/Display 50Hz 1A 90-265V AC/DC	\$642
IQ150MA5111	IQ150 Meter/Display 50Hz 1A 90-265V AC/DC w/Modbus/KYZ Out	\$795
IQ150MA5112	IQ150 Meter/Display 50Hz 1A 90-265V AC/DC w/Ethernet/KYZ	\$1,195
IQ150MA5140	IQ150 Meter/Display 50Hz 1A 24-48V DC	\$642
IQ150MA5510	IQ150 Meter/Display 50Hz 5A 90-265V AC/DC	\$642
IQ150MA5511	IQ150 Meter/Display 50Hz 5A 90-265V AC/DC w/Modbus/KYZ Out	\$795
IQ150MA5512	IQ150 Meter/Display 50Hz 5A 90-265V AC/DC w/Ethernet/KYZ	\$1,195
IQ150MA5540	IQ150 Meter/Display 50Hz 5A 24-48V DC	\$642
IQ150MA6110	IQ150 Meter/Display 60Hz 1A 90-265V AC/DC	\$642
IQ150MA6111	IQ150 Meter/Display 60Hz 1A 90-265V AC/DC w/Modbus/KYZ Out	\$795
IQ150MA6112	IQ150 Meter/Display 60Hz 1A 90-265V AC/DC w/Ethernet/KYZ	\$1,195
IQ150MA6140	IQ150 Meter/Display 60Hz 1A 24-48V DC	\$642
IQ150MA6510	IQ150 Meter/Display 60Hz 5A 90-265V AC/DC	\$642
IQ150MA6511	IQ150 Meter/Display 60Hz 5A 90-265V AC/DC w/Modbus/KYZ Out	\$795
IQ150MA6512	IQ150 Meter/Display 60Hz 5A 90-265V AC/DC w/Ethernet/KYZ	\$1,195
IQ150MA6540	IQ150 Meter/Display 60Hz 5A 24-48V DC	\$642
IQ150MA6541	IQ150 Meter/Display 60Hz 5A 24-48V DC w/Modbus/KYZ Out	\$795
IQ150MA6542	IQ150 Meter/Display 60Hz 5A 24-48V DC w/Ethernet/KYZ	\$1,195

IQ 130/140/150 SERIES (continued)

Metering Products


IQ 130/140/150 SERIES (continued)

Catalog Number	Description	List Price
IQ 150 Meters (continued)		
IQ150TA5111	IQ150 Transducer Only 50Hz 1A 90-265V AC/DC w/Modbus/KYZ Out	\$642
IQ150TA5112	IQ150 Transducer Only 50Hz 1A 90-265V AC/DC w/Ethernet/KYZ	\$1,098
IQ150TA5141	IQ150 Transducer Only 50Hz 1A 24-48V DC w/Modbus/KYZ Out	\$642
IQ150TA5142	IQ150 Transducer Only 50Hz 1A 24-48V DC w/Ethernet/KYZ	\$1,098
IQ150TA5511	IQ150 Transducer Only 50Hz 5A 90-265V AC/DC w/Modbus/KYZ Out	\$642
IQ150TA5512	IQ150 Transducer Only 50Hz 5A 90-265V AC/DC w/Ethernet/KYZ	\$1,098
IQ150TA5541	IQ150 Transducer Only 50Hz 5A 24-48V DC w/Modbus/KYZ Out	\$642
IQ150TA5542	IQ150 Transducer Only 50Hz 5A 24-48V DC w/Ethernet/KYZ	\$1,098
IQ150TA6111	IQ150 Transducer Only 60Hz 1A 90-265V AC/DC w/Modbus/KYZ Out	\$642
IQ150TA6112	IQ150 Transducer Only 60Hz 1A 90-265V AC/DC w/Ethernet/KYZ	\$1,098
IQ150TA6141	IQ150 Transducer Only 60Hz 1A 24-48V DC w/Modbus/KYZ Out	\$642
IQ150TA6142	IQ150 Transducer Only 60Hz 1A 24-48V DC w/Ethernet/KYZ	\$1,098
IQ150TA6511	IQ150 Transducer Only 60Hz 5A 90-265V AC/DC w/Modbus/KYZ Out	\$642
IQ150TA6512	IQ150 Transducer Only 60Hz 5A 90-265V AC/DC w/Ethernet/KYZ	\$1,098
IQ150TA6541	IQ150 Transducer Only 60Hz 5A 24-48V DC w/Modbus/KYZ Out	\$642
IQ150TA6542	IQ150 Transducer Only 60Hz 5A 24-48V DC w/Ethernet/KYZ	\$1,098

Accessories

Catalog Number	Description	List Price
IQ250-PMAC	Panel Mounting Adapter Kit-IQ 130/140/150 To IQ A/DP/DATA	\$89

IQ 100 Catalog Numbering System



Enclosed Meters

Power Quality Metering Products

Designed for the IQ35M, IQ150, IQ250/260, and Power Xpert Meter 2000, Eaton's Single and Multi Unit Enclosed Meter offers mounting and installation flexibility, especially in retrofit applications where no metering compartment or mounting space is available in the existing electrical distribution equipment or where installation time is a premium. Factory designed and wired, Eaton's Enclosed Meter delivers savings in labor and installation costs since input current and voltage wiring as well as I/O wiring is pre-wired to terminal blocks inside the Enclosure. To ensure safety, Eaton's Enclosed Meter includes a primary breaker for line voltage that can be turned off during meter maintenance.



Applications

Stand-alone, enclosed meters are ideal for new metering applications where no metering existed previously, retrofit installations or where ease of installation is required. All necessary components are included.

ENCLOSED METERS — SINGLE UNIT

Catalog Number	Description	List Price
w/IQ35M Series Meters		
IQ35MA15-3A	IQ35M w/BACNET w/NEMA 3R Enclosure	\$3,430
w/IQ100 Meter Series		
IQ150MA6511-2A	IQ150 w/Modbus/KYZ Out w/NEMA 12 Enclosure	\$1,683
IQ150MA6511-2B	IQ150 w/Modbus/KYZ Out w/NEMA 12 Enclosure w/CPT	\$1,834
IQ150MA6511-3A	IQ150 w/Modbus/KYZ Out w/NEMA 3R Enclosure	\$1,762
IQ150MA6511-3B	IQ150 w/Modbus/KYZ Out w/NEMA 3R Enclosure w/CPT	\$1,914
IQ150MA6511-4A	IQ150 w/Modbus/KYZ Out w/NEMA 4X Enclosure	\$1,855
IQ150MA6511-4B	IQ150 w/Modbus/KYZ Out w/NEMA 4X Enclosure w/CPT	\$2,005
IQ150MA6512-2A	IQ150 w/Ethernet/KYZ Out w/NEMA 12 Enclosure	\$2,083
IQ150MA6512-2B	IQ150 w/Ethernet/KYZ Out w/NEMA 12 Enclosure w/CPT	\$2,234
IQ150MA6512-3A	IQ150 w/Ethernet/KYZ Out w/NEMA 3R Enclosure	\$2,162
IQ150MA6512-3B	IQ150 w/Ethernet/KYZ Out w/NEMA 3R Enclosure w/CPT	\$2,314
IQ150MA6512-4A	IQ150 w/Ethernet/KYZ Out w/NEMA 4X Enclosure	\$2,255
IQ150MA6512-4B	IQ150 w/Ethernet/KYZ Out w/NEMA 4X Enclosure w/CPT	\$2,405
w/IQ250/260 Meter Series		
IQ250MA65100-2A	IQ250 w/NEMA 12 Enclosure	\$2,266
IQ250MA65100-2B	IQ250 w/NEMA 12 Enclosure w/CPT	\$2,418
IQ250MA65100-3A	IQ250 w/NEMA 3R Enclosure	\$2,347
IQ250MA65100-3B	IQ250 w/NEMA 3R Enclosure w/CPT	\$2,498
IQ250MA65100-4A	IQ250 w/NEMA 4X Enclosure	\$2,439
IQ250MA65100-4B	IQ250 w/NEMA 4X Enclosure w/CPT	\$2,590
IQ250MA65110-2A	IQ250 w/2DO&2DI w/NEMA 12 Enclosure	\$2,980
IQ250MA65110-2B	IQ250 w/2DO&2DI w/NEMA 12 Enclosure w/CPT	\$3,131
IQ250MA65110-3A	IQ250 w/2DO&2DI w/NEMA 3R Enclosure	\$3,060
IQ250MA65110-3B	IQ250 w/2DO&2DI w/NEMA 3R Enclosure w/CPT	\$3,211
IQ250MA65110-4A	IQ250 w/2DO&2DI w/NEMA 4X Enclosure	\$3,152
IQ250MA65110-4B	IQ250 w/2DO&2DI w/NEMA 4X Enclosure w/CPT	\$3,303
IQ250MA65114-2A	IQ250 w/2DO&2DI&4AO w/NEMA 12 Enclosure	\$3,630
IQ250MA65114-2B	IQ250 w/2DO&2DI&4AO w/NEMA 12 Enclosure w/CPT	\$3,782
IQ250MA65114-3A	IQ250 w/2DO&2DI&4AO w/NEMA 3R Enclosure	\$3,711
IQ250MA65114-3B	IQ250 w/2DO&2DI&4AO w/NEMA 3R Enclosure w/CPT	\$3,862
IQ250MA65114-4A	IQ250 w/2DO&2DI&4AO w/NEMA 4X Enclosure	\$3,803
IQ250MA65114-4B	IQ250 w/2DO&2DI&4AO w/NEMA 4X Enclosure w/CPT	\$3,954
IQ260MA65100-2A	IQ260 w/NEMA 12 Enclosure	\$2,699
IQ260MA65100-2B	IQ260 w/NEMA 12 Enclosure w/CPT	\$2,850
IQ260MA65100-3A	IQ260 w/NEMA 3R Enclosure	\$2,779
IQ260MA65100-3B	IQ260 w/NEMA 3R Enclosure w/CPT	\$2,930
IQ260MA65100-4A	IQ260 w/NEMA 4X Enclosure	\$2,871
IQ260MA65100-4B	IQ260 w/NEMA 4X Enclosure w/CPT	\$3,021
IQ260MA65110-2A	IQ260 w/2DO&2DI w/NEMA 12 Enclosure	\$3,411
IQ260MA65110-2B	IQ260 w/2DO&2DI w/NEMA 12 Enclosure w/CPT	\$3,562
IQ260MA65110-3A	IQ260 w/2DO&2DI w/NEMA 3R Enclosure	\$3,492
IQ260MA65110-3B	IQ260 w/2DO&2DI w/NEMA 3R Enclosure w/CPT	\$3,643
IQ260MA65110-4A	IQ260 w/2DO&2DI w/NEMA 4X Enclosure	\$3,583

Enclosed Meters *(continued)*

Power Quality Metering Products

ENCLOSED METERS – SINGLE UNIT *(continued)*

Catalog Number	Description	List Price
w/IQ250/260 Meter Series <i>(continued)</i>		
IQ260MA65110-4B	IQ260 w/2DO&2DI w/NEMA 4X Enclosure w/CPT	\$3,734
IQ260MA65114-2A	IQ260 w/2DO&2DI&4AO w/NEMA 12 Enclosure	\$4,062
IQ260MA65114-2B	IQ260 w/2DO&2DI&4AO w/NEMA 12 Enclosure w/CPT	\$4,212
IQ260MA65114-3A	IQ260 w/2DO&2DI&4AO w/NEMA 3R Enclosure	\$4,142
IQ260MA65114-3B	IQ260 w/2DO&2DI&4AO w/NEMA 3R Enclosure w/CPT	\$4,293
IQ260MA65114-4A	IQ260 w/2DO&2DI&4AO w/NEMA 4X Enclosure	\$4,233
IQ260MA65114-4B	IQ260 w/2DO&2DI&4AO w/NEMA 4X Enclosure w/CPT	\$4,384
w/Power Xpert Meter 2000 Series		
PXM2250MA65105-2A	PXM2250 w/NEMA 12 Enclosure	\$2,998
PXM2250MA65105-2B	PXM2250 w/NEMA 12 Enclosure w/CPT	\$3,149
PXM2250MA65105-3A	PXM2250 w/NEMA 3R Enclosure	\$3,079
PXM2250MA65105-3B	PXM2250 w/NEMA 3R Enclosure w/CPT	\$3,230
PXM2250MA65105-4A	PXM2250 w/NEMA 4X Enclosure	\$3,170
PXM2250MA65105-4B	PXM2250 w/NEMA 4X Enclosure w/CPT	\$3,322
PXM2250MA65115-2A	PXM2250 w/2DO&2DI w/NEMA 12 Enclosure	\$3,671
PXM2250MA65115-2B	PXM2250 w/2DO&2DI w/NEMA 12 Enclosure w/CPT	\$3,822
PXM2250MA65115-3A	PXM2250 w/2DO&2DI w/NEMA 3R Enclosure	\$3,752
PXM2250MA65115-3B	PXM2250 w/2DO&2DI w/NEMA 3R Enclosure w/CPT	\$3,902
PXM2250MA65115-4A	PXM2250 w/2DO&2DI w/NEMA 4X Enclosure	\$3,843
PXM2250MA65115-4B	PXM2250 w/2DO&2DI w/NEMA 4X Enclosure w/CPT	\$3,995
PXM2250MA65145-2A	PXM2250 w/4AO 4-20 w/NEMA 12 Enclosure	\$3,784
PXM2250MA65145-2B	PXM2250 w/4AO 4-20 w/NEMA 12 Enclosure w/CPT	\$3,935
PXM2250MA65145-3A	PXM2250 w/4AO 4-20 w/NEMA 3R Enclosure	\$3,864
PXM2250MA65145-3B	PXM2250 w/4AO 4-20 w/NEMA 3R Enclosure w/CPT	\$4,016
PXM2250MA65145-4A	PXM2250 w/4AO 4-20 w/NEMA 4X Enclosure	\$3,956
PXM2250MA65145-4B	PXM2250 w/4AO 4-20 w/NEMA 4X Enclosure w/CPT	\$4,107
PXM2260MA65105-2A	PXM2260 w/NEMA 12 Enclosure	\$3,396
PXM2260MA65105-2B	PXM2260 w/NEMA 12 Enclosure w/CPT	\$3,547
PXM2260MA65105-3A	PXM2260 w/NEMA 3R Enclosure	\$3,477
PXM2260MA65105-3B	PXM2260 w/NEMA 3R Enclosure w/CPT	\$3,628
PXM2260MA65105-4A	PXM2260 w/NEMA 4X Enclosure	\$3,568
PXM2260MA65105-4B	PXM2260 w/NEMA 4X Enclosure w/CPT	\$3,720
PXM2260MA65115-2A	PXM2260 w/2DO&2DI w/NEMA 12 Enclosure	\$4,070
PXM2260MA65115-2B	PXM2260 w/2DO&2DI w/NEMA 12 Enclosure w/CPT	\$4,221
PXM2260MA65115-3A	PXM2260 w/2DO&2DI w/NEMA 3R Enclosure	\$4,151
PXM2260MA65115-3B	PXM2260 w/2DO&2DI w/NEMA 3R Enclosure w/CPT	\$4,302
PXM2260MA65115-4A	PXM2260 w/2DO&2DI w/NEMA 4X Enclosure	\$4,242
PXM2260MA65115-4B	PXM2260 w/2DO&2DI w/NEMA 4X Enclosure w/CPT	\$4,394
PXM2260MA65145-2A	PXM2260 w/4AO 4-20 w/NEMA 12 Enclosure	\$4,183
PXM2260MA65145-2B	PXM2260 w/4AO 4-20 w/NEMA 12 Enclosure w/CPT	\$4,334
PXM2260MA65145-3A	PXM2260 w/4AO 4-20 w/NEMA 3R Enclosure	\$4,263
PXM2260MA65145-3B	PXM2260 w/4AO 4-20 w/NEMA 3R Enclosure w/CPT	\$4,415
PXM2260MA65145-4A	PXM2260 w/4AO 4-20 w/NEMA 4X Enclosure	\$4,355
PXM2260MA65145-4B	PXM2260 w/4AO 4-20 w/NEMA 4X Enclosure w/CPT	\$4,506
PXM2270MA65105-2A	PXM2270 w/NEMA 12 Enclosure	\$4,239
PXM2270MA65105-2B	PXM2270 w/NEMA 12 Enclosure w/CPT	\$4,391
PXM2270MA65105-3A	PXM2270 w/NEMA 3R Enclosure	\$4,319
PXM2270MA65105-3B	PXM2270 w/NEMA 3R Enclosure w/CPT	\$4,470
PXM2270MA65105-4A	PXM2270 w/NEMA 4X Enclosure	\$4,410
PXM2270MA65105-4B	PXM2270 w/NEMA 4X Enclosure w/CPT	\$4,562
PXM2270MA65115-2A	PXM2270 w/2DO&2DI w/NEMA 12 Enclosure	\$4,912
PXM2270MA65115-2B	PXM2270 w/2DO&2DI w/NEMA 12 Enclosure w/CPT	\$5,065
PXM2270MA65115-3A	PXM2270 w/2DO&2DI w/NEMA 3R Enclosure	\$4,993

Enclosed Meters *(continued)*

Power Quality Metering Products

ENCLOSED METERS — SINGLE UNIT *(continued)*

Catalog Number	Description	List Price
w/Power Xpert Meter 2000 Series <i>(continued)</i>		
PXM2270MA65115-3B	PXM2270 w/2DO&2DI w/NEMA 3R Enclosure w/CPT	\$5,145
PXM2270MA65115-4A	PXM2270 w/2DO&2DI w/NEMA 4X Enclosure	\$5,085
PXM2270MA65115-4B	PXM2270 w/2DO&2DI w/NEMA 4X Enclosure w/CPT	\$5,240
PXM2270MA65145-2A	PXM2270 w/4AO 4-20 w/NEMA 12 Enclosure	\$5,025
PXM2270MA65145-2B	PXM2270 w/4AO 4-20 w/NEMA 12 Enclosure w/CPT	\$5,180
PXM2270MA65145-3A	PXM2270 w/4AO 4-20 w/NEMA 3R Enclosure	\$5,110
PXM2270MA65145-3B	PXM2270 w/4AO 4-20 w/NEMA 3R Enclosure w/CPT	\$5,265
PXM2270MA65145-4A	PXM2270 w/4AO 4-20 w/NEMA 4X Enclosure	\$5,200
PXM2270MA65145-4B	PXM2270 w/4AO 4-20 w/NEMA 4X Enclosure w/CPT	\$5,350
PXM2280MA65145-3A	PXM2280 w/4AO 4-20 w/NEMA 3R Enclosure	\$5,893
PXM2290MA65105-2B	PXM2290 w/NEMA 12 Enclosure w/CPT	\$6,966
w/Power Xpert Meter 4000/6000/8000 Series		
PXM4051A1BA-2A	PXM 4000 W/ COM. EXP. CARD W/NEMA 12 ENC W/DISPT	\$10,907
PXM4051A1BA-2B	PXM 4000 W/ COM. EXP. CARD W/NEMA 12 ENC W/CPT W/DISP	\$11,199
PXM4051A1BA-3A	PXM 4000 W/ COM. EXP. CARD W/NEMA 3R ENC W/DISP	\$11,141
PXM4051A1BA-3B	PXM 4000 W/ COM. EXP. CARD W/NEMA 3R ENC W/CPT W/DISP	\$11,549
PXM4051A1BA-4A	PXM 4000 W/ COM. EXP. CARD W/NEMA 4X ENC W/DISP	\$13,649
PXM4051A1BA-4B	PXM 4000 W/ COM. EXP. CARD W/NEMA 4X ENC W/CPT W/DISP	\$13,941
PXM4051A1BB-2A	PXM 4000 W/ COM. EXP. & I/O CARDS W/NEMA 12 ENC W/DISP	\$11,542
PXM4051A1BB-2B	PXM 4000 W/ COM. EXP. & I/O CARDS W/NEMA 12 ENC W/CPT W/DISP	\$11,834
PXM4051A1BB-3A	PXM 4000 W/ COM. EXP. & I/O CARDS W/NEMA 3R ENC W/DISP	\$11,776
PXM4051A1BB-3B	PXM 4000 W/ COM. EXP. & I/O CARDS W/NEMA 3R ENC W/CPT W/DISP	\$12,184
PXM4051A1BB-4A	PXM 4000 W/ COM. EXP. & I/O CARDS W/NEMA 4X ENC W/DISP	\$14,284
PXM4051A1BB-4B	PXM 4000 W/ COM. EXP. & I/O CARDS W/NEMA 4X ENC W/CPT W/DISP	\$14,576
PXM6051A1BA-2A	PXM 6000 W/ COM. EXP. CARD W/NEMA 12 ENC W/DISPT	\$13,027
PXM6051A1BA-2B	PXM 6000 W/ COM. EXP. CARD W/NEMA 12 ENC W/CPT W/DISP	\$13,319
PXM6051A1BA-3A	PXM 6000 W/ COM. EXP. CARD W/NEMA 3R ENC W/DISP	\$13,261
PXM6051A1BA-3B	PXM 6000 W/ COM. EXP. CARD W/NEMA 3R ENC W/CPT W/DISP	\$13,669
PXM6051A1BA-4A	PXM 6000 W/ COM. EXP. CARD W/NEMA 4X ENC W/DISP	\$15,769
PXM6051A1BA-4B	PXM 6000 W/ COM. EXP. CARD W/NEMA 4X ENC W/CPT W/DISP	\$16,061
PXM6051A1BB-2A	PXM 6000 W/ COM. EXP. & I/O CARDS W/NEMA 12 ENC W/DISP	\$13,662
PXM6051A1BB-2B	PXM 6000 W/ COM. EXP. & I/O CARDS W/NEMA 12 ENC W/CPT W/DISP	\$13,954
PXM6051A1BB-3A	PXM 6000 W/ COM. EXP. & I/O CARDS W/NEMA 3R ENC W/DISP	\$13,896
PXM6051A1BB-3B	PXM 6000 W/ COM. EXP. & I/O CARDS W/NEMA 3R ENC W/CPT W/DISP	\$14,304
PXM6051A1BB-4A	PXM 6000 W/ COM. EXP. & I/O CARDS W/NEMA 4X ENC W/DISP	\$16,404
PXM6051A1BB-4B	PXM 6000 W/ COM. EXP. & I/O CARDS W/NEMA 4X ENC W/CPT W/DISP	\$16,696
PXM8051A1BA-2A	PXM 8000 W/ COM. EXP. CARD W/NEMA 12 ENC W/DISPT	\$15,147
PXM8051A1BA-2B	PXM 8000 W/ COM. EXP. CARD W/NEMA 12 ENC W/CPT W/DISP	\$15,439
PXM8051A1BA-3A	PXM 8000 W/ COM. EXP. CARD W/NEMA 3R ENC W/DISP	\$15,381
PXM8051A1BA-3B	PXM 8000 W/ COM. EXP. CARD W/NEMA 3R ENC W/CPT W/DISP	\$15,789
PXM8051A1BA-4A	PXM 8000 W/ COM. EXP. CARD W/NEMA 4X ENC W/DISP	\$17,889
PXM8051A1BA-4B	PXM 8000 W/ COM. EXP. CARD W/NEMA 4X ENC W/CPT W/DISP	\$18,181
PXM8051A1BB-2A	PXM 8000 W/ COM. EXP. & I/O CARDS W/NEMA 12 ENC W/DISP	\$15,782
PXM8051A1BB-2B	PXM 8000 W/ COM. EXP. & I/O CARDS W/NEMA 12 ENC W/CPT W/DISP	\$16,074
PXM8051A1BB-3A	PXM 8000 W/ COM. EXP. & I/O CARDS W/NEMA 3R ENC W/DISP	\$16,016
PXM8051A1BB-3B	PXM 8000 W/ COM. EXP. & I/O CARDS W/NEMA 3R ENC W/CPT W/DISP	\$16,424
PXM8051A1BB-4A	PXM 8000 W/ COM. EXP. & I/O CARDS W/NEMA 4X ENC W/DISP	\$18,524
PXM8051A1BB-4B	PXM 8000 W/ COM. EXP. & I/O CARDS W/NEMA 4X ENC W/CPT W/DISP	\$18,816
PXM8251A1BA-2B	PXM 8000 W/ VAUX & COM. EXP. CARD W/NEMA 12 ENC W/CPT W/DISP	\$17,456

Note: Enclosed Meters Includes Meter/Display, 60HZ, 5A, 90-265VAC

Enclosed Meters *(continued)*


Power Quality Metering Products

ENCLOSED METERS – MULTI UNIT


Catalog Number	Description	List Price
w/IQ35M Meter Series		
IQ35MA12-3A4C	4-IQ35Ms w/NEMA 3R Enclosure w/COMM	\$8,025
IQ35MA12-4A4C	4-IQ35Ms w/NEMA 4X Enclosure w/COMM	\$9,547
IQ35MA15-3A4A	4-IQ35Ms w/BACNET w/NEMA 3R w/4 Unit Enc	\$8,395
w/IQ150 Meter Series		
IQ150MA6511-2A4C	4-IQ150s w/Modbus/KYZ Out w/NEMA 12 Enclosure w/COMM	\$7,767
IQ150MA6511-2B4C	4-IQ150s w/Modbus/KYZ Out w/NEMA 12 Enclosure w/CPT w/COMM	\$7,942
IQ150MA6511-3A4C	4-IQ150s w/Modbus/KYZ Out W/NEMA 3R Enclosure w/COMM	\$8,450
IQ150MA6511-3B4C	4-IQ150s w/Modbus/KYZ Out W/NEMA 3R Enclosure w/CPT w/COMM	\$8,625
IQ150MA6511-4A4C	4-IQ150s w/Modbus/KYZ Out w/NEMA 4X Enclosure w/COMM	\$9,972
IQ150MA6511-4B4C	4-IQ150s w/Modbus/KYZ Out w/NEMA 4X Enclosure w/CPT w/COMM	\$10,147
w/IQ250/260 Meter Series		
IQ250MA65100-2A4C	4-IQ250s w/NEMA 12 Enclosure w/COMM	\$9,887
IQ250MA65100-2B4C	4-IQ250s w/NEMA 12 Enclosure w/CPT w/COMM	\$10,062
IQ250MA65100-3A4C	4-IQ250s w/NEMA 3R Enclosure w/COMM	\$10,570
IQ250MA65100-3B4C	4-IQ250s w/NEMA 3R Enclosure w/CPT w/COMM	\$10,745
IQ250MA65100-4A4C	4-IQ250s w/NEMA 4X Enclosure w/COMM	\$12,092
IQ250MA65100-4B4C	4-IQ250s w/NEMA 4X Enclosure w/CPT w/COMM	\$12,267
IQ260MA65100-2A4C	4-IQ260s w/NEMA 12 Enclosure w/COMM	\$11,455
IQ260MA65100-2B4C	4-IQ260s w/NEMA 12 Enclosure w/CPT w/COMM	\$11,630
IQ260MA65100-3A4C	4-IQ260s w/NEMA 3R Enclosure w/COMM	\$12,138
IQ260MA65100-3B4C	4-IQ260s w/NEMA 3R Enclosure w/CPT w/COMM	\$12,313
IQ260MA65100-4A4C	4-IQ260s w/NEMA 4X Enclosure w/COMM	\$13,660
IQ260MA65100-4B4C	4-IQ260s w/NEMA 4X Enclosure w/CPT w/COMM	\$13,835

Enclosed Meters *(continued)* **Power Quality Metering Products**

Single Unit Enclosed Meter ordering information



Multi Unit Enclosed Meter ordering information



* Not available with IQ 35M

Enclosed Meters *(continued)*

Power Quality Metering Products

Eaton's IQ 150S/250S meters provide direct-reading metered values for the most critical power aspects, such as watts, watt demand, watthours, voltage-amperes (VA), VA-hours, vars, varhours and power factor. They have high sampling speed and accuracy. These meters are self-enclosed in a NEMA 12 Enclosure with "knock-outs" on the bottom for communication and power providing for an easy installation. Perhaps you don't have network drops in all the right places. No problem.

The IQ 150S/250S offers a wireless communications option. The transmissions are encrypted using 128-bit Wired Equivalent Privacy (WEP) for security.

Features and benefits


- Self-enclosed, these meters are an ideal solution for surface mounting next to a selected piece of equipment for energy monitoring
- NEMA 12 Enclosure with a large, easy-to-read faceplate, consistent with other Eaton meter models, designed with 'knockouts' for easy installation
- Ethernet communications option for either wired or wireless setup allowing for additional ease of installation and integration into existing
- Available data and alarm recording for historical records/trending
- Integrate into Eaton's Power Xpert® Architecture for a holistic system-level view



SELF-ENCLOSED METERS

Catalog Number	Description	List Price
IQ 150S/250S Self-Enclosed Meters		
IQ150SA5511	IQ150 Self-Enclosed Meter 50HZ 5A 90-400V AC/DC w/Modbus RTU	\$985
IQ150SA6511	IQ150 Self-Enclosed Meter 60HZ 5A 90-400V AC/DC w/Modbus RTU	\$985
IQ150SA5111	IQ150 Self-Enclosed Meter 50HZ 1A 90-400V AC/DC w/Modbus RTU	\$985
IQ150SA6111	IQ150 Self-Enclosed Meter 60HZ 1A 90-400V AC/DC w/Modbus RTU	\$985
IQ150SA5512	IQ150 Self-Enclosed Meter 50HZ 5A 90-400V AC/DC w/WiFi	\$1,435
IQ150SA6512	IQ150 Self-Enclosed Meter 60HZ 5A 90-400V AC/DC w/WiFi	\$1,435
IQ150SA5112	IQ150 Self-Enclosed Meter 50HZ 1A 90-400V AC/DC w/WiFi	\$1,435
IQ150SA6112	IQ150 Self-Enclosed Meter 60HZ 1A 90-400V AC/DC w/WiFi	\$1,435
IQ250SA5511	IQ250 Self-Enclosed Meter 50HZ 5A 90-400V AC/DC w/Modbus RTU	\$1,575
IQ250SA6511	IQ250 Self-Enclosed Meter 60HZ 5A 90-400V AC/DC w/Modbus RTU	\$1,575
IQ250SA5111	IQ250 Self-Enclosed Meter 50HZ 1A 90-400V AC/DC w/Modbus RTU	\$1,575
IQ250SA6111	IQ250 Self-Enclosed Meter 60HZ 1A 90-400V AC/DC w/Modbus RTU	\$1,575
IQ250SA5512	IQ250 Self-Enclosed Meter 50HZ 5A 90-400V AC/DC w/WiFi	\$2,025
IQ250SA6512	IQ250 Self-Enclosed Meter 60HZ 5A 90-400V AC/DC w/WiFi	\$2,025
IQ250SA5112	IQ250 Self-Enclosed Meter 50HZ 1A 90-400V AC/DC w/WiFi	\$2,025
IQ250SA6112	IQ250 Self-Enclosed Meter 60HZ 1A 90-400V AC/DC w/WiFi	\$2,025

IQ 150S/250S Meter catalog numbering system



SOFTWARE

Software Products

UPS MANAGEMENT/SUPERVISORY SOFTWARE

Description	Part Number	List Price
Intelligent Power Manager, Silver edition: support for 11–100 IP addresses - all series	66925	\$569
Intelligent Power Manager, Gold edition: support for unlimited IP addresses - all series	66926	\$2,765
Management-Pac 2–Network Management Systems - Pulsar series	66923	\$369
Intelligent Power Software Suite CD: Bundled free-of-charge with Eaton UPSs (contains: Intelligent Power Manager supervisory software, Intelligent Power Protector protection software, Personal Solution-Pac power management software for non-networked Pulsar series UPSs, LanSafe power management software)	103004871	

EATON POWER XPERT INSIGHT™

	Part Number	List Price
Power Xpert Insight		
PXI for up to 10 device connections	PXI-A	\$2,999
PXI for up to 25 device connections	PXI-B	\$6,999
PXI for up to 50 device connections	PXI-C	\$11,999
PXI for up to 100 device connections	PXI-D	\$18,999
PXI for up to 200 device connections	PXI-E	\$27,999
Power Xpert Insight Device Count Upgrades		
PXI 10 to 25 Upgrade	PXI-A2B	\$3,639
PXI 10 to 50 Upgrade	PXI-A2C	\$8,039
PXI 10 to 100 Upgrade	PXI-A2D	\$14,439
PXI 10 to 200 Upgrade	PXI-A2E	\$20,999
PXI 25 to 50 Upgrade	PXI-B2C	\$3,839
PXI 25 to 100 Upgrade	PXI-B2D	\$10,449
PXI 25 to 200 Upgrade	PXI-B2E	\$1,679
PXI 50 to 100 Upgrade	PXI-C2D	\$4,749
PXI 50 to 200 Upgrade	PXI-C2E	\$11,759
PXI 100 to 200 Upgrade	PXI-D2E	\$4,759

EATON POWER SOFTWARE

	Part Number	List Price
Power Xpert Software Professional Edition		
Power Xpert Software Professional Edition	PXS-PRO	\$5,999
Power Xpert Software Professional Edition w/ 1 Day Startup*	PXS-PROn1S	\$9,897
Power Xpert Software Professional Edition w/ 2 Day Startup*	PXS-PROn2S	\$12,651
Power Xpert Software Professional Edition w/ 5 Day Startup*	PXS-PROn5S	\$20,947
Power Xpert Software Professional Edition & Power Xpert Reporting	PXS-PROnPXR	\$11,398
Power Xpert Software Enterprise Edition		
Power Xpert Software Enterprise Edition	PXS-ENT	\$11,999
Power Xpert Software Enterprise Edition w/ 1 Day Startup*	PXS-ENTn1S	\$15,297
Power Xpert Software Enterprise Edition w/ 2 Day Startup*	PXS-ENTn2S	\$18,051
Power Xpert Software Enterprise Edition w/ 5 Day Startup*	PXS-ENTn5S	\$26,347
Power Xpert Software Enterprise Edition & Power Xpert Reporting	PXS-ENTnPXR	\$17,098

*N/A = Not available for international sales, services are available in continental USA only.

POWER XPERT SOFTWARE ACCESSORIES

Description	Part Number	List Price
Environmental Monitoring Probe	116750224-001	\$220

The EMP requires connectivity through a communications card like the PXGX card to communicate with PXS

POWER XPERT REPORTING

Description	Part Number	List Price
Power Xpert Reporting - Single Source DB Connections *	PXR	\$5,999
Power Xpert Reporting - up to 2 Source DB Connections *	PXR-2DB	\$8,998
Power Xpert Reporting - up to 5 Source DB Connections *	PXR-5DB	\$12,597
Power Xpert Reporting - up to 10 Source DB Connections *	PXR-10DB	\$17,636
Power Xpert Reporting - up to 25 Source DB Connections *	PXR-25DB	\$24,691
Power Xpert Reporting - up to 50 Source DB Connections *	PXR-50DB	\$34,567

*Number of supported Source Database Connections to either Power Xpert Software or Foreseer

CONNECTIVITY

Connectivity Products

SOFTWARE COMPATIBILITY WITH UPS VIA USB OR SERIAL CABLE (PEER-TO-PEER)

	Powerware Series	Pulsar Series	Eaton BladeUPS
Protection and supervision software			
Intelligent Power Protector	x	x	x
Personal Solution-Pac		x	
Microsoft® Integrated Power Manager		x	
LanSafe	x	x	x

SOFTWARE AND CONNECTIVITY COMPATIBILITY WITH ETHERNET AND CONNECTIVITY CARD (NETWORK)

When purchasing additional software, make sure that it is compatible with your UPS's connectivity card.	Network Card-MS (Network-MS)	ConnectUPS-BD (116750222-001)	BestLink Web/SNMP Adapter (116750225-001)	Network and MODBUS Card-MS (MODBUS-MS)	X-Slot® Modbus Card (103005425-5591)	Power Xpert Gateway UPS (PXGXUPS)	Relay card-MS (Relay-MS)	Relay Interface Card-X Slot (1018460)	Relay Interface Card-BestDock (1014018)
Supervision software—monitors and manages UPSs and connected devices									
Intelligent Power Manager	x	x		x	x	x			
Foreseer and Power Xpert Software - Professional/Enterprise	x	x		x	x	x			
LanSafe		x			x				
Protection software—graceful shutdown of OSs on servers and PCs									
Intelligent Power Protector	x	x		x	x	x			
NetWatch	x	x		x	x	x			
Network Shutdown Module	x			x					
Power Xpert Software - Professional and Enterprise Editions	x	x			x	x			
LanSafe		x							
Enterprise Power Monitoring Software									
Power Xpert Insight	x	x			x	x			
Power Xpert Software - Professional and Enterprise Editions	x	x			x	x			
Foreseer Services	x	x		x	x	x			
Connectivity compatibility									
3S, 5110 and 5115 tower									
5115 RM					x	x		x	
5125					x	x		x	
Evolution	x						x		
5P/5PX	x						x		
EX	x			x			x		
9130	x	x		x					x
9PX	x			x			x		
9155						x		x	
9170+		x							x
FERRUPS			x						
BladeUPS					x	x		x	
9315					x	x		x	
9355					x	x		x	
93E	x			x			x		
9390					x	x		x	
9390IT					x	x		x	
9395					x	x		x	

*Also compatible with the following high voltage series: Ellipse, Ellipse Max, Protection Center, Protection Station

CONNECTIVITY *(continued)*

Connectivity Options

WEB/SNMP PRODUCTS

Description	Part Number	List Price
ConnectUPS-BD Web/SNMP Card (for use with 9130 and 9170+)	116750222-001	\$335
ConnectUPS-E Web/SNMP Adapter (for use with legacy Powerware 9150 and 9305 UPSs)	116750223-001	\$493
Ethernet SNMP/HTTP Adapter (for use with FERRUPS)	116750225-001	\$349
Network Card-MS Web/SNMP (Replaces Part#1030068261/66102) (for use with Evolution, 5130, 5P, 5PX, 9130, 9135, EX RT, 93E)	Network-MS	\$279
Power Xpert Gateway PDP Card (Web/SNMP/Modbus TCP)	103008064-5591	\$950
Power Xpert Gateway UPS Card (for use with 9x55 and BladeUPS 9315,9390,9395)	103007974-5591	\$450

INTEGRATION PRODUCTS (EXPANDED CONNECTIVITY & OPEN SYSTEM INTEGRATION) - POWERWARE AND EATON SERIES

Description	Part Number	List Price
Expansion Chassis - Provides additional X-Slots via RS-232 DB9 (Includes Modbus Card)	05147063	\$1,658
Modbus Card-X-Slot	103005425-5591	\$661
Network and MODBUS Card-MS (for use with 5PX, MX, EX RT, 93E, 9130)	MODBUS-MS	\$335

CONNECTIVITY AND ENVIRONMENTAL ACCESSORIES

Description	Part Number	List Price
Environmental Monitoring Probe	116750224-001	\$220

RELAY INTERFACE/REMOTE MONITORING PRODUCTS

Description	Part Number	List Price
Relay Card-MS (new card name and part number replacing style #s 103006828 and 66104)	103006828/RELAY-MS	\$100
Relay Interface Card-BD (AS/400 Compatible)	1014018	\$146
Relay Interface Card-X-Slot (AS/400 Compatible) (for use with 5115,5125,9140,9155,BladeUPS,9315,9390,9395)	1018460	\$146
Cable 25 ft (compatible with AS/400 model 9406; for use with 1014018 or 1018460)	103004349-5501	\$62
Cable 75 ft (compatible with AS/400 model 9406; for use with 1014018 or 1018460)	103004347-5501	\$104
Industrial Relay and Display Drive Card X-Slot. (for use with 9155, 9355, BladeUPS,9390) Provides (4) Form-C Relay contacts (5A @ 250V) for UPS integration into security and alarm systems. Also provides signal information for the Remote Monitor Display Panel (103002687-001)	103003055	\$335
Splitter Cable 3 ft (DB15 male to dual DB15 female; for use with 1014018 or 1018460)	124102028-001	\$158
Relay Card - Contacts (DB25) & RS232 (DB9) - X-Slot. Includes 30 ft cable DB25 - DB9. (compatible with AS/400 model 9406)	103004741-5591	\$314
Cable 10 ft DB9 - DB9 (compatible with AS/400 model 9406; for use with 103006828)	66033	\$100

REMOTE MONITORING PANELS (FOR MONITORING OF UPS STATUS) - POWERWARE SERIES

Description	Part Number	List Price
Remote Monitor Display Panel (Requires Industrial Relay and Display Drive Card Part Number 103003055)	103002687-001	\$335

INTEGRATION SOFTWARE - POWERWARE AND EATON SERIES

Description	Web Download	List Price
IBM Director Snap-in: Network Management System (NMS) software	powerquality.eaton.com	Free-of-charge

SURGE PROTECTION

PSPD SERIES

Eaton's PSPD series of surge protection devices ensure that critical equipment is protected with the safest, most reliable and most advanced UL 1449 3rd Edition certified surge protectors. The array of features, options, and configurations ensures there is a unit for all electrical applications, including service entrances, data centers, critical distribution switchboards and panelboards, and PDU's and RPP's.

- Common voltages and configurations as well as a variety of surge current capacity ratings from 50 through 400 kA provide application flexibility.
- UL 1449 3rd Edition recognized component for the United States and Canada, covered by Underwriters Laboratories certification and follow-up service.
- Utilizes self-protected protected metal oxide varistor (MOV) technology, which provides both high energy capacity and fail-safe operation.
- Side mount units offer factory-sealed assembly, which prevents arc flash and shock hazards.
- Standard units include EMI/RFI filtering to provide effective protection for sensitive electronic loads.
- Side mount units contain no replaceable parts or items that require periodic maintenance thus reducing maintenance costs.



Description	Part Number	Dimensions (H x W x D, inches)	Weight (lb)	List Price	Part Number	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PSPD 050 (50 kA/phase surge rating)								
Standard with Surge Counter Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD050208Y3K	10.5 x 7.5 x 3.5	7.0	\$1,017	PSPD050208Y3M	11.0 x 11.5 x 6.0	14.0	\$1,482
120/240 Single Split-phase (3W + G)	PSPD050240S3K	10.5 x 7.5 x 3.5	7.0	\$1,106	PSPD050240S3M	11.0 x 11.5 x 6.0	14.0	\$1,572
240 Delta (3W + G)	PSPD050240D3K	10.5 x 7.5 x 3.5	7.0	\$1,196	PSPD050240D3M	11.0 x 11.5 x 6.0	14.0	\$1,655
480 Delta (3W + G)	PSPD050480D3K	10.5 x 7.5 x 3.5	7.0	\$1,196	PSPD050480D3M	11.0 x 11.5 x 6.0	14.0	\$1,655
400/230 Wye Three-phase (4W + G)	PSPD050400Y3K	10.5 x 7.5 x 3.5	7.0	\$1,196	PSPD050400Y3M	11.0 x 11.5 x 6.0	14.0	\$1,655
480/277 Wye Three-phase (4W + G)	PSPD050480Y3K	10.5 x 7.5 x 3.5	7.0	\$1,196	PSPD050480Y3M	11.0 x 11.5 x 6.0	14.0	\$1,655
Standard Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD050208Y2K	10.5 x 7.5 x 3.5	7.0	\$850	PSPD050208Y2M	11.0 x 11.5 x 6.0	14.0	\$1,316
120/240 Single Split-phase (3W + G)	PSPD050240S2K	10.5 x 7.5 x 3.5	7.0	\$940	PSPD050240S2M	11.0 x 11.5 x 6.0	14.0	\$1,400
240 Delta (3W + G)	PSPD050240D2K	10.5 x 7.5 x 3.5	7.0	\$1,017	PSPD050240D2M	11.0 x 11.5 x 6.0	14.0	\$1,482
480 Delta (3W + G)	PSPD050480D2K	10.5 x 7.5 x 3.5	7.0	\$1,017	PSPD050480D2M	11.0 x 11.5 x 6.0	14.0	\$1,482
400/230 Wye Three-phase (4W + G)	PSPD050400Y2K	10.5 x 7.5 x 3.5	7.0	\$1,017	PSPD050400Y2M	11.0 x 11.5 x 6.0	14.0	\$1,482
480/277 Wye Three-phase (4W + G)	PSPD050480Y2K	10.5 x 7.5 x 3.5	7.0	\$1,017	PSPD050480Y2M	11.0 x 11.5 x 6.0	14.0	\$1,482
Basic Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD050208Y1K	10.5 x 7.5 x 3.5	7.0	\$813	PSPD050208Y1M	11.0 x 11.5 x 6.0	14.0	\$1,273
120/240 Single Split-phase (3W + G)	PSPD050240S1K	10.5 x 7.5 x 3.5	7.0	\$889	PSPD050240S1M	11.0 x 11.5 x 6.0	14.0	\$1,355
240 Delta (3W + G)	PSPD050240D1K	10.5 x 7.5 x 3.5	7.0	\$979	PSPD050240D1M	11.0 x 11.5 x 6.0	14.0	\$1,438
480 Delta (3W + G)	PSPD050480D1K	10.5 x 7.5 x 3.5	7.0	\$979	PSPD050480D1M	11.0 x 11.5 x 6.0	14.0	\$1,438
400/230 Wye Three-phase (4W + G)	PSPD050400Y1K	10.5 x 7.5 x 3.5	7.0	\$979	PSPD050400Y1M	11.0 x 11.5 x 6.0	14.0	\$1,438
480/277 Wye Three-phase (4W + G)	PSPD050480Y1K	10.5 x 7.5 x 3.5	7.0	\$979	PSPD050480Y1M	11.0 x 11.5 x 6.0	14.0	\$1,438
PSPD 080 (80 kA/phase surge rating)								
Standard with Surge Counter Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD080208Y3K	10.5 x 7.5 x 3.5	7.0	\$1,379	PSPD080208Y3M	11.0 x 11.5 x 6.0	14.0	\$1,769
120/240 Single Split-phase (3W + G)	PSPD080240S3K	10.5 x 7.5 x 3.5	7.0	\$1,497	PSPD080240S3M	11.0 x 11.5 x 6.0	14.0	\$1,887
240 Delta (3W + G)	PSPD080240D3K	10.5 x 7.5 x 3.5	7.0	\$1,615	PSPD080240D3M	11.0 x 11.5 x 6.0	14.0	\$2,005
480 Delta (3W + G)	PSPD080480D3K	10.5 x 7.5 x 3.5	7.0	\$1,615	PSPD080480D3M	11.0 x 11.5 x 6.0	14.0	\$2,005
400/230 Wye Three-phase (4W + G)	PSPD080400Y3K	10.5 x 7.5 x 3.5	7.0	\$1,615	PSPD080400Y3M	11.0 x 11.5 x 6.0	14.0	\$2,005
480/277 Wye Three-phase (4W + G)	PSPD080480Y3K	10.5 x 7.5 x 3.5	7.0	\$1,615	PSPD080480Y3M	11.0 x 11.5 x 6.0	14.0	\$2,005

SURGE PROTECTION *(continued)*

PSPD SERIES

Description	Part Number	Dimensions (H x W x D, inches)	Weight (lb)	List Price	Part Number	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PSPD 080 (80 kA/phase surge rating) (continued)								
Standard Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD080208Y2K	10.5 x 7.5 x 3.5	7.0	\$1,142	PSPD080208Y2M	11.0 x 11.5 x 6.0	14.0	\$1,532
120/240 Single Split-phase (3W + G)	PSPD080240S2K	10.5 x 7.5 x 3.5	7.0	\$1,260	PSPD080240S2M	11.0 x 11.5 x 6.0	14.0	\$1,651
240 Delta (3W + G)	PSPD080240D2K	10.5 x 7.5 x 3.5	7.0	\$1,260	PSPD080240D2M	11.0 x 11.5 x 6.0	14.0	\$1,769
480 Delta (3W + G)	PSPD080480D2K	10.5 x 7.5 x 3.5	7.0	\$1,379	PSPD080480D2M	11.0 x 11.5 x 6.0	14.0	\$1,769
400/230 Wye Three-phase (4W + G)	PSPD080400Y2K	10.5 x 7.5 x 3.5	7.0	\$1,379	PSPD080400Y2M	11.0 x 11.5 x 6.0	14.0	\$1,769
480/277 Wye Three-phase (4W + G)	PSPD080480Y2K	10.5 x 7.5 x 3.5	7.0	\$1,379	PSPD080480Y2M	11.0 x 11.5 x 6.0	14.0	\$1,769
Basic Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD080208Y1K	10.5 x 7.5 x 3.5	7.0	\$1,083	PSPD080208Y1M	11.0 x 11.5 x 6.0	14.0	\$1,473
120/240 Single Split-phase (3W + G)	PSPD080240S1K	10.5 x 7.5 x 3.5	7.0	\$1,195	PSPD080240S1M	11.0 x 11.5 x 6.0	14.0	\$1,585
240 Delta (3W + G)	PSPD080240D1K	10.5 x 7.5 x 3.5	7.0	\$1,308	PSPD080240D1M	11.0 x 11.5 x 6.0	14.0	\$1,698
480 Delta (3W + G)	PSPD080480D1K	10.5 x 7.5 x 3.5	7.0	\$1,313	PSPD080480D1M	11.0 x 11.5 x 6.0	14.0	\$1,703
400/230 Wye Three-phase (4W + G)	PSPD080400Y1K	10.5 x 7.5 x 3.5	7.0	\$1,313	PSPD080400Y1M	11.0 x 11.5 x 6.0	14.0	\$1,703
480/277 Wye Three-phase (4W + G)	PSPD080480Y1K	10.5 x 7.5 x 3.5	7.0	\$1,313	PSPD080480Y1M	11.0 x 11.5 x 6.0	14.0	\$1,703
PSPD 100 (100 kA/phase surge rating)								
Standard with Surge Counter Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD100208Y3K	10.5 x 7.5 x 3.5	7.0	\$1,572	PSPD100208Y3M	11.0 x 11.5 x 6.0	14.0	\$1,953
120/240 Single Split-phase (3W + G)	PSPD100240S3K	10.5 x 7.5 x 3.5	7.0	\$1,705	PSPD100240S3M	11.0 x 11.5 x 6.0	14.0	\$2,086
240 Delta (3W + G)	PSPD100240D3K	10.5 x 7.5 x 3.5	7.0	\$1,835	PSPD100240D3M	11.0 x 11.5 x 6.0	14.0	\$2,216
480 Delta (3W + G)	PSPD100480D3K	10.5 x 7.5 x 3.5	7.0	\$1,835	PSPD100480D3M	11.0 x 11.5 x 6.0	14.0	\$2,216
400/230 Wye Three-phase (4W + G)	PSPD100400Y3K	10.5 x 7.5 x 3.5	7.0	\$1,835	PSPD100400Y3M	11.0 x 11.5 x 6.0	14.0	\$2,216
480/277 Wye Three-phase (4W + G)	PSPD100480Y3K	10.5 x 7.5 x 3.5	7.0	\$1,835	PSPD100480Y3M	11.0 x 11.5 x 6.0	14.0	\$2,216
Standard Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD100208Y2K	10.5 x 7.5 x 3.5	7.0	\$1,305	PSPD100208Y2M	11.0 x 11.5 x 6.0	14.0	\$1,686
120/240 Single Split-phase (3W + G)	PSPD100240S2K	10.5 x 7.5 x 3.5	7.0	\$1,437	PSPD100240S2M	11.0 x 11.5 x 6.0	14.0	\$1,818
240 Delta (3W + G)	PSPD100240D2K	10.5 x 7.5 x 3.5	7.0	\$1,567	PSPD100240D2M	11.0 x 11.5 x 6.0	14.0	\$1,948
480 Delta (3W + G)	PSPD100480D2K	10.5 x 7.5 x 3.5	7.0	\$1,567	PSPD100480D2M	11.0 x 11.5 x 6.0	14.0	\$1,948
400/230 Wye Three-phase (4W + G)	PSPD100400Y2K	10.5 x 7.5 x 3.5	7.0	\$1,567	PSPD100400Y2M	11.0 x 11.5 x 6.0	14.0	\$1,948
480/277 Wye Three-phase (4W + G)	PSPD100480Y2K	10.5 x 7.5 x 3.5	7.0	\$1,567	PSPD100480Y2M	11.0 x 11.5 x 6.0	14.0	\$1,948
Basic Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD100208Y1K	10.5 x 7.5 x 3.5	7.0	\$1,210	PSPD100208Y1M	11.0 x 11.5 x 6.0	14.0	\$1,591
120/240 Single Split-phase (3W + G)	PSPD100240S1K	10.5 x 7.5 x 3.5	7.0	\$1,329	PSPD100240S1M	11.0 x 11.5 x 6.0	14.0	\$1,710
240 Delta (3W + G)	PSPD100240D1K	10.5 x 7.5 x 3.5	7.0	\$1,448	PSPD100240D1M	11.0 x 11.5 x 6.0	14.0	\$1,829
480 Delta (3W + G)	PSPD100480D1K	10.5 x 7.5 x 3.5	7.0	\$1,448	PSPD100480D1M	11.0 x 11.5 x 6.0	14.0	\$1,829
400/230 Wye Three-phase (4W + G)	PSPD100400Y1K	10.5 x 7.5 x 3.5	7.0	\$1,448	PSPD100400Y1M	11.0 x 11.5 x 6.0	14.0	\$1,829
480/277 Wye Three-phase (4W + G)	PSPD100480Y1K	10.5 x 7.5 x 3.5	7.0	\$1,448	PSPD100480Y1M	11.0 x 11.5 x 6.0	14.0	\$1,829
PSPD 120 (120 kA/phase surge rating)								
Standard with Surge Counter Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD120208Y3K	10.5 x 7.5 x 3.5	7.0	\$1,935	PSPD120208Y3M	11.0 x 11.5 x 6.0	14.0	\$2,436
120/240 Single Split-phase (3W + G)	PSPD120240S3K	10.5 x 7.5 x 3.5	7.0	\$2,099	PSPD120240S3M	11.0 x 11.5 x 6.0	14.0	\$2,600
240 Delta (3W + G)	PSPD120240D3K	10.5 x 7.5 x 3.5	7.0	\$2,268	PSPD120240D3M	11.0 x 11.5 x 6.0	14.0	\$2,771
480 Delta (3W + G)	PSPD120480D3K	10.5 x 7.5 x 3.5	7.0	\$2,268	PSPD120480D3M	11.0 x 11.5 x 6.0	14.0	\$2,771
400/230 Wye Three-phase (4W + G)	PSPD120400Y3K	10.5 x 7.5 x 3.5	7.0	\$2,268	PSPD120400Y3M	11.0 x 11.5 x 6.0	14.0	\$2,771
480/277 Wye Three-phase (4W + G)	PSPD120480Y3K	10.5 x 7.5 x 3.5	7.0	\$2,268	PSPD120480Y3M	11.0 x 11.5 x 6.0	14.0	\$2,771

SURGE PROTECTION *(continued)*

PSPD SERIES

Description	Part Number	Dimensions (H x W x D, inches)	Weight (lb)	List Price	Part Number	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PSPD 120 (120 kA/phase surge rating) (continued)								
Standard Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD120208Y2K	10.5 x 7.5 x 3.5	7.0	\$1,653	PSPD120208Y2M	11.0 x 11.5 x 6.0	14.0	\$2,155
120/240 Single Split-phase (3W + G)	PSPD120240S2K	10.5 x 7.5 x 3.5	7.0	\$1,816	PSPD120240S2M	11.0 x 11.5 x 6.0	14.0	\$2,319
240 Delta (3W + G)	PSPD120240D2K	10.5 x 7.5 x 3.5	7.0	\$1,984	PSPD120240D2M	11.0 x 11.5 x 6.0	14.0	\$2,488
480 Delta (3W + G)	PSPD120480D2K	10.5 x 7.5 x 3.5	7.0	\$1,984	PSPD120480D2M	11.0 x 11.5 x 6.0	14.0	\$2,488
400/230 Wye Three-phase (4W + G)	PSPD120400Y2K	10.5 x 7.5 x 3.5	7.0	\$1,984	PSPD120400Y2M	11.0 x 11.5 x 6.0	14.0	\$2,488
480/277 Wye Three-phase (4W + G)	PSPD120480Y2K	10.5 x 7.5 x 3.5	7.0	\$1,984	PSPD120480Y2M	11.0 x 11.5 x 6.0	14.0	\$2,488
Basic Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD120208Y1K	10.5 x 7.5 x 3.5	7.0	\$1,528	PSPD120208Y1M	11.0 x 11.5 x 6.0	14.0	\$2,029
120/240 Single Split-phase (3W + G)	PSPD120240S1K	10.5 x 7.5 x 3.5	7.0	\$1,678	PSPD120240S1M	11.0 x 11.5 x 6.0	14.0	\$2,180
240 Delta (3W + G)	PSPD120240D1K	10.5 x 7.5 x 3.5	7.0	\$1,834	PSPD120240D1M	11.0 x 11.5 x 6.0	14.0	\$2,337
480 Delta (3W + G)	PSPD120480D1K	10.5 x 7.5 x 3.5	7.0	\$1,834	PSPD120480D1M	11.0 x 11.5 x 6.0	14.0	\$2,337
400/230 Wye Three-phase (4W + G)	PSPD120400Y1K	10.5 x 7.5 x 3.5	7.0	\$1,834	PSPD120400Y1M	11.0 x 11.5 x 6.0	14.0	\$2,337
480/277 Wye Three-phase (4W + G)	PSPD120480Y1K	10.5 x 7.5 x 3.5	7.0	\$1,834	PSPD120480Y1M	11.0 x 11.5 x 6.0	14.0	\$2,337
PSPD 160 (160 kA/phase surge rating)								
Standard with Surge Counter Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD160208Y3K	10.5 x 7.5 x 3.5	7.0	\$2,418	PSPD160208Y3M	11.0 x 11.5 x 6.0	14.0	\$3,029
120/240 Single Split-phase (3W + G)	PSPD160240S3K	10.5 x 7.5 x 3.5	7.0	\$2,632	PSPD160240S3M	11.0 x 11.5 x 6.0	14.0	\$3,243
240 Delta (3W + G)	PSPD160240D3K	10.5 x 7.5 x 3.5	7.0	\$2,846	PSPD160240D3M	11.0 x 11.5 x 6.0	14.0	\$3,456
480 Delta (3W + G)	PSPD160480D3K	10.5 x 7.5 x 3.5	7.0	\$2,846	PSPD160480D3M	11.0 x 11.5 x 6.0	14.0	\$3,456
400/230 Wye Three-phase (4W + G)	PSPD160400Y3K	10.5 x 7.5 x 3.5	7.0	\$2,846	PSPD160400Y3M	11.0 x 11.5 x 6.0	14.0	\$3,456
480/277 Wye Three-phase (4W + G)	PSPD160480Y3K	10.5 x 7.5 x 3.5	7.0	\$2,846	PSPD160480Y3M	11.0 x 11.5 x 6.0	14.0	\$3,456
Standard Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD160208Y2K	10.5 x 7.5 x 3.5	7.0	\$2,144	PSPD160208Y2M	11.0 x 11.5 x 6.0	14.0	\$2,754
120/240 Single Split-phase (3W + G)	PSPD160240S2K	10.5 x 7.5 x 3.5	7.0	\$2,358	PSPD160240S2M	11.0 x 11.5 x 6.0	14.0	\$2,967
240 Delta (3W + G)	PSPD160240D2K	10.5 x 7.5 x 3.5	7.0	\$2,572	PSPD160240D2M	11.0 x 11.5 x 6.0	14.0	\$3,181
480 Delta (3W + G)	PSPD160480D2K	10.5 x 7.5 x 3.5	7.0	\$2,572	PSPD160480D2M	11.0 x 11.5 x 6.0	14.0	\$3,181
400/230 Wye Three-phase (4W + G)	PSPD160400Y2K	10.5 x 7.5 x 3.5	7.0	\$2,572	PSPD160400Y2M	11.0 x 11.5 x 6.0	14.0	\$3,181
480/277 Wye Three-phase (4W + G)	PSPD160480Y2K	10.5 x 7.5 x 3.5	7.0	\$2,572	PSPD160480Y2M	11.0 x 11.5 x 6.0	14.0	\$3,181
Basic Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD160208Y1K	10.5 x 7.5 x 3.5	7.0	\$1,986	PSPD160208Y1M	11.0 x 11.5 x 6.0	14.0	\$2,596
120/240 Single Split-phase (3W + G)	PSPD160240S1K	10.5 x 7.5 x 3.5	7.0	\$2,181	PSPD160240S1M	11.0 x 11.5 x 6.0	14.0	\$2,790
240 Delta (3W + G)	PSPD160240D1K	10.5 x 7.5 x 3.5	7.0	\$2,382	PSPD160240D1M	11.0 x 11.5 x 6.0	14.0	\$2,992
480 Delta (3W + G)	PSPD160480D1K	10.5 x 7.5 x 3.5	7.0	\$2,382	PSPD160480D1M	11.0 x 11.5 x 6.0	14.0	\$2,992
400/230 Wye Three-phase (4W + G)	PSPD160400Y1K	10.5 x 7.5 x 3.5	7.0	\$2,382	PSPD160400Y1M	11.0 x 11.5 x 6.0	14.0	\$2,992
480/277 Wye Three-phase (4W + G)	PSPD160480Y1K	10.5 x 7.5 x 3.5	7.0	\$2,382	PSPD160480Y1M	11.0 x 11.5 x 6.0	14.0	\$2,992
PSPD 200 (200 kA/phase surge rating)								
Standard with Surge Counter Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD200208Y3K	10.5 x 7.5 x 3.5	7.0	\$3,028	PSPD200208Y3M	11.0 x 11.5 x 6.0	14.0	\$3,841
120/240 Single Split-phase (3W + G)	PSPD200240S3K	10.5 x 7.5 x 3.5	7.0	\$3,302	PSPD200240S3M	11.0 x 11.5 x 6.0	14.0	\$4,115
240 Delta (3W + G)	PSPD200240D3K	10.5 x 7.5 x 3.5	7.0	\$3,577	PSPD200240D3M	11.0 x 11.5 x 6.0	14.0	\$4,391
480 Delta (3W + G)	PSPD200480D3K	10.5 x 7.5 x 3.5	7.0	\$3,577	PSPD200480D3M	11.0 x 11.5 x 6.0	14.0	\$4,391
400/230 Wye Three-phase (4W + G)	PSPD200400Y3K	10.5 x 7.5 x 3.5	7.0	\$3,577	PSPD200400Y3M	11.0 x 11.5 x 6.0	14.0	\$4,391
480/277 Wye Three-phase (4W + G)	PSPD200480Y3K	10.5 x 7.5 x 3.5	7.0	\$3,577	PSPD200480Y3M	11.0 x 11.5 x 6.0	14.0	\$4,391

SURGE PROTECTION *(continued)*

PSPD SERIES

Description	Part Number	Dimensions (H x W x D, inches)	Weight (lb)	List Price	Part Number	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PSPD 200 (200 kA/phase surge rating) (continued)								
Standard Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD200208Y2K	10.5 x 7.5 x 3.5	7.0	\$2,747	PSPD200208Y2M	11.0 x 11.5 x 6.0	14.0	\$3,559
120/240 Single Split-phase (3W + G)	PSPD200240S2K	10.5 x 7.5 x 3.5	7.0	\$3,021	PSPD200240S2M	11.0 x 11.5 x 6.0	14.0	\$3,833
240 Delta (3W + G)	PSPD200240D2K	10.5 x 7.5 x 3.5	7.0	\$3,297	PSPD200240D2M	11.0 x 11.5 x 6.0	14.0	\$4,110
480 Delta (3W + G)	PSPD200480D2K	10.5 x 7.5 x 3.5	7.0	\$3,297	PSPD200480D2M	11.0 x 11.5 x 6.0	14.0	\$4,110
400/230 Wye Three-phase (4W + G)	PSPD200400Y2K	10.5 x 7.5 x 3.5	7.0	\$3,297	PSPD200400Y2M	11.0 x 11.5 x 6.0	14.0	\$4,110
480/277 Wye Three-phase (4W + G)	PSPD200480Y2K	10.5 x 7.5 x 3.5	7.0	\$3,297	PSPD200480Y2M	11.0 x 11.5 x 6.0	14.0	\$4,110
Basic Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD200208Y1K	10.5 x 7.5 x 3.5	7.0	\$2,540	PSPD200208Y1M	11.0 x 11.5 x 6.0	14.0	\$3,352
120/240 Single Split-phase (3W + G)	PSPD200240S1K	10.5 x 7.5 x 3.5	7.0	\$2,797	PSPD200240S1M	11.0 x 11.5 x 6.0	14.0	\$3,610
240 Delta (3W + G)	PSPD200240D1K	10.5 x 7.5 x 3.5	7.0	\$3,046	PSPD200240D1M	11.0 x 11.5 x 6.0	14.0	\$3,859
480 Delta (3W + G)	PSPD200480D1K	10.5 x 7.5 x 3.5	7.0	\$3,046	PSPD200480D1M	11.0 x 11.5 x 6.0	14.0	\$3,859
400/230 Wye Three-phase (4W + G)	PSPD200400Y1K	10.5 x 7.5 x 3.5	7.0	\$3,046	PSPD200400Y1M	11.0 x 11.5 x 6.0	14.0	\$3,859
480/277 Wye Three-phase (4W + G)	PSPD200480Y1K	10.5 x 7.5 x 3.5	7.0	\$3,046	PSPD200480Y1M	11.0 x 11.5 x 6.0	14.0	\$3,859
PSPD 250 (250 kA/phase surge rating)								
Standard with Surge Counter Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD250208Y3K	10.5 x 7.5 x 6.0	11.5	\$3,803	PSPD250208Y3M	11.0 x 11.5 x 6.0	16.5	\$4,763
120/240 Single Split-phase (3W + G)	PSPD250240S3K	10.5 x 7.5 x 6.0	11.5	\$4,156	PSPD250240S3M	11.0 x 11.5 x 6.0	16.5	\$5,115
240 Delta (3W + G)	PSPD250240D3K	10.5 x 7.5 x 6.0	11.5	\$4,507	PSPD250240D3M	11.0 x 11.5 x 6.0	16.5	\$5,469
480 Delta (3W + G)	PSPD250480D3K	10.5 x 7.5 x 6.0	11.5	\$4,507	PSPD250480D3M	11.0 x 11.5 x 6.0	16.5	\$5,469
400/230 Wye Three-phase (4W + G)	PSPD250400Y3K	10.5 x 7.5 x 6.0	11.5	\$4,507	PSPD250400Y3M	11.0 x 11.5 x 6.0	16.5	\$5,469
480/277 Wye Three-phase (4W + G)	PSPD250480Y3K	10.5 x 7.5 x 6.0	11.5	\$4,507	PSPD250480Y3M	11.0 x 11.5 x 6.0	16.5	\$5,469
Standard Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD250208Y2K	10.5 x 7.5 x 6.0	11.5	\$3,517	PSPD250208Y2M	11.0 x 11.5 x 6.0	16.5	\$4,476
120/240 Single Split-phase (3W + G)	PSPD250240S2K	10.5 x 7.5 x 6.0	11.5	\$3,867	PSPD250240S2M	11.0 x 11.5 x 6.0	16.5	\$4,827
240 Delta (3W + G)	PSPD250240D2K	10.5 x 7.5 x 6.0	11.5	\$4,219	PSPD250240D2M	11.0 x 11.5 x 6.0	16.5	\$5,180
480 Delta (3W + G)	PSPD250480D2K	10.5 x 7.5 x 6.0	11.5	\$4,219	PSPD250480D2M	11.0 x 11.5 x 6.0	16.5	\$5,180
400/230 Wye Three-phase (4W + G)	PSPD250400Y2K	10.5 x 7.5 x 6.0	11.5	\$4,219	PSPD250400Y2M	11.0 x 11.5 x 6.0	16.5	\$5,180
480/277 Wye Three-phase (4W + G)	PSPD250480Y2K	10.5 x 7.5 x 6.0	11.5	\$4,219	PSPD250480Y2M	11.0 x 11.5 x 6.0	16.5	\$5,180
Basic Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD250208Y1K	10.5 x 7.5 x 6.0	11.5	\$3,253	PSPD250208Y1M	11.0 x 11.5 x 6.0	16.5	\$4,214
120/240 Single Split-phase (3W + G)	PSPD250240S1K	10.5 x 7.5 x 6.0	11.5	\$3,580	PSPD250240S1M	11.0 x 11.5 x 6.0	16.5	\$4,541
240 Delta (3W + G)	PSPD250240D1K	10.5 x 7.5 x 6.0	11.5	\$3,907	PSPD250240D1M	11.0 x 11.5 x 6.0	16.5	\$4,866
480 Delta (3W + G)	PSPD250480D1K	10.5 x 7.5 x 6.0	11.5	\$3,907	PSPD250480D1M	11.0 x 11.5 x 6.0	16.5	\$4,866
400/230 Wye Three-phase (4W + G)	PSPD250400Y1K	10.5 x 7.5 x 6.0	11.5	\$3,907	PSPD250400Y1M	11.0 x 11.5 x 6.0	16.5	\$4,866
480/277 Wye Three-phase (4W + G)	PSPD250480Y1K	10.5 x 7.5 x 6.0	11.5	\$3,907	PSPD250480Y1M	11.0 x 11.5 x 6.0	16.5	\$4,866
PSPD 300 (300 kA/phase surge rating)								
Standard with Surge Counter Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD300208Y3K	10.5 x 7.5 x 6.0	11.5	\$4,501	PSPD300208Y3M	11.0 x 11.5 x 6.0	16.5	\$5,525
120/240 Single Split-phase (3W + G)	PSPD300240S3K	10.5 x 7.5 x 6.0	11.5	\$4,923	PSPD300240S3M	11.0 x 11.5 x 6.0	16.5	\$5,951
240 Delta (3W + G)	PSPD300240D3K	10.5 x 7.5 x 6.0	11.5	\$5,346	PSPD300240D3M	11.0 x 11.5 x 6.0	16.5	\$6,375
480 Delta (3W + G)	PSPD300480D3K	10.5 x 7.5 x 6.0	11.5	\$5,346	PSPD300480D3M	11.0 x 11.5 x 6.0	16.5	\$6,375
400/230 Wye Three-phase (4W + G)	PSPD300400Y3K	10.5 x 7.5 x 6.0	11.5	\$5,346	PSPD300400Y3M	11.0 x 11.5 x 6.0	16.5	\$6,375
480/277 Wye Three-phase (4W + G)	PSPD300480Y3K	10.5 x 7.5 x 6.0	11.5	\$5,346	PSPD300480Y3M	11.0 x 11.5 x 6.0	16.5	\$6,375

SURGE PROTECTION *(continued)*

PSPD SERIES

Description	Part Number	Dimensions (H x W x D, inches)	Weight (lb)	List Price	Part Number	Dimensions (H x W x D, inches)	Weight (lb)	List Price
PSPD 300 (300 kA/phase surge rating) (continued)								
Standard Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD300208Y2K	10.5 x 7.5 x 6.0	11.5	\$4,214	PSPD300208Y2M	11.0 x 11.5 x 6.0	16.5	\$5,237
120/240 Single Split-phase (3W + G)	PSPD300240S2K	10.5 x 7.5 x 6.0	11.5	\$4,636	PSPD300240S2M	11.0 x 11.5 x 6.0	16.5	\$5,660
240 Delta (3W + G)	PSPD300240D2K	10.5 x 7.5 x 6.0	11.5	\$5,058	PSPD300240D2M	11.0 x 11.5 x 6.0	16.5	\$6,084
480 Delta (3W + G)	PSPD300480D2K	10.5 x 7.5 x 6.0	11.5	\$5,058	PSPD300480D2M	11.0 x 11.5 x 6.0	16.5	\$6,084
400/230 Wye Three-phase (4W + G)	PSPD300400Y2K	10.5 x 7.5 x 6.0	11.5	\$5,058	PSPD300400Y2M	11.0 x 11.5 x 6.0	16.5	\$6,084
480/277 Wye Three-phase (4W + G)	PSPD300480Y2K	10.5 x 7.5 x 6.0	11.5	\$5,058	PSPD300480Y2M	11.0 x 11.5 x 6.0	16.5	\$6,084
Basic Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD300208Y1K	10.5 x 7.5 x 6.0	11.5	\$3,899	PSPD300208Y1M	11.0 x 11.5 x 6.0	16.5	\$4,923
120/240 Single Split-phase (3W + G)	PSPD300240S1K	10.5 x 7.5 x 6.0	11.5	\$4,290	PSPD300240S1M	11.0 x 11.5 x 6.0	16.5	\$5,314
240 Delta (3W + G)	PSPD300240D1K	10.5 x 7.5 x 6.0	11.5	\$4,680	PSPD300240D1M	11.0 x 11.5 x 6.0	16.5	\$5,704
480 Delta (3W + G)	PSPD300480D1K	10.5 x 7.5 x 6.0	11.5	\$4,680	PSPD300480D1M	11.0 x 11.5 x 6.0	16.5	\$5,704
400/230 Wye Three-phase (4W + G)	PSPD300400Y1K	10.5 x 7.5 x 6.0	11.5	\$4,680	PSPD300400Y1M	11.0 x 11.5 x 6.0	16.5	\$5,704
480/277 Wye Three-phase (4W + G)	PSPD300480Y1K	10.5 x 7.5 x 6.0	11.5	\$4,680	PSPD300480Y1M	11.0 x 11.5 x 6.0	16.5	\$5,704
PSPD 400 (400 kA/phase surge rating)								
Standard with Surge Counter Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD400208Y3K	10.5 x 7.5 x 6.0	11.5	\$5,910	PSPD400208Y3M	11.0 x 11.5 x 6.0	16.5	\$7,002
120/240 Single Split-phase (3W + G)	PSPD400240S3K	10.5 x 7.5 x 6.0	11.5	\$6,479	PSPD400240S3M	11.0 x 11.5 x 6.0	16.5	\$7,570
240 Delta (3W + G)	PSPD400240D3K	10.5 x 7.5 x 6.0	11.5	\$7,037	PSPD400240D3M	11.0 x 11.5 x 6.0	16.5	\$8,127
480 Delta (3W + G)	PSPD400480D3K	10.5 x 7.5 x 6.0	11.5	\$7,037	PSPD400480D3M	11.0 x 11.5 x 6.0	16.5	\$8,127
400/230 Wye Three-phase (4W + G)	PSPD400400Y3K	10.5 x 7.5 x 6.0	11.5	\$7,037	PSPD400400Y3M	11.0 x 11.5 x 6.0	16.5	\$8,127
480/277 Wye Three-phase (4W + G)	PSPD400480Y3K	10.5 x 7.5 x 6.0	11.5	\$7,037	PSPD400480Y3M	11.0 x 11.5 x 6.0	16.5	\$8,127
Standard Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD400208Y2K	10.5 x 7.5 x 6.0	11.5	\$5,622	PSPD400208Y2M	11.0 x 11.5 x 6.0	16.5	\$6,717
120/240 Single Split-phase (3W + G)	PSPD400240S2K	10.5 x 7.5 x 6.0	11.5	\$6,189	PSPD400240S2M	11.0 x 11.5 x 6.0	16.5	\$7,274
240 Delta (3W + G)	PSPD400240D2K	10.5 x 7.5 x 6.0	11.5	\$6,753	PSPD400240D2M	11.0 x 11.5 x 6.0	16.5	\$7,843
480 Delta (3W + G)	PSPD400480D2K	10.5 x 7.5 x 6.0	11.5	\$6,753	PSPD400480D2M	11.0 x 11.5 x 6.0	16.5	\$7,843
400/230 Wye Three-phase (4W + G)	PSPD400400Y2K	10.5 x 7.5 x 6.0	11.5	\$6,753	PSPD400400Y2M	11.0 x 11.5 x 6.0	16.5	\$7,843
480/277 Wye Three-phase (4W + G)	PSPD400480Y2K	10.5 x 7.5 x 6.0	11.5	\$6,753	PSPD400480Y2M	11.0 x 11.5 x 6.0	16.5	\$7,843
Basic Diagnostics	'K' Option - No Integral Disconnect				'M' Option - Integral Disconnect			
208/120 Wye Three-phase (4W + G)	PSPD400208Y1K	10.5 x 7.5 x 6.0	11.5	\$5,199	PSPD400208Y1M	11.0 x 11.5 x 6.0	16.5	\$6,294
120/240 Single Split-phase (3W + G)	PSPD400240S1K	10.5 x 7.5 x 6.0	11.5	\$5,718	PSPD400240S1M	11.0 x 11.5 x 6.0	16.5	\$6,810
240 Delta (3W + G)	PSPD400240D1K	10.5 x 7.5 x 6.0	11.5	\$6,247	PSPD400240D1M	11.0 x 11.5 x 6.0	16.5	\$7,338
480 Delta (3W + G)	PSPD400480D1K	10.5 x 7.5 x 6.0	11.5	\$6,247	PSPD400480D1M	11.0 x 11.5 x 6.0	16.5	\$7,338
400/230 Wye Three-phase (4W + G)	PSPD400400Y1K	10.5 x 7.5 x 6.0	11.5	\$6,247	PSPD400400Y1M	11.0 x 11.5 x 6.0	16.5	\$7,338
480/277 Wye Three-phase (4W + G)	PSPD400480Y1K	10.5 x 7.5 x 6.0	11.5	\$6,247	PSPD400480Y1M	11.0 x 11.5 x 6.0	16.5	\$7,338

SURGE PROTECTION

PSPV SERIES

Eaton's PSPV series is a commercial grade and light industrial surge protection device that combines surge suppression components and EMI/RFI filtering to provide effective protection for sensitive electronic loads. Use of the PSPV can prevent costly downtime and equipment damage from surges (or transients) caused by lightning, utility grid switching, switching of external/internal inductive or capacitive loads and other sources.

- Surge Plane technology ensures reliability and performance by using a low impedance copper platform.
- Compact design enables close mounting to electrical distribution equipment.
- Status indicator lights let you easily monitor supply power, surge suppression component status, and fusing.
- Choose from 6 surge current ratings to meet a variety of application needs.
- UL 1449 3rd Edition certification.



Description	Voltage Rating	Part Number	Dimensions (H x W x D, inches)	Enclosure	Weight (lb)	List Price
PSPV 050 (50 kA/phase surge rating)	120/240 Split Phase (3W+G)	PSPV050240S2K	5.1 x 11.6 x 2.7	NEMA 1	5.0	\$698
PSPV 050 (50 kA/phase surge rating)	240 Delta (3W+G)	PSPV050240D2K	5.1 x 11.6 x 2.7	NEMA 1	5.0	\$698
PSPV 050 (50 kA/phase surge rating)	120/208 Wye (4W+G)	PSPV050208Y2K	5.1 x 11.6 x 2.7	NEMA 1	5.0	\$698
PSPV 050 (50 kA/phase surge rating)	400 Delta (3W+G)	PSPV050480D2K	5.1 x 11.6 x 2.7	NEMA 1	5.0	\$698
PSPV 050 (50 kA/phase surge rating)	277/480 Wye (4W+G)	PSPV050480Y2K	5.1 x 11.6 x 2.7	NEMA 1	5.0	\$698
PSPV 050 (50 kA/phase surge rating)	400 Delta (3W+G)	PSPV050400D2K	5.1 x 11.6 x 2.7	NEMA 1	5.0	\$698
PSPV 050 (50 kA/phase surge rating)	230/400 Wye (4W+G)	PSPV050400Y2K	5.1 x 11.6 x 2.7	NEMA 1	5.0	\$698
PSPV 080 (80 kA/phase surge rating)	120/240 Split Phase (3W+G)	PSPV080240S2K	5.1 x 11.6 x 2.7	NEMA 1	5.5	\$784
PSPV 080 (80 kA/phase surge rating)	240 Delta (3W+G)	PSPV080240D2K	5.1 x 11.6 x 2.7	NEMA 1	5.5	\$1,060
PSPV 080 (80 kA/phase surge rating)	120/208 Wye (4W+G)	PSPV080208Y2K	5.1 x 11.6 x 2.7	NEMA 1	5.5	\$1,060
PSPV 080 (80 kA/phase surge rating)	400 Delta (3W+G)	PSPV080480D2K	5.1 x 11.6 x 2.7	NEMA 1	5.5	\$1,060
PSPV 080 (80 kA/phase surge rating)	277/480 Wye (4W+G)	PSPV080480Y2K	5.1 x 11.6 x 2.7	NEMA 1	5.5	\$1,060
PSPV 080 (80 kA/phase surge rating)	400 Delta (3W+G)	PSPV080400D2K	5.1 x 11.6 x 2.7	NEMA 1	5.5	\$1,060
PSPV 080 (80 kA/phase surge rating)	230/400 Wye (4W+G)	PSPV080400Y2K	5.1 x 11.6 x 2.7	NEMA 1	5.5	\$1,060
PSPV 100 (100 kA/phase surge rating)	120/240 Split Phase (3W+G)	PSPV100240S2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$931
PSPV 100 (100 kA/phase surge rating)	240 Delta (3W+G)	PSPV100240D2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$1,269
PSPV 100 (100 kA/phase surge rating)	120/208 Wye (4W+G)	PSPV100208Y2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$1,269
PSPV 100 (100 kA/phase surge rating)	400 Delta (3W+G)	PSPV100480D2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$1,269
PSPV 100 (100 kA/phase surge rating)	277/480 Wye (4W+G)	PSPV100480Y2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$1,269
PSPV 100 (100 kA/phase surge rating)	400 Delta (3W+G)	PSPV100400D2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$1,269
PSPV 100 (100 kA/phase surge rating)	230/400 Wye (4W+G)	PSPV100400Y2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$1,269
PSPV 120 (120 kA/phase surge rating)	120/240 Split Phase (3W+G)	PSPV120240S2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$1,096
PSPV 120 (120 kA/phase surge rating)	240 Delta (3W+G)	PSPV120240D2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$1,426
PSPV 120 (120 kA/phase surge rating)	120/208 Wye (4W+G)	PSPV120208Y2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$1,426
PSPV 120 (120 kA/phase surge rating)	400 Delta (3W+G)	PSPV120480D2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$1,426
PSPV 120 (120 kA/phase surge rating)	277/480 Wye (4W+G)	PSPV120480Y2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$1,426
PSPV 120 (120 kA/phase surge rating)	400 Delta (3W+G)	PSPV120400D2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$1,426
PSPV 120 (120 kA/phase surge rating)	230/400 Wye (4W+G)	PSPV120400Y2K	5.1 x 11.6 x 2.7	NEMA 1	6.0	\$1,426
PSPV 160 (160 kA/phase surge rating)	120/240 Split Phase (3W+G)	PSPV160240S2K	5.1 x 11.6 x 2.7	NEMA 1	6.5	\$1,432
PSPV 160 (160 kA/phase surge rating)	240 Delta (3W+G)	PSPV160240D2K	5.1 x 11.6 x 2.7	NEMA 1	6.5	\$1,845
PSPV 160 (160 kA/phase surge rating)	120/208 Wye (4W+G)	PSPV160208Y2K	5.1 x 11.6 x 2.7	NEMA 1	6.5	\$1,845
PSPV 160 (160 kA/phase surge rating)	400 Delta (3W+G)	PSPV160480D2K	5.1 x 11.6 x 2.7	NEMA 1	6.5	\$1,845
PSPV 160 (160 kA/phase surge rating)	277/480 Wye (4W+G)	PSPV160480Y2K	5.1 x 11.6 x 2.7	NEMA 1	6.5	\$1,845
PSPV 160 (160 kA/phase surge rating)	400 Delta (3W+G)	PSPV160400D2K	5.1 x 11.6 x 2.7	NEMA 1	6.5	\$1,845
PSPV 160 (160 kA/phase surge rating)	230/400 Wye (4W+G)	PSPV160400Y2K	5.1 x 11.6 x 2.7	NEMA 1	6.5	\$1,845
PSPV 200 (200 kA/phase surge rating)	120/240 Split Phase (3W+G)	PSPV200240S2K	5.1 x 11.6 x 2.7	NEMA 1	7.0	\$1,845
PSPV 200 (200 kA/phase surge rating)	240 Delta (3W+G)	PSPV200240D2K	5.1 x 11.6 x 2.7	NEMA 1	7.0	\$2,292
PSPV 200 (200 kA/phase surge rating)	120/208 Wye (4W+G)	PSPV200208Y2K	5.1 x 11.6 x 2.7	NEMA 1	7.0	\$2,292
PSPV 200 (200 kA/phase surge rating)	400 Delta (3W+G)	PSPV200480D2K	5.1 x 11.6 x 2.7	NEMA 1	7.0	\$2,292
PSPV 200 (200 kA/phase surge rating)	277/480 Wye (4W+G)	PSPV200480Y2K	5.1 x 11.6 x 2.7	NEMA 1	7.0	\$2,292
PSPV 200 (200 kA/phase surge rating)	400 Delta (3W+G)	PSPV200400D2K	5.1 x 11.6 x 2.7	NEMA 1	7.0	\$2,292
PSPV 200 (200 kA/phase surge rating)	230/400 Wye (4W+G)	PSPV200400Y2K	5.1 x 11.6 x 2.7	NEMA 1	7.0	\$2,292

SURGE PROTECTION

Surge Protection Devices (SPD)

SPD Type 1 CHSP Service Entrance Surge Protection — UL 1449 3rd Ed. Listed

- Commercial grade AC power protection
- Type 1 surge device for installation before or after the main service disconnect
- Convenient mounting options—universal fit to any manufacturer's equipment
- Clear, visible LED indication displaying status of the surge protector



SPD TYPE 1 CHSP

Catalog				Frequency						Surge Current Capacity, Per	List
Number	Enclosure	Voltage	Phase	(Hz)	MCOV ¹	VPR ²	I _n ³	SCCR ⁴	Phase Rating ⁵	Price	
CHSPT1ULTRA	NEMA 4	100/200, 110/220, 120/240	Single	50/60	L-L 300, L-N 150	L-L 1000, L-N 600	20 kA	200 kA	50 kA	\$1,384	
CHSPT1MAX	NEMA 4	100/200, 110/220, 120/240	Single	50/60	L-L 300, L-N 150	L-L 1000, L-N 600	20 kA	200 kA	45 kA	\$1,046	
CHSPT1MICRO	NEMA 4	100/200, 110/220, 120/240	Single	50/60	L-L 300, L-N 150	L-L 1000, L-N 600	20 kA	200 kA	36 kA	\$706	
CHSPT1-208Y	NEMA 4	120/208	Three-phase wye	50/60	L-L 300, L-N 150	L-L 1000, L-N 600	20 kA	200 kA	50 kA	\$1,384	

Notes:

1. MCOV: Maximum Continuous Operating Voltage that may be applied to the device per mode. 2. VPR: Voltage Protection Rating is the measured limiting voltage after a surge event.
 3. I_n: Nominal Discharge Current is the current that the device can withstand for 15 impulses. 4. SCCR: The amount of current the product can withstand under short-circuit conditions
 5. Surge Current Capacity: The maximum one time surge current rating per phase

For warranty details, go to www.eaton.com/surgetrap

SPD Type 2 CHSP Service Entrance Surge Protection — UL 1449 3rd Ed.; cUL

- AC power protection
- Universally connects to any manufacturer's loadcenter (breaker box)
- Quick connect design—easy to mount telephone and cable protection modules
- LED status indication
- This product should be connected on the load side of the loadcenter main service disconnect through a dedicated circuit breaker (follow NEC Guidelines)



SPD TYPE 2 CHSP

Catalog				Frequency						Surge Current Capacity, Per	List
Number	Enclosure	Voltage	Phase	(Hz)	MCOV ¹	VPR ²	I _n ³	SCCR ⁴	Phase Rating ⁵	Price	
CHSPT2ULTRA	NEMA 4	120/240 Vac rated line voltage	Single	60	150V L-N, 300V L-L	600V L-N, 1000V L-L, 800V N-G, 600V L-G	20 kA	22 kA	108 kA (L1-N 54 kA, L1-G 54 kA, L2-N 54 kA, L2-G 54 kA)	\$1,051	
CHSPT2MAX	NEMA 4	120/240 Vac rated line voltage	Single	60	150V L-N, 300V L-L	600V L-N, 1000V L-L, 800V N-G, 600V L-G	10 kA	22 kA	72 kA (L1-N 36 kA, L1-G 36 kA, L2-N 36 kA, L2-G 36 kA)	\$559	
CHSPT2MICRO	NEMA 4	120/240 Vac rated line voltage	Single	60	150V L-N, 300V L-L	600V L-N, 1000V L-L, 800V N-G, 600V L-G	5 kA	22 kA	36 kA (L1-N 18 kA, L1-G 18 kA, L2-N 18 kA, L2-G 18 kA)	\$350	

Notes:

1. MCOV: Maximum Continuous Operating Voltage that may be applied to the device per mode. 2. VPR: Voltage Protection Rating is the measured limiting voltage after a surge event.
 3. I_n: Nominal Discharge Current is the current that the device can withstand for 15 impulses. 4. SCCR: The amount of current the product can withstand under short-circuit conditions
 5. Surge Current Capacity: The maximum one time surge current rating per phase.

For warranty details, go to www.eaton.com/surgetrap

SURGE PROTECTION *(continued)*

Surge Protection Devices (SPD)

Accessories for CHSP Type 2 Service Entrance Protection

CHSP TYPE 2

Catalog Number	Description	Installation	Surge Current Capacity	DC Breakdown Voltage	Voltage	List Price
CHSPCABLE	Quick Connect design—add additional telephone and AC protection modules; protects two quad shield cables	Indoor installation; or rain-tight when used with recommended Enclosure	10 kA per line	145V	—	\$315
CHSPTELE	Quick Connect design—add additional AC and cable protection modules; protects four telephone lines, bi-directional	Indoor installation; or rain-tight when used with recommended Enclosure	20 kA per line	230V	Ring 90–120 Vac/ Tone 48–52 Vdc	\$336
CHSPT23PACK	3-Pack: CHSPT2ULTRA+CHSPTELE+CHSPCABLE; Surge protection for AC power, telephone and cable—see individual product features	—	See individual product ratings	—	—	\$1,118

SERVICES

Single-phase Service Plans Overview

SUMMARY OF EATON SERVICE PLANS FOR SINGLE-PHASE MODELS

Single-phase Service Plan Features	Factory Warranty	Extended Warranty-Depot	2 Year Onsite Warranty Upgrade	Flex (onsite)
Comprehensive coverage of the UPS and standard batteries	•	•	•	•
Telephone technical support	•	•	•	•
eNotify remote monitoring			0	0
Connectivity support	•	•	•	•
Expedited delivery of replacement parts, modules and batteries		•	•	•
Onsite startup		0	0	0
Onsite corrective maintenance			•	•
7x24 Next-day response			•	•
UPS preventive maintenance		0	0	0
8-hour response			0	0

• Included feature o Optional feature

1. Unit must be within 100 miles of Eaton established service location to qualify for next day response. Refer to Eaton PQ 1 Phase Service 3-digit Zip Code 8-Hour Response Map (if zip code is shown 8-hour may be purchased).

2. eNotify Remote Monitoring service requires compatible connectivity card and EMP, not included in Flex or Extended Warranty contract price. eNotify is not available for 3105, 5110, 5115 and FERRUPS.

3. Factory Warranty: Two-year Warranty for 3105, 3S, 5110, 5115, 5125, 5130, 5P, 5PX, 9130, 9135, 9PX, Evolution, Evolution S, EX, MX, EX RT, 9140, 9155, 9170+ and FERRUPS. Eaton 3105, 3S, 5110, 5115, 5125, 5130 and 5PX upgrade to 3-Year Warranty when registered online at www.eaton.com/pq/register.

EATON PQ 1 PHASE SERVICE 3-DIGIT ZIP CODE 8-HOUR RESPONSE MAP

(if zip code is shown 8-hour may be purchased)

State	Zip Code
Alabama	350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 368
Alaska	995, 996
Arizona	850, 852, 853, 855, 856, 857, 858, 859, 860, 863, 864
Arkansas	716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729
California	900, 901, 902, 903, 904, 905, 906, 907, 908, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 956, 957, 958, 959, 960, 961
Colorado	800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 815, 816
Connecticut	060, 061, 062, 063, 064, 065, 066, 067, 068, 069
Delaware	197, 198, 199
Wash. DC	200
Florida	320, 321, 322, 323, 326, 327, 328, 329, 332, 333, 335, 336, 337, 338, 342, 346, 347, 349
Georgia	300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 398, 399
Hawaii	967, 968
Idaho	832, 833
Illinois	600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 622, 623, 624, 625, 626, 627, 628, 629
Indiana	460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 478
Iowa	500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 520, 521, 522, 523, 524, 525, 526, 527, 528
Kansas	660, 661, 662, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674
Kentucky	400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 420, 421, 422, 423, 424, 425, 426, 427
Louisiana	700, 701, 703, 704, 705, 706, 707, 708, 710, 711, 712, 713, 714
Maine	039, 040, 041
Maryland	206, 207, 208, 209, 210, 211, 212, 214, 215, 216, 217, 218, 219
Massachusetts	010, 011, 012, 013, 014, 015, 016, 017, 018, 019, 020, 021, 022, 023, 024, 025, 026, 027, 055
Michigan	480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497
Minnesota	550, 551, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564
Mississippi	386, 387, 388, 389, 390, 391, 392, 393, 396, 397
Missouri	630, 631, 633, 634, 635, 636, 637, 638, 639, 640, 641, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658
Montana	N/A
Nebraska	680, 681, 683, 684, 685, 686, 687, 688, 689, 690

SERVICES

Single-phase Service Plans

EATON PQ 1 PHASE SERVICE 3-DIGIT ZIP CODE 8-HOUR RESPONSE MAP *(continued)*

(if zip code is shown 8-hour may be purchased)

State	Zip Code
Nevada	890, 891, 894, 895, 897
New Hampshire	030, 031, 032, 033, 034, 035, 036, 037, 038
New Jersey	070, 071, 072, 073, 074, 075, 076, 077, 078, 079, 080, 081, 082, 083, 084, 085, 086, 087, 088, 089
New Mexico	870, 871, 872, 878, 879, 880, 881, 882, 883
New York	005, 063, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149
North Carolina	270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289
North Dakota	N/A
Ohio	430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459
Oklahoma	730, 731, 734, 736, 737, 740, 741, 743, 744, 745, 746, 747, 748, 749
Oregon	970, 971, 972, 973, 974, 977
Pennsylvania	150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 1771, 178, 179, 180, 181, 182, 183, 184, 184, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196
Rhode Island	028, 029
South Carolina	290, 291, 292, 293, 294, 295, 296, 297, 298, 299
South Dakota	570, 571
Tennessee	370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385
Utah	840, 841, 842, 843, 844, 845, 846, 847
Vermont	050, 051, 052, 053, 054, 056, 057, 058
Virginia	201, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268
Washington	980, 981, 982, 983, 984, 985, 986, 989
West Virginia	247, 248, 249, 252, 253, 254, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268
Wisconsin	530, 531, 532, 534, 535, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549
Wyoming	829, 831

SELECTING A SERVICE PLAN

Eaton single-phase UPSs come with warranty coverage that typically includes parts and labor for electronics, 7x24 Customer Reliability Center triage and 7x24 technical support access. But to extend the term of the base factory warranty and expedite service delivery, you should recommend a service plan. The best service plans are essentially offered in two categories:

1. Extended Warranty (recommended for UPSs below 5 kVA - return to factory for exchange)

When your customer notifies Eaton about a defective unit, Eaton ships a replacement unit overnight. Upon receipt of the new UPS, the customer returns the defective unit to Eaton via ground shipment. The freight for both units is paid by Eaton.

2. Onsite service and repair (recommended for UPSs 5 kVA and above - upgrade 2 year factory warranty for 7x24 next day or 8-hour response for up to 5 years of onsite coverage)

Onsite service is a standard 7x24, next day or 8-hour (based on availability) response level of coverage – for detailed information, visit www.eaton.com/upsservices. The following features can be added to onsite service to guarantee unparalleled UPS performance:

- Comprehensive coverage of the UPS and batteries; if external (EBM) batteries exist coverage for EBM's must be purchased
- Telephone technical support
- eNotify remote monitoring
- Connectivity support
- Expedited delivery of replacement parts, modules and batteries
- Onsite startup
- Onsite corrective maintenance
- Next-day 24-hour or 8-hour response
- Annual UPS and/or battery preventive maintenance

SERVICES

Single-phase Service Plans

EXTENDED WARRANTY - DEPOT

Style Number	Description	Range	Applicable UPS Models	List Price
ESW5Y-0001-0400S	ePDU Build To Order, Specialty, 5-Year-Total Warranty (ePDU)	\$0 to \$400	All ePDU BtO, Specialty products based on list price	\$79
ESW5Y-0401-1000S	ePDU Build To Order, Specialty, 5-Year-Total Warranty (ePDU)	\$401 to \$1000	All ePDU BtO, Specialty products based on list price	\$197
ESW5Y-1001-2000S	ePDU Build To Order, Specialty, 5-Year-Total Warranty (ePDU)	\$1001 to \$2000	All ePDU BtO, Specialty products based on list price	\$394
ESW5Y-2001-5000S	ePDU Build To Order, Specialty, 5-Year-Total Warranty (ePDU)	\$2001 to \$5000	All ePDU BtO, Specialty products based on list price	\$984
ESW5Y-0001-0400C	ePDU Custom, 5-Year-Total Warranty (ePDU)	\$0 to \$400	All ePDU Custom products based on list price	\$79
ESW5Y-0401-1000C	ePDU Custom, 5-Year-Total Warranty (ePDU)	\$401 to \$1000	All ePDU Custom products based on list price	\$197
ESW5Y-1001-2000C	ePDU Custom, 5-Year-Total Warranty (ePDU)	\$1001 to \$2000	All ePDU Custom products based on list price	\$394
ESW5Y-2001-5000C	ePDU Custom, 5-Year-Total Warranty (ePDU)	\$2001 to \$5000	All ePDU Custom products based on list price	\$984
ESW5Y-0001-0400P	ePDU Top Sellers, 5-Year-Total Warranty (ePDU)	\$0 to \$400	All ePDU Top Seller products based on list price	\$63
ESW5Y-0401-1000P	ePDU Top Sellers, 5-Year-Total Warranty (ePDU)	\$401 to \$1000	All ePDU Top Seller products based on list price	\$158
ESW5Y-1001-2000P	ePDU Top Sellers, 5-Year-Total Warranty (ePDU)	\$1001 to \$2000	All ePDU Top Seller products based on list price	\$315
ESW5Y-2001-5000P	ePDU Top Sellers, 5-Year-Total Warranty (ePDU)	\$2001 to \$5000	All ePDU Top Seller products based on list price	\$788
3SW1Y-0750UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	1 - 700	Eaton 1P UPS 3 Series - Standby models	\$7
3SW5Y-0750UC	Ext Warranty-5YR UPS Adv Exchg, New Product	1 - 700	Eaton 1P UPS 3 Series - Standby models	\$23
5SW1Y-1750BC	Ext Warranty-1YR EBM Adv Exchg, Renewal	1 - 1750	Eaton 1P UPS 5 Series - Line Interactive	\$135
5SW5Y-1750BC	Ext Warranty-5YR EBM Adv Exchg, New Product	1 - 1750	Eaton 1P UPS 5 Series - Line Interactive	\$404
5SW1Y-3000BC	Ext Warranty-1YR EBM Adv Exchg, Renewal	1751 - 3000	Eaton 1P UPS 5 Series - Line Interactive	\$211
5SW5Y-3000BC	Ext Warranty-5YR EBM Adv Exchg, New Product	1751 - 3000	Eaton 1P UPS 5 Series - Line Interactive	\$632
5SW1Y-6000BC	Ext Warranty-1YR EBM Adv Exchg, Renewal	3001 - 6000	Eaton 1P UPS 5 Series - Line Interactive	\$295
5SW1Y-0950UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	1 - 950	Eaton 1P UPS 5 Series - Line Interactive	\$19
5SW5Y-0950UC	Ext Warranty-5YR UPS Adv Exchg, New Product	1 - 950	Eaton 1P UPS 5 Series - Line Interactive	\$62
5SW1Y-1750UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	1401 - 1750	Eaton 1P UPS 5 Series - Line Interactive	\$50
5SW5Y-1750UC	Ext Warranty-5YR UPS Adv Exchg, New Product	1401 - 1750	Eaton 1P UPS 5 Series - Line Interactive	\$166
5SW1Y-2500UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	1751 - 2500	Eaton 1P UPS 5 Series - Line Interactive	\$103
5SW5Y-2500UC	Ext Warranty-5YR UPS Adv Exchg, New Product	1751 - 2500	Eaton 1P UPS 5 Series - Line Interactive	\$345
5SW1Y-3000UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	2501 - 3000	Eaton 1P UPS 5 Series - Line Interactive	\$119
5SW5Y-3000UC	Ext Warranty-5YR UPS Adv Exchg, New Product	2501 - 3000	Eaton 1P UPS 5 Series - Line Interactive	\$397
5SW1Y-6000UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	3001 - 6000	Eaton 1P UPS 5 Series - Line Interactive	\$252
5SW1Y-1400UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	951 - 1400	Eaton 1P UPS 5 Series - Line Interactive	\$38
5SW5Y-1400UC	Ext Warranty-5YR UPS Adv Exchg, New Product	951 - 1400	Eaton 1P UPS 5 Series - Line Interactive	\$127
9SW1Y-0700UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	1 - 700	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$57
9SW3Y-0700UC	Ext Warranty-3YR UPS Adv Exchg, New Product	1 - 700	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$115
9SW5Y-0700UC	Ext Warranty-5YR UPS Adv Exchg, New Product	1 - 700	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$276
9SW1Y-3000BC	Ext Warranty-1YR EBM Adv Exchg, Renewal	1 - 3000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$170
9SW3Y-3000BC	Ext Warranty-3YR EBM Adv Exchg, New Product	1 - 3000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$204
9SW5Y-3000BC	Ext Warranty-5YR EBM Adv Exchg, New Product	1 - 3000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$511
9SW1Y-1000UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	701 - 1000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$74
9SW3Y-1000UC	Ext Warranty-3YR UPS Adv Exchg, New Product	701 - 1000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$148
9SW5Y-1000UC	Ext Warranty-5YR UPS Adv Exchg, New Product	701 - 1000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$355
9SW1Y-1500UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	1001 - 1500	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$94
9SW3Y-1500UC	Ext Warranty-3YR UPS Adv Exchg, New Product	1001 - 1500	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$189
9SW5Y-1500UC	Ext Warranty-5YR UPS Adv Exchg, New Product	1001 - 1500	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$454
9SW1Y-2200UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	1501 - 2000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$126
9SW3Y-2200UC	Ext Warranty-3YR UPS Adv Exchg, New Product	1501 - 2000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$252
9SW5Y-2200UC	Ext Warranty-5YR UPS Adv Exchg, New Product	1501 - 2000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$605
9SW1Y-2500UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	2001 - 2500	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$167
9SW3Y-2500UC	Ext Warranty-3YR UPS Adv Exchg, New Product	2001 - 2500	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$334
9SW5Y-2500UC	Ext Warranty-5YR UPS Adv Exchg, New Product	2001 - 2500	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$803
9SW1Y-3000UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	2501 - 3000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$211
9SW3Y-3000UC	Ext Warranty-3YR UPS Adv Exchg, New Product	2501 - 3000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$421
9SW5Y-3000UC	Ext Warranty-5YR UPS Adv Exchg, New Product	2501 - 3000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$1,013
9SW1Y-6000UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	3001 - 6000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$322
9SW3Y-6000UC	Ext Warranty-3YR UPS Adv Exchg, New Product	3001 - 6000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$645
9SW5Y-6000UC	Ext Warranty-5YR UPS Adv Exchg, New Product	3001 - 6000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$1,549
9SW1Y-11000UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	6001 - 11000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$434
9SW3Y-11000UC	Ext Warranty-3YR UPS Adv Exchg, New Product	6001 - 11000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$868

SERVICES

Single-phase Service Plans *(continued)*

EXTENDED WARRANTIES - DEPOT *(continued)*

Style Number	Description	Range	Applicable UPS Models	List Price
9SW5Y-11000UC	Ext Warranty-5YR UPS Adv Exchg, New Product	6001 - 11000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$2,088
9SW1Y-18000UC	Ext Warranty-1YR UPS Adv Exchg, Renewal	11001-18000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$620
9SW3Y-18000UC	Ext Warranty-3YR UPS Adv Exchg, New Product	11001-18000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$1,240
9SW5Y-18000UC	Ext Warranty-5YR UPS Adv Exchg, New Product	11001-18000	Eaton 1P UPS 9 Series - Online & Ferro non hard-wired	\$2,650

WARRANTY UPGRADE TO ONSITE SERVICE PLAN

Style Number	Description	Range	Applicable UPS Models	Price
WU872XXX-2509UC	2YR Onsite Upgrd To Factory Warr 7x24 8hr Resp 1-2500VA	1-2500	Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro non hard-wired	\$696
WUN72XXX-2509UC	2YR Onsite Upgrd To Factory Warr 7x24 Next Day Resp 1-2500VA	1-2500	Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro non hard-wired	\$557
WU872XXX-6009UC	2YR Onsite Upgrd To Factory Warr 7x24 8hr Resp 2.5-6kVA	2501-6000	Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro non hard-wired	\$1,095
WUN72XXX-6009UC	2YR Onsite Upgrd To Factory Warr 7x24 Next Day Resp 2.5-6kVA	2501-6000	Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro non hard-wired	\$876
WU872XXX-11000UC	2YR Onsite Upgrd To Factory Warr 7x24 8hr Resp 6-11kVA	6001-11000	Eaton 1P UPS 9 Series - Online and Ferro	\$1,433
WUN72XXX-11000UC	2YR Onsite Upgrd To Factory Warr 7x24 Next Day Resp 6-11kVA	6001-11000	Eaton 1P UPS 9 Series - Online and Ferro	\$1,146
WU872XXX-18000UC	2YR Onsite Upgrd To Factory Warr 7x24 8hr Resp 11-18kVA	11001-18000	Eaton 1P UPS 9 Series - Online and Ferro	\$1,700
WUN72XXX-18000UC	2YR Onsite Upgrd To Factory Warr 7x24 Next Day Resp 11-18kVA	11001-18000	Eaton 1P UPS 9 Series - Online and Ferro	\$1,360
WU872XXX-7000BC	2YR Onsite Upgrd To Factory Warr 7x24 8hr Resp 1-7000VA	1-7000	Eaton 1P EBM 5, 9 Series - 3, 6 Slot and 1 - 7 kVA models	\$431
WUN72XXX-7000BC	2YR Onsite Upgrd To Factory Warr 7x24 Next Day Resp 1-7000VA	1-7000	Eaton 1P EBM 5, 9 Series - 3, 6 Slot and 1 - 7 kVA models	\$345
WU872XXX-11000BC	2YR Onsite Upgrd To Factory Warr 7x24 8hr Resp 7-11kVA	7001-11000	Eaton 1P EBM 9 Series - 9 Slot and 7 - 11 kVA models	\$551
WUN72XXX-11000BC	2YR Onsite Upgrd To Factory Warr 7x24 Next Day Resp 7-11kVA	7001-11000	Eaton 1P EBM 9 Series - 9 Slot and 7 - 11 kVA models	\$441
WU872XXX-18000BC	2YR Onsite Upgrd To Factory Warr 7x24 8hr Resp 11-18kVA	11001-18000	EBM's for Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro	\$664
WUN72XXX-18000BC	2YR Onsite Upgrd To Factory Warr 7x24 Next Day Resp 11-18kVA	11001-18000	Eaton 1P EBM 9 Series - 12 Slot and 11 kVA + models	\$531

Important Notes:

- 1) Extended Warranty extends term of Factory Warranty and adds Advanced Exchange
- 2) Factory Warranty - Return Process
 - Customer returns unit to Eaton (customer pays freight)
 - Eaton ground ships replacement unit (on receipt of defective unit)
 - Eaton covers freight to customer
- 3) Advanced Exchange - Return Process
 - Eaton overnight ships replacement unit (on customer contact)
 - Customer returns defective unit in overnight packaging
 - Eaton covers freight in both directions
- 4) Extended Warranty "buy/resell" multiplier matches new product (hardware) multiplier
- 5) Prices apply to equipment installed in US 50 states
- 6) 9170+ uses the total KVA installed for service pricing (e. 3kVA N+1 = 6kVA)

9155 ONSITE SERVICE PLANS

Style Number	Description	Range	Applicable UPS Models	List Price
W1FL475XXX-0010	Flex: 4 Hr Rsp, 7x24 Cvg Only	8-10	9155 Warranty YR1	\$761
W1FL475EXX-0010	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	8-10	9155 Warranty YR1	\$859
W1FL875XXX-0010	Flex: 8 Hr Rsp, 7x24 Cvg Only	8-10	9155 Warranty YR1	\$609
W1FL875EXX-0010	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	8-10	9155 Warranty YR1	\$707
W1PT425EDX-0010	Powertrust Service Plan 4 Hr	8-10	9155 Warranty YR1	\$1,422
W1PT825EDX-0010	Powertrust Service Plan 8 Hr	8-10	9155 Warranty YR1	\$1,269
W1PVN35EXX-0010	Powertrust Value Service Plan	8-10	9155 Warranty YR1	\$969
W1FL475XXX-0015	Flex: 4 Hr Rsp, 7x24 Cvg Only	12-15	9155 Warranty YR1	\$870
W1FL475EXX-0015	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	12-15	9155 Warranty YR1	\$968
W1FL875XXX-0015	Flex: 8 Hr Rsp, 7x24 Cvg Only	12-15	9155 Warranty YR1	\$696

SERVICES

Single-phase Service Plans *(continued)*

9155 ONSITE SERVICE PLANS *(continued)*

Style Number	Description	Range	Applicable UPS Models	List Price
W1FL875EXX-0015	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	12-15	9155 Warranty YR1	\$794
W1PT425EDX-0015	Powertrust Service Plan 4 Hr	12-15	9155 Warranty YR1	\$1,544
W1PT825EDX-0015	Powertrust Service Plan 8 Hr	12-15	9155 Warranty YR1	\$1,371
W1PVN35EXX-0015	Powertrust Value Service Plan	12-15	9155 Warranty YR1	\$1,027
W2FL475XXX-0010	Flex: 4 Hr Rsp, 7x24 Cvg Only	8-10	9155 Post Warranty	\$1,522
W2FL475EXX-0010	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	8-10	9155 Post Warranty	\$1,718
W2FL875XXX-0010	Flex: 8 Hr Rsp, 7x24 Cvg Only	8-10	9155 Post Warranty	\$1,217
W2FL875EXX-0010	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	8-10	9155 Post Warranty	\$1,413
W2PT425EDX-0010	Powertrust Service Plan 4 Hr	8-10	9155 Post Warranty	\$2,843
W2PT825EDX-0010	Powertrust Service Plan 8 Hr	8-10	9155 Post Warranty	\$2,539
W2PVN35EXX-0010	Powertrust Value Service Plan	8-10	9155 Post Warranty	\$1,938
W2FL475XXX-0015	Flex: 4 Hr Rsp, 7x24 Cvg Only	12-15	9155 Post Warranty	\$1,740
W2FL475EXX-0015	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	12-15	9155 Post Warranty	\$1,935
W2FL875XXX-0015	Flex: 8 Hr Rsp, 7x24 Cvg Only	12-15	9155 Post Warranty	\$1,393
W2FL875EXX-0015	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	12-15	9155 Post Warranty	\$1,588
W2PT425EDX-0015	Powertrust Service Plan 4 Hr	12-15	9155 Post Warranty	\$3,088
W2PT825EDX-0015	Powertrust Service Plan 8 Hr	12-15	9155 Post Warranty	\$2,741
W2PVN35EXX-0015	Powertrust Value Service Plan	12-15	9155 Post Warranty	\$2,054
W2BL075AXX	2 Year Battery Labor Coverage Adder, 9155	8-15	9155 External Battery Warranty Extension - First 2YRS	\$327
W2FB075XXX-EB64	Full Battery Coverage EBM 64, 9155	8-15	9155 External Battery Warranty Extension Per YR	\$891
W2FB075XXX-EB96	Full Battery Coverage EBM 96, 9155	8-15	9155 External Battery Warranty Extension Per YR	\$1,224
W2FB075XXX-IN32	Full Battery Coverage Internal, 9155	8-15	9155 External Battery Warranty Extension Per YR	\$576

ONSITE SERVICE PLANS POST WARRANTY YEARS 3-5

Style Number	Description	Range	Applicable UPS Models	List Price
FL871XXX-2509UC	1YR Flex UPS Onsite Service, 7x24 8hr Response 2500VA	1-2500	Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro non hard-wired	\$558
FL873XXX-2509UC	3YR Flex UPS Onsite Service, 7x24 8hr Response 2500VA	1-2500	Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro non hard-wired	\$1,226
FL871XXX-6009UC	1YR Flex UPS Onsite Service, 7x24 8hr Response 2.5-6kVA	2501-6000	Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro non hard-wired	\$876
FL873XXX-6009UC	3YR Flex UPS Onsite Service, 7x24 8hr Response 2.5-6kVA	2501-6000	Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro non hard-wired	\$1,928
FL871XXX-18000UC	1YR Flex UPS Onsite Service, 7x24 8hr Response 11-18kVA	11001-18000	Eaton 1P UPS 9 Series - Online and Ferro	\$1,360
FL873XXX-18000UC	3YR Flex UPS Onsite Service, 7x24 8hr Response 11-18kVA	11001-18000	Eaton 1P UPS 9 Series - Online and Ferro	\$2,993
FL871XXX-11000UC	1YR Flex UPS Onsite Service, 7x24 8hr Response 6-11kVA	6001-11000	Eaton 1P UPS 9 Series - Online and Ferro	\$1,146
FL873XXX-11000UC	3YR Flex UPS Onsite Service, 7x24 8hr Response 6-11kVA	6001-11000	Eaton 1P UPS 9 Series - Online and Ferro	\$2,521
EB871XXX-18000BC	1YR Flex EBM Onsite Service, 7x24 8hr Response 11-18kVA	11001-18000	Eaton 1P EBM 9 Series - 12 Slot and 11 kVA + models	\$1,991
EB873XXX-18000BC	3YR Flex EBM Onsite Service, 7x24 8hr Response 11-18kVA	11001-18000	Eaton 1P EBM 9 Series - 12 Slot and 11 kVA + models	\$5,575
EB871XXX-7000BC	1YR Flex EBM Onsite Service, 7x24 8hr Response 1-7000VA	1-7000	Eaton 1P EBM 5, 9 Series - 3, 6 Slot and 1 - 7 kVA models	\$345
EB873XXX-7000BC	3YR Flex EBM Onsite Service, 7x24 8hr Response 1-7000VA	1-7000	Eaton 1P EBM 5, 9 Series - 3, 6 Slot and 1 - 7 kVA models	\$863
EB871XXX-11000BC	1YR Flex EBM Onsite Service, 7x24 8hr Response 7-11kVA	7001-11000	Eaton 1P EBM 9 Series - 9 Slot and 7 - 11 kVA models	\$606
EB873XXX-11000BC	3YR Flex EBM Onsite Service, 7x24 8hr Response 7-11kVA	7001-11000	Eaton 1P EBM 9 Series - 9 Slot and 7 - 11 kVA models	\$1,698

PREVENTIVE MAINTENANCE

Style Number	Description	Range	Applicable UPS Models	List Price
0005NXXX-6009UC	Onsite UPS PM 7x24	1-6000	Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro	\$1,032
0005NXXX-11000UC	Onsite UPS PM 7x24	6001-11000	Eaton 1P UPS 9 Series - Online and Ferro	\$1,088
0005NXXX-18000UC	Onsite UPS PM 7x24	1100-18000	Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro	\$1,196
W100055XXX-0015	UPS Preventive Maintenance, After Hours (7x24)	12-15	9155 Warranty YR1	\$598
W200055XXX-0015	UPS Preventive Maintenance, After Hours (7x24)	12-15	9155 Post Warranty	\$1,196
W100065XXX-0015	UPS Preventive Maintenance, Business Hours (5x8)	12-15	9155 Warranty YR1	\$490
W200065XXX-0015	UPS Preventive Maintenance, Business Hours (5x8)	12-15	9155 Post Warranty	\$979

SERVICES

Single-phase Service Plans (continued)

PREVENTIVE MAINTENANCE (continued)

Style Number	Description	Range	Applicable UPS Models	List Price
W100055XXX-0010	UPS Preventive Maintenance, After Hours (7x24)	8-10	9155 Warranty YR1	\$639
W200055XXX-0010	UPS Preventive Maintenance, After Hours (7x24)	8-10	9155 Post Warranty	\$1,277
W100065XXX-0010	UPS Preventive Maintenance, Business Hours (5x8)	8-10	9155 Warranty YR1	\$487
W200065XXX-0010	UPS Preventive Maintenance, Business Hours (5x8)	8-10	9155 Post Warranty	\$973
W100055INT	Sealed Battery Preventive Maintenance, Any Time	8-15	9155 Warranty YR1	\$473
W100055S036	Sealed Battery Preventive Maintenance, Any Time	8-15	9155 Warranty YR1	\$396
W100055S072	Sealed Battery Preventive Maintenance, Any Time	8-15	9155 Warranty YR1	\$713
W200055INT	Sealed Battery Preventive Maintenance, Any Time	8-15	9155 Post Warranty	\$946
W200055S036	Sealed Battery Preventive Maintenance, Any Time	8-15	9155 Post Warranty	\$792
W200055S072	Sealed Battery Preventive Maintenance, Any Time	8-15	9155 Post Warranty	\$1,426

SCHEDULED SERVICE

Style Number	Description	Range	Applicable UPS Models	List Price
XXXXNEXX-6009UC	Enotify Remote Monitoring Per Year	1-6000	Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro	\$196
SU05NXXX-6009UC	Onsite 1P UPS Startup 7x24, First Unit	1-6000	Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro	\$1,032
AS00NXXX-6009UC	Scheduled UPS Assembly Service 7x24	1-6000	Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro	\$500
XXXXNEXX-18000UC	Enotify Remote Monitoring Per Year	11001-18000	Eaton 1P UPS 9 Series - Online and Ferro	\$196
SU05NXXX-18000UC	Onsite 1P UPS Startup 7x24, First Unit	11001-18000	Eaton 1P UPS 9 Series - Online and Ferro	\$1,468
AS00NXXX-18000UC	Scheduled UPS Assembly Service 7x24	11001-18000	Eaton 1P UPS 9 Series - Online and Ferro	\$818
XXXXNEXX-11000UC	Enotify Remote Monitoring Per Year	6001-11000	Eaton 1P UPS 9 Series - Online and Ferro	\$196
SU05NXXX-11000UC	Onsite 1P UPS Startup 7x24, First Unit	6001-11000	Eaton 1P UPS 9 Series - Online and Ferro	\$1,277
AS00NXXX-11000UC	Scheduled UPS Assembly Service 7x24	6001-11000	Eaton 1P UPS 9 Series - Online and Ferro	\$818
W200055PSX-0010	Pre Site Survey, After Hours (7x24)	8-10	9155 Startup, Inspection or Assembly	\$1,088
W2AS005000-0010	Scheduled Assembly Service 7x24	8-10	9155 Startup, Inspection or Assembly	\$500
W2SU055XXX-0010	Start Up, After Hours (7x24), First Unit, 9155	8-10	9155 Startup, Inspection or Assembly	\$1,277
W2SU065XXX-0010	Start Up, Business Hours (5x8), First Unit, 9155	8-10	9155 Startup, Inspection or Assembly	\$1,060
W200055PSX-0015	Pre Site Survey, After Hours (7x24)	12-15	9155 Startup, Inspection or Assembly	\$1,088
W2AS005000-0015	Scheduled Assembly Service 7x24	12-15	9155 Startup, Inspection or Assembly	\$818
W2SU055XXX-0015	Start Up, After Hours (7x24), First Unit, 9155	12-15	9155 Startup, Inspection or Assembly	\$1,468
W2SU065XXX-0015	Start Up, Business Hours (5x8), First Unit, 9155	12-15	9155 Startup, Inspection or Assembly	\$1,196
W2UP055XXX-0010	Upgrade From 5x8 To 7x24 Startup 10kVA, 9155		9155 Startup, Inspection or Assembly	\$548
W2UP055XXX-0015	Upgrade From 5x8 To 7x24 Startup 15kVA, 9155		9155 Startup, Inspection or Assembly	\$580
SU052XXX-6009UC	Onsite 1P UPS Startup 7x24, Second Unit		Eaton 1P UPS 5, 9 Series - Line Interactive, Online and Ferro	\$739
SU052XXX-11000UC	Onsite 1P UPS Startup 7x24, Second Unit		Eaton 1P UPS 9 Series - Online and Ferro	\$217
SU052XXX-18000UC	Onsite 1P UPS Startup 7x24, Second Unit		Eaton 1P UPS 9 Series - Online and Ferro	\$272
W2SU053XXX-0010	Start Up, After Hours (7x24), Second Unit, 9155		9155 Startup, Inspection or Assembly	\$639
W2SU053XXX-0015	Start Up, After Hours (7x24), Second Unit, 9155		9155 Startup, Inspection or Assembly	\$734
W2SU063XXX-0010	Start Up, Business Hours (5x8), Second Unit, 9155		9155 Startup, Inspection or Assembly	\$530
W2SU063XXX-0015	Start Up, Business Hours (5x8), Second Unit, 9155		9155 Startup, Inspection or Assembly	\$598

Flex (FL) = Flex (3Phase) parts and labor onsite 7x24, next day (new)

Important Notes:

- 1) Onsite coverage plans start upon product purchase and upgrades and/or extends the Factory Warranty
- 2) Onsite plan registration process - Customer registers product serial number online at www.powerquality.eaton.com/register
- 3) To request or schedule service or to replace batteries, call 800/356-5737
- 4) External battery coverage purchase requires an onsite UPS plan
- 5) To renew or sell coverage after the Factory Warranty, original extension or plan coverage, batteries must be replaced
- 6) Prices apply to equipment installed in US 50 states and equipment must be within 100 miles of the nearest Eaton field technician
- 7) 9170+ uses the total KVA installed for service pricing (e. 3kVA N+1 = 6kVA)

SERVICES

Three-phase Service Plans Overview

Eaton's three-phase UPS service options, provide the uptime, convenience and value that's right for you and your business. You can leverage onsite services to meet your specific needs for UPSs, batteries and related equipment. With 240 customer service engineers in North America, we have more factory-trained personnel than any other UPS manufacturer and customers consistently rank our service number one in quality.

Three-phase Service Plan Features	PowerTrust Value	ProActive	PowerTrust	PowerTrust Preferred	Flex
Parts and Labor for Electronics	•	•	•	•	0
Parts and Labor for Batteries	0	0	0	0	0
5x8 Onsite Corrective Maintenance	•				0
7x24 Onsite Corrective Maintenance		•	•	•	0
Next Business Day Response	•				0
8-Hour Response		•	•	•	0
4-Hour Response		0	0	0	0
5x8 UPS Preventive Maintenance Visit	1 per year	0	1 per year	0	0
7x24 UPS Preventive Maintenance Visit	0	1 per year	0	2 per year	0
Battery Preventive Maintenance Visit	0	0	1 per year	2 per year	0
eNotify Remote Monitoring Service	•	•	•	•	0
Discounted Spare Parts & Upgrade Kits & T&M		30%	30%	30%	

• Included feature o Optional feature

Eaton's most popular on-site UPS support plans come standard with the above features. Additional preventive maintenance visits can be added to any packaged plan. Flex Support Plans should be used whenever a standard packaged service plan doesn't exactly match your needs. Select W1 items when service is to be started during the first year warranty period and W2 items for services to start at year 2 (post warranty) or later. Service may be sold for up to 5 year terms. Startup service may be purchased for the first unit or second unit, with discounts included in the price.

ONSITE SERVICE PLAN WARRANTY YR1

Style Number	Description	Range	List Price
W1FL47NEDX-0010	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	6 - 10	\$935
W1FL47NEDX-0015	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	11 - 15	\$1,055
W1FL47NEDX-0020	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	16 - 20	\$1,250
W1FL47NEDX-0030	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	21 - 30	\$1,494
W1FL47NEDX-0050	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	31 - 50	\$1,915
W1FL47NEDX-0080	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	51 - 80	\$2,405
W1FL47NEDX-0160	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	81 - 160	\$3,100
W1FL47NEDX-0225	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	161 - 225	\$3,352
W1FL47NEDX-0300	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	226 - 300	\$3,938
W1FL47NEDX-0550	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	301 - 550	\$4,192
W1FL47NEDX-0825	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	551 - 825	\$4,744
W1FL47NEDX-1100	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	826 - 1100	\$5,742
W1FL47NEXX-0010	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	6 - 10	\$859
W1FL47NEXX-0015	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	11 - 15	\$968
W1FL47NEXX-0020	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	16 - 20	\$1,153
W1FL47NEXX-0030	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	21 - 30	\$1,378
W1FL47NEXX-0050	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	31 - 50	\$1,771
W1FL47NEXX-0080	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	51 - 80	\$2,225
W1FL47NEXX-0160	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	81 - 160	\$2,857
W1FL47NEXX-0225	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	161 - 225	\$3,097
W1FL47NEXX-0300	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	226 - 300	\$3,640
W1FL47NEXX-0550	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	301 - 550	\$3,890
W1FL47NEXX-0825	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	551 - 825	\$4,401
W1FL47NEXX-1100	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	826 - 1100	\$5,309

SERVICES

Three-phase Service Plans *(continued)*

ONSITE SERVICE PLAN WARRANTY YR1 *(continued)*

Style Number	Description	Range	List Price
W1FL47NXDX-0010	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	6 - 10	\$837
W1FL47NXDX-0015	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	11 - 15	\$957
W1FL47NXDX-0020	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	16 - 20	\$1,076
W1FL47NXDX-0030	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	21 - 30	\$1,277
W1FL47NXDX-0050	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	31 - 50	\$1,589
W1FL47NXDX-0080	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	51 - 80	\$1,969
W1FL47NXDX-0160	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	81 - 160	\$2,665
W1FL47NXDX-0225	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	161 - 225	\$2,808
W1FL47NXDX-0300	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	226 - 300	\$3,286
W1FL47NXDX-0550	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	301 - 550	\$3,322
W1FL47NXDX-0825	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	551 - 825	\$3,766
W1FL47NXDX-1100	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	826 - 1100	\$4,763
W1FL47NXXX-0010	Flex: 4 Hr Rsp, 7x24 Cvg Only	6 - 10	\$761
W1FL47NXXX-0015	Flex: 4 Hr Rsp, 7x24 Cvg Only	11 - 15	\$870
W1FL47NXXX-0020	Flex: 4 Hr Rsp, 7x24 Cvg Only	16 - 20	\$979
W1FL47NXXX-0030	Flex: 4 Hr Rsp, 7x24 Cvg Only	21 - 30	\$1,161
W1FL47NXXX-0050	Flex: 4 Hr Rsp, 7x24 Cvg Only	31 - 50	\$1,445
W1FL47NXXX-0080	Flex: 4 Hr Rsp, 7x24 Cvg Only	51 - 80	\$1,790
W1FL47NXXX-0160	Flex: 4 Hr Rsp, 7x24 Cvg Only	81 - 160	\$2,422
W1FL47NXXX-0225	Flex: 4 Hr Rsp, 7x24 Cvg Only	161 - 225	\$2,553
W1FL47NXXX-0300	Flex: 4 Hr Rsp, 7x24 Cvg Only	226 - 300	\$2,987
W1FL47NXXX-0550	Flex: 4 Hr Rsp, 7x24 Cvg Only	301 - 550	\$3,020
W1FL47NXXX-0825	Flex: 4 Hr Rsp, 7x24 Cvg Only	551 - 825	\$3,423
W1FL47NXXX-1100	Flex: 4 Hr Rsp, 7x24 Cvg Only	826 - 1100	\$4,330
W1FL47NXXX-RPP	Flex: 4 Hr Rsp, 7x24 Cvg Only	RPP	\$420
W1FL47NXXX-RPPB	Flex: 4 Hr Rsp, 7x24 Cvg Only	RPPB	\$526
W1FL48NEDX-0010	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	6 - 10	\$783
W1FL48NEDX-0015	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	11 - 15	\$881
W1FL48NEDX-0020	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	16 - 20	\$1,055
W1FL48NEDX-0030	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	21 - 30	\$1,262
W1FL48NEDX-0050	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	31 - 50	\$1,626
W1FL48NEDX-0080	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	51 - 80	\$2,047
W1FL48NEDX-0160	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	81 - 160	\$2,615
W1FL48NEDX-0225	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	161 - 225	\$2,841
W1FL48NEDX-0300	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	226 - 300	\$3,341
W1FL48NEDX-0550	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	301 - 550	\$3,588
W1FL48NEDX-0825	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	551 - 825	\$4,060
W1FL48NEDX-1100	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	826 - 1100	\$4,876
W1FL48NEXX-0010	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	6 - 10	\$707
W1FL48NEXX-0015	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	11 - 15	\$794
W1FL48NEXX-0020	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	16 - 20	\$957
W1FL48NEXX-0030	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	21 - 30	\$1,146
W1FL48NEXX-0050	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	31 - 50	\$1,482
W1FL48NEXX-0080	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	51 - 80	\$1,867
W1FL48NEXX-0160	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	81 - 160	\$2,373
W1FL48NEXX-0225	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	161 - 225	\$2,586
W1FL48NEXX-0300	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	226 - 300	\$3,042
W1FL48NEXX-0550	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	301 - 550	\$3,286
W1FL48NEXX-0825	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	551 - 825	\$3,717
W1FL48NEXX-1100	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	826 - 1100	\$4,442
W1FL48NXDX-0010	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	6 - 10	\$685
W1FL48NXDX-0015	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	11 - 15	\$783
W1FL48NXDX-0020	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	16 - 20	\$881
W1FL48NXDX-0030	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	21 - 30	\$1,044

SERVICES

Three-phase Service Plans *(continued)*

ONSITE SERVICE PLAN WARRANTY YR1 *(continued)*

Style Number	Description	Range	List Price
W1FL48NXDX-0050	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	31 - 50	\$1,300
W1FL48NXDX-0080	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	51 - 80	\$1,611
W1FL48NXDX-0160	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	81 - 160	\$2,180
W1FL48NXDX-0225	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	161 - 225	\$2,297
W1FL48NXDX-0300	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	226 - 300	\$2,688
W1FL48NXDX-0550	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	301 - 550	\$2,718
W1FL48NXDX-0825	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	551 - 825	\$3,081
W1FL48NXDX-1100	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	826 - 1100	\$3,897
W1FL48NXXX-0010	Flex: 4 Hr Rsp, 5x8 Cvg Only	6 - 10	\$609
W1FL48NXXX-0015	Flex: 4 Hr Rsp, 5x8 Cvg Only	11 - 15	\$696
W1FL48NXXX-0020	Flex: 4 Hr Rsp, 5x8 Cvg Only	16 - 20	\$783
W1FL48NXXX-0030	Flex: 4 Hr Rsp, 5x8 Cvg Only	21 - 30	\$929
W1FL48NXXX-0050	Flex: 4 Hr Rsp, 5x8 Cvg Only	31 - 50	\$1,156
W1FL48NXXX-0080	Flex: 4 Hr Rsp, 5x8 Cvg Only	51 - 80	\$1,432
W1FL48NXXX-0160	Flex: 4 Hr Rsp, 5x8 Cvg Only	81 - 160	\$1,937
W1FL48NXXX-0225	Flex: 4 Hr Rsp, 5x8 Cvg Only	161 - 225	\$2,042
W1FL48NXXX-0300	Flex: 4 Hr Rsp, 5x8 Cvg Only	226 - 300	\$2,390
W1FL48NXXX-0550	Flex: 4 Hr Rsp, 5x8 Cvg Only	301 - 550	\$2,416
W1FL48NXXX-0825	Flex: 4 Hr Rsp, 5x8 Cvg Only	551 - 825	\$2,738
W1FL48NXXX-1100	Flex: 4 Hr Rsp, 5x8 Cvg Only	826 - 1100	\$3,464
W1FL87NEDX-0010	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	6 - 10	\$783
W1FL87NEDX-0015	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	11 - 15	\$881
W1FL87NEDX-0020	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	16 - 20	\$1,055
W1FL87NEDX-0030	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	21 - 30	\$1,262
W1FL87NEDX-0050	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	31 - 50	\$1,626
W1FL87NEDX-0080	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	51 - 80	\$2,028
W1FL87NEDX-0160	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	81 - 160	\$2,608
W1FL87NEDX-0225	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	161 - 225	\$2,841
W1FL87NEDX-0300	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	226 - 300	\$3,341
W1FL87NEDX-0550	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	301 - 550	\$3,588
W1FL87NEDX-0825	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	551 - 825	\$4,060
W1FL87NEDX-1100	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	826 - 1100	\$4,876
W1FL87NEXX-0010	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	6 - 10	\$707
W1FL87NEXX-0015	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	11 - 15	\$794
W1FL87NEXX-0020	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	16 - 20	\$957
W1FL87NEXX-0030	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	21 - 30	\$1,146
W1FL87NEXX-0050	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	31 - 50	\$1,482
W1FL87NEXX-0080	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	51 - 80	\$1,849
W1FL87NEXX-0160	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	81 - 160	\$2,365
W1FL87NEXX-0225	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	161 - 225	\$2,586
W1FL87NEXX-0300	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	226 - 300	\$3,042
W1FL87NEXX-0550	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	301 - 550	\$3,286
W1FL87NEXX-0825	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	551 - 825	\$3,717
W1FL87NEXX-1100	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	826 - 1100	\$4,442
W1FL87NXDX-0010	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	6 - 10	\$685
W1FL87NXDX-0015	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	11 - 15	\$783
W1FL87NXDX-0020	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	16 - 20	\$881
W1FL87NXDX-0030	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	21 - 30	\$1,044
W1FL87NXDX-0050	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	31 - 50	\$1,300
W1FL87NXDX-0080	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	51 - 80	\$1,593
W1FL87NXDX-0160	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	81 - 160	\$2,173
W1FL87NXDX-0225	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	161 - 225	\$2,297
W1FL87NXDX-0300	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	226 - 300	\$2,688
W1FL87NXDX-0550	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	301 - 550	\$2,718
W1FL87NXDX-0825	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	551 - 825	\$3,081
W1FL87NXDX-1100	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	826 - 1100	\$3,897

SERVICES

Three-phase Service Plans *(continued)*

ONSITE SERVICE PLAN WARRANTY YR1 *(continued)*

Style Number	Description	Range	List Price
W1FL87NXXX-0010	Flex: 8 Hr Rsp, 7x24 Cvg Only	6 - 10	\$609
W1FL87NXXX-0015	Flex: 8 Hr Rsp, 7x24 Cvg Only	11 - 15	\$696
W1FL87NXXX-0020	Flex: 8 Hr Rsp, 7x24 Cvg Only	16 - 20	\$783
W1FL87NXXX-0030	Flex: 8 Hr Rsp, 7x24 Cvg Only	21 - 30	\$929
W1FL87NXXX-0050	Flex: 8 Hr Rsp, 7x24 Cvg Only	31 - 50	\$1,156
W1FL87NXXX-0080	Flex: 8 Hr Rsp, 7x24 Cvg Only	51 - 80	\$1,414
W1FL87NXXX-0160	Flex: 8 Hr Rsp, 7x24 Cvg Only	81 - 160	\$1,930
W1FL87NXXX-0225	Flex: 8 Hr Rsp, 7x24 Cvg Only	161 - 225	\$2,042
W1FL87NXXX-0300	Flex: 8 Hr Rsp, 7x24 Cvg Only	226 - 300	\$2,390
W1FL87NXXX-0550	Flex: 8 Hr Rsp, 7x24 Cvg Only	301 - 550	\$2,416
W1FL87NXXX-0825	Flex: 8 Hr Rsp, 7x24 Cvg Only	551 - 825	\$2,738
W1FL87NXXX-1100	Flex: 8 Hr Rsp, 7x24 Cvg Only	826 - 1100	\$3,464
W1FL87NXXX-RPP	Flex: 8 Hr Rsp, 7x24 Cvg Only	RPP	\$336
W1FL87NXXX-RPPB	Flex: 8 Hr Rsp, 7x24 Cvg Only	RPPB	\$420
W1FL88NEDX-0010	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	6 - 10	\$661
W1FL88NEDX-0015	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	11 - 15	\$742
W1FL88NEDX-0020	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	16 - 20	\$898
W1FL88NEDX-0030	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	21 - 30	\$1,076
W1FL88NEDX-0050	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	31 - 50	\$1,395
W1FL88NEDX-0080	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	51 - 80	\$1,745
W1FL88NEDX-0160	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	81 - 160	\$2,222
W1FL88NEDX-0225	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	161 - 225	\$2,433
W1FL88NEDX-0300	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	226 - 300	\$2,863
W1FL88NEDX-0550	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	301 - 550	\$3,104
W1FL88NEDX-0825	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	551 - 825	\$3,512
W1FL88NEDX-1100	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	826 - 1100	\$4,183
W1FL88NEXX-0010	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	6 - 10	\$585
W1FL88NEXX-0015	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	11 - 15	\$655
W1FL88NEXX-0020	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	16 - 20	\$800
W1FL88NEXX-0030	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	21 - 30	\$960
W1FL88NEXX-0050	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	31 - 50	\$1,250
W1FL88NEXX-0080	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	51 - 80	\$1,566
W1FL88NEXX-0160	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	81 - 160	\$1,979
W1FL88NEXX-0225	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	161 - 225	\$2,177
W1FL88NEXX-0300	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	226 - 300	\$2,564
W1FL88NEXX-0550	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	301 - 550	\$2,803
W1FL88NEXX-0825	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	551 - 825	\$3,169
W1FL88NEXX-1100	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	826 - 1100	\$3,750
W1FL88NXDX-0010	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	6 - 10	\$563
W1FL88NXDX-0015	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	11 - 15	\$644
W1FL88NXDX-0020	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	16 - 20	\$724
W1FL88NXDX-0030	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	21 - 30	\$859
W1FL88NXDX-0050	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	31 - 50	\$1,069
W1FL88NXDX-0080	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	51 - 80	\$1,310
W1FL88NXDX-0160	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	81 - 160	\$1,787
W1FL88NXDX-0225	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	161 - 225	\$1,889
W1FL88NXDX-0300	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	226 - 300	\$2,210
W1FL88NXDX-0550	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	301 - 550	\$2,235
W1FL88NXDX-0825	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	551 - 825	\$2,534
W1FL88NXDX-1100	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	826 - 1100	\$3,205
W1FL88NXXX-0010	Flex: 8 Hr Rsp, 5x8 Cvg Only	6 - 10	\$487
W1FL88NXXX-0015	Flex: 8 Hr Rsp, 5x8 Cvg Only	11 - 15	\$557
W1FL88NXXX-0020	Flex: 8 Hr Rsp, 5x8 Cvg Only	16 - 20	\$626
W1FL88NXXX-0030	Flex: 8 Hr Rsp, 5x8 Cvg Only	21 - 30	\$743
W1FL88NXXX-0050	Flex: 8 Hr Rsp, 5x8 Cvg Only	31 - 50	\$924
W1FL88NXXX-0080	Flex: 8 Hr Rsp, 5x8 Cvg Only	51 - 80	\$1,131

SERVICES

Three-phase Service Plans (*continued*)

ONSITE SERVICE PLAN WARRANTY YR1 (*continued*)

Style Number	Description	Range	List Price
W1FL88NXXX-0160	Flex: 8 Hr Rsp, 5x8 Cvg Only	81 - 160	\$1,544
W1FL88NXXX-0225	Flex: 8 Hr Rsp, 5x8 Cvg Only	161 - 225	\$1,634
W1FL88NXXX-0300	Flex: 8 Hr Rsp, 5x8 Cvg Only	226 - 300	\$1,912
W1FL88NXXX-0550	Flex: 8 Hr Rsp, 5x8 Cvg Only	301 - 550	\$1,933
W1FL88NXXX-0825	Flex: 8 Hr Rsp, 5x8 Cvg Only	551 - 825	\$2,191
W1FL88NXXX-1100	Flex: 8 Hr Rsp, 5x8 Cvg Only	826 - 1100	\$2,772
W1FLN7NEDX-0010	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	6 - 10	\$656
W1FLN7NEDX-0015	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	11 - 15	\$734
W1FLN7NEDX-0020	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	16 - 20	\$891
W1FLN7NEDX-0030	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	21 - 30	\$1,067
W1FLN7NEDX-0050	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	31 - 50	\$1,383
W1FLN7NEDX-0080	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	51 - 80	\$1,731
W1FLN7NEDX-0160	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	81 - 160	\$2,203
W1FLN7NEDX-0225	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	161 - 225	\$2,412
W1FLN7NEDX-0300	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	226 - 300	\$2,839
W1FLN7NEDX-0550	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	301 - 550	\$3,080
W1FLN7NEDX-0825	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	551 - 825	\$3,484
W1FLN7NEDX-1100	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	826 - 1100	\$4,149
W1FLN7NEXX-0010	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	6 - 10	\$579
W1FLN7NEXX-0015	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	11 - 15	\$647
W1FLN7NEXX-0020	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	16 - 20	\$793
W1FLN7NEXX-0030	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	21 - 30	\$951
W1FLN7NEXX-0050	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	31 - 50	\$1,239
W1FLN7NEXX-0080	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	51 - 80	\$1,552
W1FLN7NEXX-0160	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	81 - 160	\$1,960
W1FLN7NEXX-0225	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	161 - 225	\$2,157
W1FLN7NEXX-0300	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	226 - 300	\$2,540
W1FLN7NEXX-0550	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	301 - 550	\$2,778
W1FLN7NEXX-0825	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	551 - 825	\$3,142
W1FLN7NEXX-1100	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	826 - 1100	\$3,716
W1FLN7NXDX-0010	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	6 - 10	\$558
W1FLN7NXDX-0015	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	11 - 15	\$637
W1FLN7NXDX-0020	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	16 - 20	\$717
W1FLN7NXDX-0030	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	21 - 30	\$849
W1FLN7NXDX-0050	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	31 - 50	\$1,057
W1FLN7NXDX-0080	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	51 - 80	\$1,296
W1FLN7NXDX-0160	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	81 - 160	\$1,767
W1FLN7NXDX-0225	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	161 - 225	\$1,868
W1FLN7NXDX-0300	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	226 - 300	\$2,186
W1FLN7NXDX-0550	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	301 - 550	\$2,210
W1FLN7NXDX-0825	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	551 - 825	\$2,506
W1FLN7NXDX-1100	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	826 - 1100	\$3,170
W1FLN7NXXX-0010	Flex: Next Day Rsp, 7x24 Cvg Only	6 - 10	\$482
W1FLN7NXXX-0015	Flex: Next Day Rsp, 7x24 Cvg Only	11 - 15	\$550
W1FLN7NXXX-0020	Flex: Next Day Rsp, 7x24 Cvg Only	16 - 20	\$619
W1FLN7NXXX-0030	Flex: Next Day Rsp, 7x24 Cvg Only	21 - 30	\$733
W1FLN7NXXX-0050	Flex: Next Day Rsp, 7x24 Cvg Only	31 - 50	\$913
W1FLN7NXXX-0080	Flex: Next Day Rsp, 7x24 Cvg Only	51 - 80	\$1,117
W1FLN7NXXX-0160	Flex: Next Day Rsp, 7x24 Cvg Only	81 - 160	\$1,525
W1FLN7NXXX-0225	Flex: Next Day Rsp, 7x24 Cvg Only	161 - 225	\$1,613
W1FLN7NXXX-0300	Flex: Next Day Rsp, 7x24 Cvg Only	226 - 300	\$1,887
W1FLN7NXXX-0550	Flex: Next Day Rsp, 7x24 Cvg Only	301 - 550	\$1,909
W1FLN7NXXX-0825	Flex: Next Day Rsp, 7x24 Cvg Only	551 - 825	\$2,163
W1FLN7NXXX-1100	Flex: Next Day Rsp, 7x24 Cvg Only	826 - 1100	\$2,737

SERVICES

Three-phase Service Plans *(continued)*

ONSITE SERVICE PLAN WARRANTY YR1 *(continued)*

Style Number	Description	Range	List Price
W1FLN8NEDX-0010	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	6 - 10	\$559
W1FLN8NEDX-0015	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	11 - 15	\$625
W1FLN8NEDX-0020	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	16 - 20	\$766
W1FLN8NEDX-0030	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	21 - 30	\$920
W1FLN8NEDX-0050	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	31 - 50	\$1,200
W1FLN8NEDX-0080	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	51 - 80	\$1,508
W1FLN8NEDX-0160	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	81 - 160	\$1,898
W1FLN8NEDX-0225	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	161 - 225	\$2,090
W1FLN8NEDX-0300	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	226 - 300	\$2,462
W1FLN8NEDX-0550	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	301 - 550	\$2,699
W1FLN8NEDX-0825	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	551 - 825	\$3,052
W1FLN8NEDX-1100	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	826 - 1100	\$3,601
W1FLN8NEXX-0010	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	6 - 10	\$483
W1FLN8NEXX-0015	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	11 - 15	\$538
W1FLN8NEXX-0020	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	16 - 20	\$668
W1FLN8NEXX-0030	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	21 - 30	\$804
W1FLN8NEXX-0050	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	31 - 50	\$1,056
W1FLN8NEXX-0080	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	51 - 80	\$1,329
W1FLN8NEXX-0160	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	81 - 160	\$1,655
W1FLN8NEXX-0225	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	161 - 225	\$1,834
W1FLN8NEXX-0300	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	226 - 300	\$2,163
W1FLN8NEXX-0550	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	301 - 550	\$2,397
W1FLN8NEXX-0825	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	551 - 825	\$2,709
W1FLN8NEXX-1100	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	826 - 1100	\$3,168
W1FLN8NXDX-0010	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	6 - 10	\$461
W1FLN8NXDX-0015	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	11 - 15	\$527
W1FLN8NXDX-0020	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	16 - 20	\$592
W1FLN8NXDX-0030	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	21 - 30	\$703
W1FLN8NXDX-0050	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	31 - 50	\$874
W1FLN8NXDX-0080	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	51 - 80	\$1,073
W1FLN8NXDX-0160	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	81 - 160	\$1,463
W1FLN8NXDX-0225	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	161 - 225	\$1,546
W1FLN8NXDX-0300	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	226 - 300	\$1,809
W1FLN8NXDX-0550	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	301 - 550	\$1,829
W1FLN8NXDX-0825	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	551 - 825	\$2,074
W1FLN8NXDX-1100	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	826 - 1100	\$2,623
W1FLN8NXXX-0010	Flex: Next Day Rsp, 5x8 Cvg Only	6 - 10	\$385
W1FLN8NXXX-0015	Flex: Next Day Rsp, 5x8 Cvg Only	11 - 15	\$440
W1FLN8NXXX-0020	Flex: Next Day Rsp, 5x8 Cvg Only	16 - 20	\$494
W1FLN8NXXX-0030	Flex: Next Day Rsp, 5x8 Cvg Only	21 - 30	\$587
W1FLN8NXXX-0050	Flex: Next Day Rsp, 5x8 Cvg Only	31 - 50	\$730
W1FLN8NXXX-0080	Flex: Next Day Rsp, 5x8 Cvg Only	51 - 80	\$894
W1FLN8NXXX-0160	Flex: Next Day Rsp, 5x8 Cvg Only	81 - 160	\$1,220
W1FLN8NXXX-0225	Flex: Next Day Rsp, 5x8 Cvg Only	161 - 225	\$1,291
W1FLN8NXXX-0300	Flex: Next Day Rsp, 5x8 Cvg Only	226 - 300	\$1,510
W1FLN8NXXX-0550	Flex: Next Day Rsp, 5x8 Cvg Only	301 - 550	\$1,527
W1FLN8NXXX-0825	Flex: Next Day Rsp, 5x8 Cvg Only	551 - 825	\$1,731
W1FLN8NXXX-1100	Flex: Next Day Rsp, 5x8 Cvg Only	826 - 1100	\$2,190
W1FLXXNEDX-0010	Flex: Enotify, P&L Disc Only	6 - 10	\$174
W1FLXXNEDX-0015	Flex: Enotify, P&L Disc Only	11 - 15	\$185
W1FLXXNEDX-0020	Flex: Enotify, P&L Disc Only	16 - 20	\$272
W1FLXXNEDX-0030	Flex: Enotify, P&L Disc Only	21 - 30	\$333
W1FLXXNEDX-0050	Flex: Enotify, P&L Disc Only	31 - 50	\$470
W1FLXXNEDX-0080	Flex: Enotify, P&L Disc Only	51 - 80	\$614
W1FLXXNEDX-0160	Flex: Enotify, P&L Disc Only	81 - 160	\$678
W1FLXXNEDX-0225	Flex: Enotify, P&L Disc Only	161 - 225	\$799
W1FLXXNEDX-0300	Flex: Enotify, P&L Disc Only	226 - 300	\$951

SERVICES

Three-phase Service Plans *(continued)*

ONSITE SERVICE PLAN WARRANTY YR1 *(continued)*

Style Number	Description	Range	List Price
W1FLXXNEDX-0550	Flex: Enotify, P&L Disc Only	301 - 550	\$1,172
W1FLXXNEDX-0825	Flex: Enotify, P&L Disc Only	551 - 825	\$1,321
W1FLXXNEDX-1100	Flex: Enotify, P&L Disc Only	826 - 1100	\$1,412
W1PA41NEDX-0010	Proactive Service Plan 4 Hr	6 - 10	\$1,574
W1PA41NEDX-0015	Proactive Service Plan 4 Hr	11 - 15	\$1,653
W1PA41NEDX-0020	Proactive Service Plan 4 Hr	16 - 20	\$1,903
W1PA41NEDX-0030	Proactive Service Plan 4 Hr	21 - 30	\$2,174
W1PA41NEDX-0050	Proactive Service Plan 4 Hr	31 - 50	\$2,621
W1PA41NEDX-0080	Proactive Service Plan 4 Hr	51 - 80	\$3,221
W1PA41NEDX-0160	Proactive Service Plan 4 Hr	81 - 160	\$3,970
W1PA41NEDX-0225	Proactive Service Plan 4 Hr	161 - 225	\$4,303
W1PA41NEDX-0300	Proactive Service Plan 4 Hr	226 - 300	\$4,971
W1PA41NEDX-0550	Proactive Service Plan 4 Hr	301 - 550	\$5,497
W1PA41NEDX-0825	Proactive Service Plan 4 Hr	551 - 825	\$6,267
W1PA41NEDX-1100	Proactive Service Plan 4 Hr	826 - 1100	\$7,405
W1PA81NEDX-0010	Proactive Service Plan 8 Hr	6 - 10	\$1,421
W1PA81NEDX-0015	Proactive Service Plan 8 Hr	11 - 15	\$1,479
W1PA81NEDX-0020	Proactive Service Plan 8 Hr	16 - 20	\$1,707
W1PA81NEDX-0030	Proactive Service Plan 8 Hr	21 - 30	\$1,942
W1PA81NEDX-0050	Proactive Service Plan 8 Hr	31 - 50	\$2,333
W1PA81NEDX-0080	Proactive Service Plan 8 Hr	51 - 80	\$2,844
W1PA81NEDX-0160	Proactive Service Plan 8 Hr	81 - 160	\$3,478
W1PA81NEDX-0225	Proactive Service Plan 8 Hr	161 - 225	\$3,792
W1PA81NEDX-0300	Proactive Service Plan 8 Hr	226 - 300	\$4,374
W1PA81NEDX-0550	Proactive Service Plan 8 Hr	301 - 550	\$4,893
W1PA81NEDX-0825	Proactive Service Plan 8 Hr	551 - 825	\$5,582
W1PA81NEDX-1100	Proactive Service Plan 8 Hr	826 - 1100	\$6,539
W1PE00NEXX-0015	PowerTrust Express Service Plan	11 - 15	\$462
W1PE00NEXX-0030	PowerTrust Express Service Plan	21 - 30	\$544
W1PE00NEXX-0050	PowerTrust Express Service Plan	31 - 50	\$707
W1PE00NEXX-0080	PowerTrust Express Service Plan	51 - 80	\$789
W1PP41NEDX-0010	PowerTrust Preferred Service Plan 4 Hr	6 - 10	\$2,212
W1PP41NEDX-0015	PowerTrust Preferred Service Plan 4 Hr	11 - 15	\$2,251
W1PP41NEDX-0020	PowerTrust Preferred Service Plan 4 Hr	16 - 20	\$2,555
W1PP41NEDX-0030	PowerTrust Preferred Service Plan 4 Hr	21 - 30	\$3,734
W1PP41NEDX-0050	PowerTrust Preferred Service Plan 4 Hr	31 - 50	\$4,208
W1PP41NEDX-0080	PowerTrust Preferred Service Plan 4 Hr	51 - 80	\$4,917
W1PP41NEDX-0160	PowerTrust Preferred Service Plan 4 Hr	81 - 160	\$5,720
W1PP41NEDX-0225	PowerTrust Preferred Service Plan 4 Hr	161 - 225	\$6,134
W1PP41NEDX-0300	PowerTrust Preferred Service Plan 4 Hr	226 - 300	\$6,884
W1PP41NEDX-0550	PowerTrust Preferred Service Plan 4 Hr	301 - 550	\$7,682
W1PP41NEDX-0825	PowerTrust Preferred Service Plan 4 Hr	551 - 825	\$8,669
W1PP41NEDX-1100	PowerTrust Preferred Service Plan 4 Hr	826 - 1100	\$9,949
W1PP41ZEDX-0030	PowerTrust Preferred Service Plan 4 Hr Int Batt	31 - 50	\$2,854
W1PP41ZEDX-0050	PowerTrust Preferred Service Plan 4 Hr Int Batt	21 - 30	\$3,328
W1PP41ZEDX-0080	PowerTrust Preferred Service Plan 4 Hr Int Batt	51 - 80	\$4,037
W1PP81NEDX-0010	PowerTrust Preferred Service Plan 8 Hr	6 - 10	\$2,060
W1PP81NEDX-0015	PowerTrust Preferred Service Plan 8 Hr	11 - 15	\$2,077
W1PP81NEDX-0020	PowerTrust Preferred Service Plan 8 Hr	16 - 20	\$2,360
W1PP81NEDX-0030	PowerTrust Preferred Service Plan 8 Hr	21 - 30	\$3,502
W1PP81NEDX-0050	PowerTrust Preferred Service Plan 8 Hr	31 - 50	\$3,919
W1PP81NEDX-0080	PowerTrust Preferred Service Plan 8 Hr	51 - 80	\$4,540
W1PP81NEDX-0160	PowerTrust Preferred Service Plan 8 Hr	81 - 160	\$5,228
W1PP81NEDX-0225	PowerTrust Preferred Service Plan 8 Hr	161 - 225	\$5,623
W1PP81NEDX-0300	PowerTrust Preferred Service Plan 8 Hr	226 - 300	\$6,287
W1PP81NEDX-0550	PowerTrust Preferred Service Plan 8 Hr	301 - 550	\$7,078

SERVICES

Three-phase Service Plans (*continued*)

ONSITE SERVICE PLAN WARRANTY YR1 (*continued*)

Style Number	Description	Range	List Price
W1PP81NEDX-0825	PowerTrust Preferred Service Plan 8 Hr	551 - 825	\$7,985
W1PP81NEDX-1100	PowerTrust Preferred Service Plan 8 Hr	826 - 1100	\$9,083
W1PP81ZEDX-0030	PowerTrust Preferred Service Plan 8 Hr Int Batt	31 - 50	\$2,622
W1PP81ZEDX-0050	PowerTrust Preferred Service Plan 8 Hr Int Batt	21 - 30	\$3,039
W1PP81ZEDX-0080	PowerTrust Preferred Service Plan 8 Hr Int Batt	51 - 80	\$3,660
W1PT42NEDX-0010	PowerTrust Service Plan 4 Hr	6 - 10	\$1,422
W1PT42NEDX-0015	PowerTrust Service Plan 4 Hr	11 - 15	\$1,544
W1PT42NEDX-0020	PowerTrust Service Plan 4 Hr	16 - 20	\$1,794
W1PT42NEDX-0030	PowerTrust Service Plan 4 Hr	21 - 30	\$2,532
W1PT42NEDX-0050	PowerTrust Service Plan 4 Hr	31 - 50	\$3,007
W1PT42NEDX-0080	PowerTrust Service Plan 4 Hr	51 - 80	\$3,579
W1PT42NEDX-0160	PowerTrust Service Plan 4 Hr	81 - 160	\$4,328
W1PT42NEDX-0225	PowerTrust Service Plan 4 Hr	161 - 225	\$4,662
W1PT42NEDX-0300	PowerTrust Service Plan 4 Hr	226 - 300	\$5,303
W1PT42NEDX-0550	PowerTrust Service Plan 4 Hr	301 - 550	\$5,806
W1PT42NEDX-0825	PowerTrust Service Plan 4 Hr	551 - 825	\$6,554
W1PT42NEDX-1100	PowerTrust Service Plan 4 Hr	826 - 1100	\$7,682
W1PT42ZEDX-0030	PowerTrust Service Plan 4 Hr Int Batt	31 - 50	\$2,092
W1PT42ZEDX-0050	PowerTrust Service Plan 4 Hr Int Batt	21 - 30	\$2,567
W1PT42ZEDX-0080	PowerTrust Service Plan 4 Hr Int Batt	51 - 80	\$3,139
W1PT82NEDX-0010	PowerTrust Service Plan 8 Hr	6 - 10	\$1,269
W1PT82NEDX-0015	PowerTrust Service Plan 8 Hr	11 - 15	\$1,371
W1PT82NEDX-0020	PowerTrust Service Plan 8 Hr	16 - 20	\$1,599
W1PT82NEDX-0030	PowerTrust Service Plan 8 Hr	21 - 30	\$2,300
W1PT82NEDX-0050	PowerTrust Service Plan 8 Hr	31 - 50	\$2,719
W1PT82NEDX-0080	PowerTrust Service Plan 8 Hr	51 - 80	\$3,202
W1PT82NEDX-0160	PowerTrust Service Plan 8 Hr	81 - 160	\$3,836
W1PT82NEDX-0225	PowerTrust Service Plan 8 Hr	161 - 225	\$4,151
W1PT82NEDX-0300	PowerTrust Service Plan 8 Hr	226 - 300	\$4,705
W1PT82NEDX-0550	PowerTrust Service Plan 8 Hr	301 - 550	\$5,202
W1PT82NEDX-0825	PowerTrust Service Plan 8 Hr	551 - 825	\$5,870
W1PT82NEDX-1100	PowerTrust Service Plan 8 Hr	826 - 1100	\$6,816
W1PT82NEDX-RPP	PowerTrust Service Plan 8 Hr	RPP	\$686
W1PT82NEDX-RPPB	PowerTrust Service Plan 8 Hr	RPPB	\$803
W1PT82ZEDX-0030	PowerTrust Service Plan 8 Hr Int Batt	31 - 50	\$1,860
W1PT82ZEDX-0050	PowerTrust Service Plan 8 Hr Int Batt	21 - 30	\$2,279
W1PT42ZEDX-0080	PowerTrust Service Plan 8 Hr Int Batt	51 - 80	\$2,762
W1PVN3NEXX-0010	PowerTrust Value Service Plan	6 - 10	\$969
W1PVN3NEXX-0015	PowerTrust Value Service Plan	11 - 15	\$1,027
W1PVN3NEXX-0020	PowerTrust Value Service Plan	16 - 20	\$1,212
W1PVN3NEXX-0030	PowerTrust Value Service Plan	21 - 30	\$1,402
W1PVN3NEXX-0050	PowerTrust Value Service Plan	31 - 50	\$1,709
W1PVN3NEXX-0080	PowerTrust Value Service Plan	51 - 80	\$2,063
W1PVN3NEXX-0160	PowerTrust Value Service Plan	81 - 160	\$2,444
W1PVN3NEXX-0225	PowerTrust Value Service Plan	161 - 225	\$2,704
W1PVN3NEXX-0300	PowerTrust Value Service Plan	226 - 300	\$3,088
W1PVN3NEXX-0550	PowerTrust Value Service Plan	301 - 550	\$3,571
W1PVN3NEXX-0825	PowerTrust Value Service Plan	551 - 825	\$4,079
W1PVN3NEXX-1100	PowerTrust Value Service Plan	826 - 1100	\$4,669
W1PVN3NEXX-RPP	PowerTrust Value Service Plan	RPP	\$487
W1PVN3NEXX-RPPB	PowerTrust Value Service Plan	RPPB	\$573

SERVICES

Three-phase Service Plans (*continued*)

ONSITE SERVICE PLAN WARRANTY YR1 (*continued*)

Style Number	Description	Range	List Price
W1XX4XNXXX-0010	4 Hr Rsp Upgrade	6 - 10	\$152
W1XX4XNXXX-0015	4 Hr Rsp Upgrade	11 - 15	\$174
W1XX4XNXXX-0020	4 Hr Rsp Upgrade	16 - 20	\$196
W1XX4XNXXX-0030	4 Hr Rsp Upgrade	21 - 30	\$232
W1XX4XNXXX-0050	4 Hr Rsp Upgrade	31 - 50	\$288
W1XX4XNXXX-0080	4 Hr Rsp Upgrade	51 - 80	\$376
W1XX4XNXXX-0160	4 Hr Rsp Upgrade	81 - 160	\$492
W1XX4XNXXX-0225	4 Hr Rsp Upgrade	161 - 225	\$511
W1XX4XNXXX-0300	4 Hr Rsp Upgrade	226 - 300	\$597
W1XX4XNXXX-0550	4 Hr Rsp Upgrade	301 - 550	\$604
W1XX4XNXXX-0825	4 Hr Rsp Upgrade	551 - 825	\$684
W1XX4XNXXX-1100	4 Hr Rsp Upgrade	826 - 1100	\$866
W1XXXNXXX-0010	Enotify Upgrade	6 - 10	\$98
W1XXXNXXX-0015	Enotify Upgrade	11 - 15	\$98
W1XXXNXXX-0020	Enotify Upgrade	16 - 20	\$174
W1XXXNXXX-0030	Enotify Upgrade	21 - 30	\$217
W1XXXNXXX-0050	Enotify Upgrade	31 - 50	\$326
W1XXXNXXX-0080	Enotify Upgrade	51 - 80	\$435
W1XXXNXXX-0160	Enotify Upgrade	81 - 160	\$435
W1XXXNXXX-0225	Enotify Upgrade	161 - 225	\$544
W1XXXNXXX-0300	Enotify Upgrade	226 - 300	\$653
W1XXXNXXX-0550	Enotify Upgrade	301 - 550	\$870
W1XXXNXXX-0825	Enotify Upgrade	551 - 825	\$979
W1XXXNXXX-1100	Enotify Upgrade	826 - 1100	\$979
W1XXXNXDX-0010	Part&Labor Discount Upgrade	6 - 10	\$76
W1XXXNXDX-0015	Part&Labor Discount Upgrade	11 - 15	\$87
W1XXXNXDX-0020	Part&Labor Discount Upgrade	16 - 20	\$98
W1XXXNXDX-0030	Part&Labor Discount Upgrade	21 - 30	\$116
W1XXXNXDX-0050	Part&Labor Discount Upgrade	31 - 50	\$144
W1XXXNXDX-0080	Part&Labor Discount Upgrade	51 - 80	\$179
W1XXXNXDX-0160	Part&Labor Discount Upgrade	81 - 160	\$243
W1XXXNXDX-0225	Part&Labor Discount Upgrade	161 - 225	\$255
W1XXXNXDX-0300	Part&Labor Discount Upgrade	226 - 300	\$299
W1XXXNXDX-0550	Part&Labor Discount Upgrade	301 - 550	\$302
W1XXXNXDX-0825	Part&Labor Discount Upgrade	551 - 825	\$343
W1XXXNXDX-1100	Part&Labor Discount Upgrade	826 - 1100	\$433
W2BL07NAXX	2 Year Battery Labor Coverage Adder	2 Year BL	\$327
W2BL07NBXX	3 Year Battery Labor Coverage Adder	3 Year BL	\$734

SERVICES

Three-phase Service Plans *(continued)*

ONSITE SERVICE PLANS POST WARRANTY

Style Number	Description	Range	List Price
W2FB07CXXX-E36	Full Battery Coverage EBC 36	EBC 36	\$1,770
W2FB07CXXX-E72	Full Battery Coverage EBC 72	EBC 72	\$2,458
W2FB07NXXX-9E08	Full Battery Coverage EBC 108, 93E	107	\$6,499
W2FB07NXXX-9E54	Full Battery Coverage EBC 54, 93E	54	\$3,249
W2FB07NXXX-9E72	Full Battery Coverage EBC 72, 93E	72	\$4,333
W2FB07NXXX-EB64	Full Battery Coverage EBM 64	EBM 64	\$891
W2FB07NXXX-EB96	Full Battery Coverage EBM 96	EBM 96	\$1,224
W2FB07NXXX-IH34	Full Battery Coverage Internal	Internal - 108 jars	\$1,309
W2FB07NXXX-IN32	Full Battery Coverage Internal	Internal - 32 jars	\$576
W2FL47NEDX-0010	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	6 - 10	\$1,870
W2FL47NEDX-0015	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	11 - 15	\$2,109
W2FL47NEDX-0020	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	16 - 20	\$2,501
W2FL47NEDX-0030	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	21 - 30	\$2,988
W2FL47NEDX-0050	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	31 - 50	\$3,830
W2FL47NEDX-0080	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	51 - 80	\$4,809
W2FL47NEDX-0160	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	81 - 160	\$6,200
W2FL47NEDX-0225	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	161 - 225	\$6,704
W2FL47NEDX-0300	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	226 - 300	\$7,876
W2FL47NEDX-0550	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	301 - 550	\$8,383
W2FL47NEDX-0825	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	551 - 825	\$9,488
W2FL47NEDX-1100	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	826 - 1100	\$11,483
W2FL47NEXX-0010	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	6 - 10	\$1,718
W2FL47NEXX-0015	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	11 - 15	\$1,935
W2FL47NEXX-0020	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	16 - 20	\$2,305
W2FL47NEXX-0030	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	21 - 30	\$2,756
W2FL47NEXX-0050	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	31 - 50	\$3,541
W2FL47NEXX-0080	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	51 - 80	\$4,451
W2FL47NEXX-0160	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	81 - 160	\$5,714
W2FL47NEXX-0225	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	161 - 225	\$6,193
W2FL47NEXX-0300	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	226 - 300	\$7,279
W2FL47NEXX-0550	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	301 - 550	\$7,780
W2FL47NEXX-0825	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	551 - 825	\$8,802
W2FL47NEXX-1100	Flex: 4 Hr Rsp, 7x24 Cvg, Enotify Only	826 - 1100	\$10,617
W2FL47NXDX-0010	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	6 - 10	\$1,675
W2FL47NXDX-0015	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	11 - 15	\$1,914
W2FL47NXDX-0020	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	16 - 20	\$2,153
W2FL47NXDX-0030	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	21 - 30	\$2,553
W2FL47NXDX-0050	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	31 - 50	\$3,178
W2FL47NXDX-0080	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	51 - 80	\$3,939
W2FL47NXDX-0160	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	81 - 160	\$5,329
W2FL47NXDX-0225	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	161 - 225	\$5,617
W2FL47NXDX-0300	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	226 - 300	\$6,571
W2FL47NXDX-0550	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	301 - 550	\$6,644
W2FL47NXDX-0825	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	551 - 825	\$7,531
W2FL47NXDX-1100	Flex: 4 Hr Rsp, 7x24 Cvg, P&L Disc Only	826 - 1100	\$9,526
W2FL47NXXX-0010	Flex: 4 Hr Rsp, 7x24 Cvg Only	6 - 10	\$1,522
W2FL47NXXX-0015	Flex: 4 Hr Rsp, 7x24 Cvg Only	11 - 15	\$1,740
W2FL47NXXX-0020	Flex: 4 Hr Rsp, 7x24 Cvg Only	16 - 20	\$1,957
W2FL47NXXX-0030	Flex: 4 Hr Rsp, 7x24 Cvg Only	21 - 30	\$2,322
W2FL47NXXX-0050	Flex: 4 Hr Rsp, 7x24 Cvg Only	31 - 50	\$2,889
W2FL47NXXX-0080	Flex: 4 Hr Rsp, 7x24 Cvg Only	51 - 80	\$3,580
W2FL47NXXX-0160	Flex: 4 Hr Rsp, 7x24 Cvg Only	81 - 160	\$4,844
W2FL47NXXX-0225	Flex: 4 Hr Rsp, 7x24 Cvg Only	161 - 225	\$5,106
W2FL47NXXX-0300	Flex: 4 Hr Rsp, 7x24 Cvg Only	226 - 300	\$5,974
W2FL47NXXX-0550	Flex: 4 Hr Rsp, 7x24 Cvg Only	301 - 550	\$6,040
W2FL47NXXX-0825	Flex: 4 Hr Rsp, 7x24 Cvg Only	551 - 825	\$6,845

SERVICES

Three-phase Service Plans (*continued*)

ONSITE SERVICE PLANS POST WARRANTY (*continued*)

Style Number	Description	Range	List Price
W2FL47NXXX-1100	Flex: 4 Hr Rsp, 7x24 Cvg Only	826 - 1100	\$8,660
W2FL47NXXX-RPP	Flex: 4 Hr Rsp, 7x24 Cvg Only	RPP	\$840
W2FL47NXXX-RPPB	Flex: 4 Hr Rsp, 7x24 Cvg Only	RPPB	\$1,051
W2FL48NEDX-0010	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	6 - 10	\$1,566
W2FL48NEDX-0015	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	11 - 15	\$1,762
W2FL48NEDX-0020	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	16 - 20	\$2,109
W2FL48NEDX-0030	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	21 - 30	\$2,524
W2FL48NEDX-0050	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	31 - 50	\$3,253
W2FL48NEDX-0080	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	51 - 80	\$4,093
W2FL48NEDX-0160	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	81 - 160	\$5,230
W2FL48NEDX-0225	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	161 - 225	\$5,683
W2FL48NEDX-0300	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	226 - 300	\$6,682
W2FL48NEDX-0550	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	301 - 550	\$7,176
W2FL48NEDX-0825	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	551 - 825	\$8,119
W2FL48NEDX-1100	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	826 - 1100	\$9,751
W2FL48NEXX-0010	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	6 - 10	\$1,413
W2FL48NEXX-0015	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	11 - 15	\$1,588
W2FL48NEXX-0020	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	16 - 20	\$1,914
W2FL48NEXX-0030	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	21 - 30	\$2,292
W2FL48NEXX-0050	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	31 - 50	\$2,964
W2FL48NEXX-0080	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	51 - 80	\$3,735
W2FL48NEXX-0160	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	81 - 160	\$4,745
W2FL48NEXX-0225	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	161 - 225	\$5,172
W2FL48NEXX-0300	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	226 - 300	\$6,084
W2FL48NEXX-0550	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	301 - 550	\$6,572
W2FL48NEXX-0825	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	551 - 825	\$7,434
W2FL48NEXX-1100	Flex: 4 Hr Rsp, 5x8 Cvg, Enotify Only	826 - 1100	\$8,885
W2FL48NXDX-0010	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	6 - 10	\$1,370
W2FL48NXDX-0015	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	11 - 15	\$1,567
W2FL48NXDX-0020	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	16 - 20	\$1,761
W2FL48NXDX-0030	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	21 - 30	\$2,089
W2FL48NXDX-0050	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	31 - 50	\$2,601
W2FL48NXDX-0080	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	51 - 80	\$3,223
W2FL48NXDX-0160	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	81 - 160	\$4,360
W2FL48NXDX-0225	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	161 - 225	\$4,595
W2FL48NXDX-0300	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	226 - 300	\$5,377
W2FL48NXDX-0550	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	301 - 550	\$5,436
W2FL48NXDX-0825	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	551 - 825	\$6,162
W2FL48NXDX-1100	Flex: 4 Hr Rsp, 5x8 Cvg, P&L Disc Only	826 - 1100	\$7,794
W2FL48NXXX-0010	Flex: 4 Hr Rsp, 5x8 Cvg Only	6 - 10	\$1,217
W2FL48NXXX-0015	Flex: 4 Hr Rsp, 5x8 Cvg Only	11 - 15	\$1,393
W2FL48NXXX-0020	Flex: 4 Hr Rsp, 5x8 Cvg Only	16 - 20	\$1,566
W2FL48NXXX-0030	Flex: 4 Hr Rsp, 5x8 Cvg Only	21 - 30	\$1,857
W2FL48NXXX-0050	Flex: 4 Hr Rsp, 5x8 Cvg Only	31 - 50	\$2,312
W2FL48NXXX-0080	Flex: 4 Hr Rsp, 5x8 Cvg Only	51 - 80	\$2,864
W2FL48NXXX-0160	Flex: 4 Hr Rsp, 5x8 Cvg Only	81 - 160	\$3,875
W2FL48NXXX-0225	Flex: 4 Hr Rsp, 5x8 Cvg Only	161 - 225	\$4,084
W2FL48NXXX-0300	Flex: 4 Hr Rsp, 5x8 Cvg Only	226 - 300	\$4,779
W2FL48NXXX-0550	Flex: 4 Hr Rsp, 5x8 Cvg Only	301 - 550	\$4,833
W2FL48NXXX-0825	Flex: 4 Hr Rsp, 5x8 Cvg Only	551 - 825	\$5,477
W2FL48NXXX-1100	Flex: 4 Hr Rsp, 5x8 Cvg Only	826 - 1100	\$6,928
W2FL87NEDX-0010	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	6 - 10	\$1,566
W2FL87NEDX-0015	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	11 - 15	\$1,762
W2FL87NEDX-0020	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	16 - 20	\$2,109
W2FL87NEDX-0030	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	21 - 30	\$2,524
W2FL87NEDX-0050	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	31 - 50	\$3,253
W2FL87NEDX-0080	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	51 - 80	\$4,056

SERVICES

Three-phase Service Plans (*continued*)

ONSITE SERVICE PLANS POST WARRANTY (*continued*)

Style Number	Description	Range	List Price
W2FL87NEDX-0160	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	81 - 160	\$5,216
W2FL87NEDX-0225	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	161 - 225	\$5,683
W2FL87NEDX-0300	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	226 - 300	\$6,682
W2FL87NEDX-0550	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	301 - 550	\$7,176
W2FL87NEDX-0825	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	551 - 825	\$8,119
W2FL87NEDX-1100	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify, P&L Disc	826 - 1100	\$9,751
W2FL87NEXX-0010	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	6 - 10	\$1,413
W2FL87NEXX-0015	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	11 - 15	\$1,588
W2FL87NEXX-0020	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	16 - 20	\$1,914
W2FL87NEXX-0030	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	21 - 30	\$2,292
W2FL87NEXX-0050	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	31 - 50	\$2,964
W2FL87NEXX-0080	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	51 - 80	\$3,698
W2FL87NEXX-0160	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	81 - 160	\$4,731
W2FL87NEXX-0225	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	161 - 225	\$5,172
W2FL87NEXX-0300	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	226 - 300	\$6,084
W2FL87NEXX-0550	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	301 - 550	\$6,572
W2FL87NEXX-0825	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	551 - 825	\$7,434
W2FL87NEXX-1100	Flex: 8 Hr Rsp, 7x24 Cvg, Enotify Only	826 - 1100	\$8,885
W2FL87NXDX-0010	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	6 - 10	\$1,370
W2FL87NXDX-0015	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	11 - 15	\$1,567
W2FL87NXDX-0020	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	16 - 20	\$1,761
W2FL87NXDX-0030	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	21 - 30	\$2,089
W2FL87NXDX-0050	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	31 - 50	\$2,601
W2FL87NXDX-0080	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	51 - 80	\$3,186
W2FL87NXDX-0160	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	81 - 160	\$4,346
W2FL87NXDX-0225	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	161 - 225	\$4,595
W2FL87NXDX-0300	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	226 - 300	\$5,377
W2FL87NXDX-0550	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	301 - 550	\$5,436
W2FL87NXDX-0825	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	551 - 825	\$6,162
W2FL87NXDX-1100	Flex: 8 Hr Rsp, 7x24 Cvg, P&L Disc Only	826 - 1100	\$7,794
W2FL87NXXX-0010	Flex: 8 Hr Rsp, 7x24 Cvg Only	6 - 10	\$1,217
W2FL87NXXX-0015	Flex: 8 Hr Rsp, 7x24 Cvg Only	11 - 15	\$1,393
W2FL87NXXX-0020	Flex: 8 Hr Rsp, 7x24 Cvg Only	16 - 20	\$1,566
W2FL87NXXX-0030	Flex: 8 Hr Rsp, 7x24 Cvg Only	21 - 30	\$1,857
W2FL87NXXX-0050	Flex: 8 Hr Rsp, 7x24 Cvg Only	31 - 50	\$2,312
W2FL87NXXX-0080	Flex: 8 Hr Rsp, 7x24 Cvg Only	51 - 80	\$2,827
W2FL87NXXX-0160	Flex: 8 Hr Rsp, 7x24 Cvg Only	81 - 160	\$3,860
W2FL87NXXX-0225	Flex: 8 Hr Rsp, 7x24 Cvg Only	161 - 225	\$4,084
W2FL87NXXX-0300	Flex: 8 Hr Rsp, 7x24 Cvg Only	226 - 300	\$4,779
W2FL87NXXX-0550	Flex: 8 Hr Rsp, 7x24 Cvg Only	301 - 550	\$4,833
W2FL87NXXX-0825	Flex: 8 Hr Rsp, 7x24 Cvg Only	551 - 825	\$5,477
W2FL87NXXX-1100	Flex: 8 Hr Rsp, 7x24 Cvg Only	826 - 1100	\$6,928
W2FL87NXXX-RPP	Flex: 8 Hr Rsp, 7x24 Cvg Only	RPP	\$672
W2FL87NXXX-RPPB	Flex: 8 Hr Rsp, 7x24 Cvg Only	RPPB	\$840
W2FL88NEDX-0010	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	6 - 10	\$1,323
W2FL88NEDX-0015	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	11 - 15	\$1,483
W2FL88NEDX-0020	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	16 - 20	\$1,796
W2FL88NEDX-0030	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	21 - 30	\$2,152
W2FL88NEDX-0050	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	31 - 50	\$2,789
W2FL88NEDX-0080	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	51 - 80	\$3,491
W2FL88NEDX-0160	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	81 - 160	\$4,443
W2FL88NEDX-0225	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	161 - 225	\$4,866
W2FL88NEDX-0300	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	226 - 300	\$5,726
W2FL88NEDX-0550	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	301 - 550	\$6,209
W2FL88NEDX-0825	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	551 - 825	\$7,025
W2FL88NEDX-1100	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify, P&L Disc	826 - 1100	\$8,367
W2FL88NEXX-0010	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	6 - 10	\$1,170

SERVICES

Three-phase Service Plans (*continued*)

ONSITE SERVICE PLANS POST WARRANTY (*continued*)

Style Number	Description	Range	List Price
W2FL88NEXX-0015	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	11 - 15	\$1,309
W2FL88NEXX-0020	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	16 - 20	\$1,601
W2FL88NEXX-0030	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	21 - 30	\$1,920
W2FL88NEXX-0050	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	31 - 50	\$2,501
W2FL88NEXX-0080	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	51 - 80	\$3,132
W2FL88NEXX-0160	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	81 - 160	\$3,958
W2FL88NEXX-0225	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	161 - 225	\$4,355
W2FL88NEXX-0300	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	226 - 300	\$5,128
W2FL88NEXX-0550	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	301 - 550	\$5,605
W2FL88NEXX-0825	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	551 - 825	\$6,339
W2FL88NEXX-1100	Flex: 8 Hr Rsp, 5x8 Cvg, Enotify Only	826 - 1100	\$7,500
W2FL88NXDX-0010	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	6 - 10	\$1,127
W2FL88NXDX-0015	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	11 - 15	\$1,288
W2FL88NXDX-0020	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	16 - 20	\$1,448
W2FL88NXDX-0030	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	21 - 30	\$1,717
W2FL88NXDX-0050	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	31 - 50	\$2,137
W2FL88NXDX-0080	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	51 - 80	\$2,620
W2FL88NXDX-0160	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	81 - 160	\$3,573
W2FL88NXDX-0225	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	161 - 225	\$3,778
W2FL88NXDX-0300	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	226 - 300	\$4,421
W2FL88NXDX-0550	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	301 - 550	\$4,469
W2FL88NXDX-0825	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	551 - 825	\$5,068
W2FL88NXDX-1100	Flex: 8 Hr Rsp, 5x8 Cvg, P&L Disc Only	826 - 1100	\$6,410
W2FL88NXXX-0010	Flex: 8 Hr Rsp, 5x8 Cvg Only	6 - 10	\$974
W2FL88NXXX-0015	Flex: 8 Hr Rsp, 5x8 Cvg Only	11 - 15	\$1,113
W2FL88NXXX-0020	Flex: 8 Hr Rsp, 5x8 Cvg Only	16 - 20	\$1,252
W2FL88NXXX-0030	Flex: 8 Hr Rsp, 5x8 Cvg Only	21 - 30	\$1,485
W2FL88NXXX-0050	Flex: 8 Hr Rsp, 5x8 Cvg Only	31 - 50	\$1,849
W2FL88NXXX-0080	Flex: 8 Hr Rsp, 5x8 Cvg Only	51 - 80	\$2,262
W2FL88NXXX-0160	Flex: 8 Hr Rsp, 5x8 Cvg Only	81 - 160	\$3,088
W2FL88NXXX-0225	Flex: 8 Hr Rsp, 5x8 Cvg Only	161 - 225	\$3,267
W2FL88NXXX-0300	Flex: 8 Hr Rsp, 5x8 Cvg Only	226 - 300	\$3,823
W2FL88NXXX-0550	Flex: 8 Hr Rsp, 5x8 Cvg Only	301 - 550	\$3,866
W2FL88NXXX-0825	Flex: 8 Hr Rsp, 5x8 Cvg Only	551 - 825	\$4,382
W2FL88NXXX-1100	Flex: 8 Hr Rsp, 5x8 Cvg Only	826 - 1100	\$5,543
W2FLN7NEDX-0010	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	6 - 10	\$1,311
W2FLN7NEDX-0015	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	11 - 15	\$1,469
W2FLN7NEDX-0020	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	16 - 20	\$1,782
W2FLN7NEDX-0030	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	21 - 30	\$2,133
W2FLN7NEDX-0050	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	31 - 50	\$2,767
W2FLN7NEDX-0080	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	51 - 80	\$3,462
W2FLN7NEDX-0160	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	81 - 160	\$4,405
W2FLN7NEDX-0225	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	161 - 225	\$4,825
W2FLN7NEDX-0300	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	226 - 300	\$5,677
W2FLN7NEDX-0550	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	301 - 550	\$6,160
W2FLN7NEDX-0825	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	551 - 825	\$6,969
W2FLN7NEDX-1100	Flex: Next Day Rsp, 7x24 Cvg, Enotify, P&L Disc	826 - 1100	\$8,298
W2FLN7NEXX-0010	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	6 - 10	\$1,159
W2FLN7NEXX-0015	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	11 - 15	\$1,295
W2FLN7NEXX-0020	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	16 - 20	\$1,586
W2FLN7NEXX-0030	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	21 - 30	\$1,901
W2FLN7NEXX-0050	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	31 - 50	\$2,478
W2FLN7NEXX-0080	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	51 - 80	\$3,103
W2FLN7NEXX-0160	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	81 - 160	\$3,920
W2FLN7NEXX-0225	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	161 - 225	\$4,314
W2FLN7NEXX-0300	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	226 - 300	\$5,080
W2FLN7NEXX-0550	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	301 - 550	\$5,557

SERVICES

Three-phase Service Plans (*continued*)

ONSITE SERVICE PLANS POST WARRANTY (*continued*)

Style Number	Description	Range	List Price
W2FLN7NEXX-0825	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	551 - 825	\$6,283
W2FLN7NEXX-1100	Flex: Next Day Rsp, 7x24 Cvg, Enotify Only	826 - 1100	\$7,431
W2FLN7NXDX-0010	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	6 - 10	\$1,115
W2FLN7NXDX-0015	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	11 - 15	\$1,273
W2FLN7NXDX-0020	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	16 - 20	\$1,434
W2FLN7NXDX-0030	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	21 - 30	\$1,698
W2FLN7NXDX-0050	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	31 - 50	\$2,115
W2FLN7NXDX-0080	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	51 - 80	\$2,591
W2FLN7NXDX-0160	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	81 - 160	\$3,535
W2FLN7NXDX-0225	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	161 - 225	\$3,737
W2FLN7NXDX-0300	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	226 - 300	\$4,372
W2FLN7NXDX-0550	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	301 - 550	\$4,421
W2FLN7NXDX-0825	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	551 - 825	\$5,012
W2FLN7NXDX-1100	Flex: Next Day Rsp, 7x24 Cvg, P&L Disc Only	826 - 1100	\$6,341
W2FLN7NXXX-0010	Flex: Next Day Rsp, 7x24 Cvg Only	6 - 10	\$963
W2FLN7NXXX-0015	Flex: Next Day Rsp, 7x24 Cvg Only	11 - 15	\$1,099
W2FLN7NXXX-0020	Flex: Next Day Rsp, 7x24 Cvg Only	16 - 20	\$1,238
W2FLN7NXXX-0030	Flex: Next Day Rsp, 7x24 Cvg Only	21 - 30	\$1,467
W2FLN7NXXX-0050	Flex: Next Day Rsp, 7x24 Cvg Only	31 - 50	\$1,826
W2FLN7NXXX-0080	Flex: Next Day Rsp, 7x24 Cvg Only	51 - 80	\$2,233
W2FLN7NXXX-0160	Flex: Next Day Rsp, 7x24 Cvg Only	81 - 160	\$3,050
W2FLN7NXXX-0225	Flex: Next Day Rsp, 7x24 Cvg Only	161 - 225	\$3,226
W2FLN7NXXX-0300	Flex: Next Day Rsp, 7x24 Cvg Only	226 - 300	\$3,775
W2FLN7NXXX-0550	Flex: Next Day Rsp, 7x24 Cvg Only	301 - 550	\$3,817
W2FLN7NXXX-0825	Flex: Next Day Rsp, 7x24 Cvg Only	551 - 825	\$4,326
W2FLN7NXXX-1100	Flex: Next Day Rsp, 7x24 Cvg Only	826 - 1100	\$5,474
W2FLN8NEDX-0010	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	6 - 10	\$1,118
W2FLN8NEDX-0015	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	11 - 15	\$1,249
W2FLN8NEDX-0020	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	16 - 20	\$1,533
W2FLN8NEDX-0030	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	21 - 30	\$1,841
W2FLN8NEDX-0050	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	31 - 50	\$2,401
W2FLN8NEDX-0080	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	51 - 80	\$3,016
W2FLN8NEDX-0160	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	81 - 160	\$3,796
W2FLN8NEDX-0225	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	161 - 225	\$4,180
W2FLN8NEDX-0300	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	226 - 300	\$4,923
W2FLN8NEDX-0550	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	301 - 550	\$5,397
W2FLN8NEDX-0825	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	551 - 825	\$6,105
W2FLN8NEDX-1100	Flex: Next Day Rsp, 5x8 Cvg, Enotify, P&L Disc	826 - 1100	\$7,203
W2FLN8NEXX-0010	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	6 - 10	\$965
W2FLN8NEXX-0015	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	11 - 15	\$1,075
W2FLN8NEXX-0020	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	16 - 20	\$1,337
W2FLN8NEXX-0030	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	21 - 30	\$1,609
W2FLN8NEXX-0050	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	31 - 50	\$2,113
W2FLN8NEXX-0080	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	51 - 80	\$2,657
W2FLN8NEXX-0160	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	81 - 160	\$3,310
W2FLN8NEXX-0225	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	161 - 225	\$3,669
W2FLN8NEXX-0300	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	226 - 300	\$4,326
W2FLN8NEXX-0550	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	301 - 550	\$4,794
W2FLN8NEXX-0825	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	551 - 825	\$5,419
W2FLN8NEXX-1100	Flex: Next Day Rsp, 5x8 Cvg, Enotify Only	826 - 1100	\$6,337
W2FLN8NXDX-0010	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	6 - 10	\$922
W2FLN8NXDX-0015	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	11 - 15	\$1,054
W2FLN8NXDX-0020	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	16 - 20	\$1,185
W2FLN8NXDX-0030	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	21 - 30	\$1,406
W2FLN8NXDX-0050	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	31 - 50	\$1,749
W2FLN8NXDX-0080	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	51 - 80	\$2,145
W2FLN8NXDX-0160	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	81 - 160	\$2,925

SERVICES

Three-phase Service Plans *(continued)*

ONSITE SERVICE PLANS POST WARRANTY *(continued)*

Style Number	Description	Range	List Price
W2FLN8NXDX-0225	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	161 - 225	\$3,092
W2FLN8NXDX-0300	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	226 - 300	\$3,618
W2FLN8NXDX-0550	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	301 - 550	\$3,658
W2FLN8NXDX-0825	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	551 - 825	\$4,148
W2FLN8NXDX-1100	Flex: Next Day Rsp, 5x8 Cvg, P&L Disc Only	826 - 1100	\$5,246
W2FLN8NXXX-0010	Flex: Next Day Rsp, 5x8 Cvg Only	6 - 10	\$769
W2FLN8NXXX-0015	Flex: Next Day Rsp, 5x8 Cvg Only	11 - 15	\$880
W2FLN8NXXX-0020	Flex: Next Day Rsp, 5x8 Cvg Only	16 - 20	\$989
W2FLN8NXXX-0030	Flex: Next Day Rsp, 5x8 Cvg Only	21 - 30	\$1,174
W2FLN8NXXX-0050	Flex: Next Day Rsp, 5x8 Cvg Only	31 - 50	\$1,461
W2FLN8NXXX-0080	Flex: Next Day Rsp, 5x8 Cvg Only	51 - 80	\$1,787
W2FLN8NXXX-0160	Flex: Next Day Rsp, 5x8 Cvg Only	81 - 160	\$2,440
W2FLN8NXXX-0225	Flex: Next Day Rsp, 5x8 Cvg Only	161 - 225	\$2,581
W2FLN8NXXX-0300	Flex: Next Day Rsp, 5x8 Cvg Only	226 - 300	\$3,021
W2FLN8NXXX-0550	Flex: Next Day Rsp, 5x8 Cvg Only	301 - 550	\$3,054
W2FLN8NXXX-0825	Flex: Next Day Rsp, 5x8 Cvg Only	551 - 825	\$3,462
W2FLN8NXXX-1100	Flex: Next Day Rsp, 5x8 Cvg Only	826 - 1100	\$4,380
W2FLXXNEDX-0010	Flex: Enotify, P&L Disc Only	6 - 10	\$348
W2FLXXNEDX-0015	Flex: Enotify, P&L Disc Only	11 - 15	\$370
W2FLXXNEDX-0020	Flex: Enotify, P&L Disc Only	16 - 20	\$544
W2FLXXNEDX-0030	Flex: Enotify, P&L Disc Only	21 - 30	\$666
W2FLXXNEDX-0050	Flex: Enotify, P&L Disc Only	31 - 50	\$940
W2FLXXNEDX-0080	Flex: Enotify, P&L Disc Only	51 - 80	\$1,229
W2FLXXNEDX-0160	Flex: Enotify, P&L Disc Only	81 - 160	\$1,355
W2FLXXNEDX-0225	Flex: Enotify, P&L Disc Only	161 - 225	\$1,599
W2FLXXNEDX-0300	Flex: Enotify, P&L Disc Only	226 - 300	\$1,902
W2FLXXNEDX-0550	Flex: Enotify, P&L Disc Only	301 - 550	\$2,343
W2FLXXNEDX-0825	Flex: Enotify, P&L Disc Only	551 - 825	\$2,643
W2FLXXNEDX-1100	Flex: Enotify, P&L Disc Only	826 - 1100	\$2,823
W2PA41NEDX-0010	Proactive Service Plan 4 Hr	6 - 10	\$3,147
W2PA41NEDX-0015	Proactive Service Plan 4 Hr	11 - 15	\$3,305
W2PA41NEDX-0020	Proactive Service Plan 4 Hr	16 - 20	\$3,806
W2PA41NEDX-0030	Proactive Service Plan 4 Hr	21 - 30	\$4,348
W2PA41NEDX-0050	Proactive Service Plan 4 Hr	31 - 50	\$5,243
W2PA41NEDX-0080	Proactive Service Plan 4 Hr	51 - 80	\$6,441
W2PA41NEDX-0160	Proactive Service Plan 4 Hr	81 - 160	\$7,940
W2PA41NEDX-0225	Proactive Service Plan 4 Hr	161 - 225	\$8,606
W2PA41NEDX-0300	Proactive Service Plan 4 Hr	226 - 300	\$9,942
W2PA41NEDX-0550	Proactive Service Plan 4 Hr	301 - 550	\$10,993
W2PA41NEDX-0825	Proactive Service Plan 4 Hr	551 - 825	\$12,533
W2PA41NEDX-1100	Proactive Service Plan 4 Hr	826 - 1100	\$14,810
W2PA81NEDX-0010	Proactive Service Plan 8 Hr	6 - 10	\$2,843
W2PA81NEDX-0015	Proactive Service Plan 8 Hr	11 - 15	\$2,958
W2PA81NEDX-0020	Proactive Service Plan 8 Hr	16 - 20	\$3,414
W2PA81NEDX-0030	Proactive Service Plan 8 Hr	21 - 30	\$3,884
W2PA81NEDX-0050	Proactive Service Plan 8 Hr	31 - 50	\$4,666
W2PA81NEDX-0080	Proactive Service Plan 8 Hr	51 - 80	\$5,688
W2PA81NEDX-0160	Proactive Service Plan 8 Hr	81 - 160	\$6,956
W2PA81NEDX-0225	Proactive Service Plan 8 Hr	161 - 225	\$7,585
W2PA81NEDX-0300	Proactive Service Plan 8 Hr	226 - 300	\$8,748
W2PA81NEDX-0550	Proactive Service Plan 8 Hr	301 - 550	\$9,786
W2PA81NEDX-0825	Proactive Service Plan 8 Hr	551 - 825	\$11,164
W2PA81NEDX-1100	Proactive Service Plan 8 Hr	826 - 1100	\$13,078
W2PE00NEXX-0015	PowerTrust Express Service Plan	11 - 15	\$924
W2PE00NEXX-0030	PowerTrust Express Service Plan	21 - 30	\$1,088
W2PE00NEXX-0050	PowerTrust Express Service Plan	31 - 50	\$1,413
W2PE00NEXX-0080	PowerTrust Express Service Plan	51 - 80	\$1,577

SERVICES

Three-phase Service Plans (*continued*)

ONSITE SERVICE PLANS POST WARRANTY (*continued*)

Style Number	Description	Range	List Price
W2PP41NEDX-0010	PowerTrust Preferred Service Plan 4 Hr	6 - 10	\$6,184
W2PP41NEDX-0015	PowerTrust Preferred Service Plan 4 Hr	11 - 15	\$6,261
W2PP41NEDX-0020	PowerTrust Preferred Service Plan 4 Hr	16 - 20	\$6,871
W2PP41NEDX-0030	PowerTrust Preferred Service Plan 4 Hr	21 - 30	\$7,467
W2PP41NEDX-0050	PowerTrust Preferred Service Plan 4 Hr	31 - 50	\$7,839
W2PP41NEDX-0080	PowerTrust Preferred Service Plan 4 Hr	51 - 80	\$9,080
W2PP41NEDX-0160	PowerTrust Preferred Service Plan 4 Hr	81 - 160	\$10,456
W2PP41NEDX-0225	PowerTrust Preferred Service Plan 4 Hr	161 - 225	\$12,268
W2PP41NEDX-0300	PowerTrust Preferred Service Plan 4 Hr	226 - 300	\$13,768
W2PP41NEDX-0550	PowerTrust Preferred Service Plan 4 Hr	301 - 550	\$15,363
W2PP41NEDX-0825	PowerTrust Preferred Service Plan 4 Hr	551 - 825	\$17,338
W2PP41NEDX-1100	PowerTrust Preferred Service Plan 4 Hr	826 - 1100	\$19,897
W2PP41ZEDX-0030	PowerTrust Preferred Service Plan 4 Hr Int Batt	31 - 50	\$5,708
W2PP41ZEDX-0050	PowerTrust Preferred Service Plan 4 Hr Int Batt	21 - 30	\$6,656
W2PP41ZEDX-0080	PowerTrust Preferred Service Plan 4 Hr Int Batt	51 - 80	\$8,073
W2PP81NEDX-0010	PowerTrust Preferred Service Plan 8 Hr	6 - 10	\$4,120
W2PP81NEDX-0015	PowerTrust Preferred Service Plan 8 Hr	11 - 15	\$5,914
W2PP81NEDX-0020	PowerTrust Preferred Service Plan 8 Hr	16 - 20	\$6,479
W2PP81NEDX-0030	PowerTrust Preferred Service Plan 8 Hr	21 - 30	\$7,003
W2PP81NEDX-0050	PowerTrust Preferred Service Plan 8 Hr	31 - 50	\$7,839
W2PP81NEDX-0080	PowerTrust Preferred Service Plan 8 Hr	51 - 80	\$9,079
W2PP81NEDX-0160	PowerTrust Preferred Service Plan 8 Hr	81 - 160	\$10,455
W2PP81NEDX-0225	PowerTrust Preferred Service Plan 8 Hr	161 - 225	\$11,247
W2PP81NEDX-0300	PowerTrust Preferred Service Plan 8 Hr	226 - 300	\$12,574
W2PP81NEDX-0550	PowerTrust Preferred Service Plan 8 Hr	301 - 550	\$14,156
W2PP81NEDX-0825	PowerTrust Preferred Service Plan 8 Hr	551 - 825	\$15,969
W2PP81NEDX-1100	PowerTrust Preferred Service Plan 8 Hr	826 - 1100	\$18,165
W2PP81ZEDX-0030	PowerTrust Preferred Service Plan 8 Hr Int Batt	31 - 50	\$5,244
W2PP81ZEDX-0050	PowerTrust Preferred Service Plan 8 Hr Int Batt	21 - 30	\$6,079
W2PP81ZEDX-0080	PowerTrust Preferred Service Plan 8 Hr Int Batt	51 - 80	\$7,320
W2PT42NEDX-0010	PowerTrust Service Plan 4 Hr	6 - 10	\$3,724
W2PT42NEDX-0015	PowerTrust Service Plan 4 Hr	11 - 15	\$3,968
W2PT42NEDX-0020	PowerTrust Service Plan 4 Hr	16 - 20	\$4,469
W2PT42NEDX-0030	PowerTrust Service Plan 4 Hr	21 - 30	\$5,064
W2PT42NEDX-0050	PowerTrust Service Plan 4 Hr	31 - 50	\$6,015
W2PT42NEDX-0080	PowerTrust Service Plan 4 Hr	51 - 80	\$7,157
W2PT42NEDX-0160	PowerTrust Service Plan 4 Hr	81 - 160	\$8,657
W2PT42NEDX-0225	PowerTrust Service Plan 4 Hr	161 - 225	\$9,324
W2PT42NEDX-0300	PowerTrust Service Plan 4 Hr	226 - 300	\$10,605
W2PT42NEDX-0550	PowerTrust Service Plan 4 Hr	301 - 550	\$11,611
W2PT42NEDX-0825	PowerTrust Service Plan 4 Hr	551 - 825	\$13,108
W2PT42NEDX-1100	PowerTrust Service Plan 4 Hr	826 - 1100	\$15,364
W2PT42NEDX-RPP	PowerTrust Service Plan 4 Hr	RPP	\$1,539
W2PT42NEDX-RPPB	PowerTrust Service Plan 4 Hr	RPPB	\$1,817
W2PT42ZEDX-0030	PowerTrust Service Plan 4 Hr Int Batt	31 - 50	\$4,184
W2PT42ZEDX-0050	PowerTrust Service Plan 4 Hr Int Batt	21 - 30	\$5,135
W2PT42ZEDX-0080	PowerTrust Service Plan 4 Hr Int Batt	51 - 80	\$6,277
W2PT82NEDX-0010	PowerTrust Service Plan 8 Hr	6 - 10	\$3,419
W2PT82NEDX-0015	PowerTrust Service Plan 8 Hr	11 - 15	\$3,621
W2PT82NEDX-0020	PowerTrust Service Plan 8 Hr	16 - 20	\$4,077
W2PT82NEDX-0030	PowerTrust Service Plan 8 Hr	21 - 30	\$4,599
W2PT82NEDX-0050	PowerTrust Service Plan 8 Hr	31 - 50	\$5,438
W2PT82NEDX-0080	PowerTrust Service Plan 8 Hr	51 - 80	\$6,404
W2PT82NEDX-0160	PowerTrust Service Plan 8 Hr	81 - 160	\$7,673
W2PT82NEDX-0225	PowerTrust Service Plan 8 Hr	161 - 225	\$8,303
W2PT82NEDX-0300	PowerTrust Service Plan 8 Hr	226 - 300	\$9,411
W2PT82NEDX-0550	PowerTrust Service Plan 8 Hr	301 - 550	\$10,404

SERVICES

Three-phase Service Plans (*continued*)

ONSITE SERVICE PLANS POST WARRANTY (*continued*)

Style Number	Description	Range	List Price
W2PT82NEDX-0825	PowerTrust Service Plan 8 Hr	551 - 825	\$11,739
W2PT82NEDX-1100	PowerTrust Service Plan 8 Hr	826 - 1100	\$13,632
W2PT82NEDX-RPP	PowerTrust Service Plan 8 Hr	RPP	\$1,371
W2PT82NEDX-RPPB	PowerTrust Service Plan 8 Hr	RPPB	\$1,606
W2PT82ZEDX-0030	PowerTrust Service Plan 8 Hr Int Batt	31 - 50	\$3,720
W2PT82ZEDX-0050	PowerTrust Service Plan 8 Hr Int Batt	21 - 30	\$4,558
W2PT42ZEDX-0080	PowerTrust Service Plan 8 Hr Int Batt	51 - 80	\$5,524
W2PVN3NEXX-0010	PowerTrust Value Service Plan	6 - 10	\$1,938
W2PVN3NEXX-0015	PowerTrust Value Service Plan	11 - 15	\$2,054
W2PVN3NEXX-0020	PowerTrust Value Service Plan	16 - 20	\$2,425
W2PVN3NEXX-0030	PowerTrust Value Service Plan	21 - 30	\$2,805
W2PVN3NEXX-0050	PowerTrust Value Service Plan	31 - 50	\$3,418
W2PVN3NEXX-0080	PowerTrust Value Service Plan	51 - 80	\$4,124
W2PVN3NEXX-0160	PowerTrust Value Service Plan	81 - 160	\$4,886
W2PVN3NEXX-0225	PowerTrust Value Service Plan	161 - 225	\$5,409
W2PVN3NEXX-0300	PowerTrust Value Service Plan	226 - 300	\$6,175
W2PVN3NEXX-0550	PowerTrust Value Service Plan	301 - 550	\$7,142
W2PVN3NEXX-0825	PowerTrust Value Service Plan	551 - 825	\$8,159
W2PVN3NEXX-1100	PowerTrust Value Service Plan	826 - 1100	\$9,338
W2PVN3NEXX-RPP	PowerTrust Value Service Plan	RPP	\$973
W2PVN3NEXX-RPPB	PowerTrust Value Service Plan	RPPB	\$1,146
W2XX4XNXXX-0010	4 Hr Rsp Upgrade	6 - 10	\$305
W2XX4XNXXX-0015	4 Hr Rsp Upgrade	11 - 15	\$347
W2XX4XNXXX-0020	4 Hr Rsp Upgrade	16 - 20	\$391
W2XX4XNXXX-0030	4 Hr Rsp Upgrade	21 - 30	\$465
W2XX4XNXXX-0050	4 Hr Rsp Upgrade	31 - 50	\$577
W2XX4XNXXX-0080	4 Hr Rsp Upgrade	51 - 80	\$753
W2XX4XNXXX-0160	4 Hr Rsp Upgrade	81 - 160	\$984
W2XX4XNXXX-0225	4 Hr Rsp Upgrade	161 - 225	\$1,022
W2XX4XNXXX-0300	4 Hr Rsp Upgrade	226 - 300	\$1,195
W2XX4XNXXX-0550	4 Hr Rsp Upgrade	301 - 550	\$1,207
W2XX4XNXXX-0825	4 Hr Rsp Upgrade	551 - 825	\$1,369
W2XX4XNXXX-1100	4 Hr Rsp Upgrade	826 - 1100	\$1,732
W2XXXNXXX-0010	Enotify Upgrade	6 - 10	\$196
W2XXXNXXX-0015	Enotify Upgrade	11 - 15	\$196
W2XXXNXXX-0020	Enotify Upgrade	16 - 20	\$348
W2XXXNXXX-0030	Enotify Upgrade	21 - 30	\$435
W2XXXNXXX-0050	Enotify Upgrade	31 - 50	\$652
W2XXXNXXX-0080	Enotify Upgrade	51 - 80	\$870
W2XXXNXXX-0160	Enotify Upgrade	81 - 160	\$870
W2XXXNXXX-0225	Enotify Upgrade	161 - 225	\$1,088
W2XXXNXXX-0300	Enotify Upgrade	226 - 300	\$1,305
W2XXXNXXX-0550	Enotify Upgrade	301 - 550	\$1,740
W2XXXNXXX-0825	Enotify Upgrade	551 - 825	\$1,957
W2XXXNXXX-1100	Enotify Upgrade	826 - 1100	\$1,957
W2XXXNXDX-0010	Part&Labor Discount Upgrade	6 - 10	\$152
W2XXXNXDX-0015	Part&Labor Discount Upgrade	11 - 15	\$174
W2XXXNXDX-0020	Part&Labor Discount Upgrade	16 - 20	\$196
W2XXXNXDX-0030	Part&Labor Discount Upgrade	21 - 30	\$232
W2XXXNXDX-0050	Part&Labor Discount Upgrade	31 - 50	\$288
W2XXXNXDX-0080	Part&Labor Discount Upgrade	51 - 80	\$358
W2XXXNXDX-0160	Part&Labor Discount Upgrade	81 - 160	\$485
W2XXXNXDX-0225	Part&Labor Discount Upgrade	161 - 225	\$511
W2XXXNXDX-0300	Part&Labor Discount Upgrade	226 - 300	\$597
W2XXXNXDX-0550	Part&Labor Discount Upgrade	301 - 550	\$604
W2XXXNXDX-0825	Part&Labor Discount Upgrade	551 - 825	\$686
W2XXXNXDX-1100	Part&Labor Discount Upgrade	826 - 1100	\$866

SERVICES

Three-phase Service Plans *(continued)*

PREVENTIVE MAINTENANCE

Style Number	Description	Range	List Price
0005NSXX-0054	Sealed Battery PM, Any Time - 3 Strings (54 Jars)	93E (20, 30 kVA) - 3 Strings (54 jars)	\$1,036
0005NSXX-0072	Sealed Battery PM, Any Time - 4 Strings (72 Jars)	93E (40, 60 kVA) - 4 Strings (72 jars)	\$1,381
0005NSXX-0108	Sealed Battery PM, Any Time - 6 Strings (108 Jars)	93E (20, 30 kVA) - 6 Strings (108 jars)	\$1,737
0005NSXX-0144	Sealed Battery PM, Any Time - 8 Strings (144 Jars)	93E (40, 60 kVA) - 8 Strings (144 jars)	\$1,996
0005NSXX-0216	Sealed Battery PM, Any Time - 12 Strings (216 Jars)	93E (40, 60 kVA) - 12 Strings (216 jars)	\$2,993
0005NXXX-0030	UPS PM, After Hours (7x24)	21 - 30	\$1,360
0005NXXX-0080	UPS PM, After Hours (7x24)	51 - 80	\$1,632

PREVENTIVE MAINTENANCE WARRANTY YR1

Style Number	Description	Range	List Price
W10005NEXT	Sealed Battery Preventive Maintenance, Any Time	EBM	\$473
W10005NIDC-9390	IDC Preventive Maintenance, After Hours (7x24)	IDC	\$245
W10005NINT	Sealed Battery Preventive Maintenance, Any Time	INT	\$473
W10005NPCX-0010	UPS Performance Check, After Hours (7x24)	6 - 10	\$511
W10005NPCX-0015	UPS Performance Check, After Hours (7x24)	11 - 15	\$478
W10005NPCX-0020	UPS Performance Check, After Hours (7x24)	16 - 20	\$522
W10005NPCX-0030	UPS Performance Check, After Hours (7x24)	21 - 30	\$544
W10005NPCX-0050	UPS Performance Check, After Hours (7x24)	31 - 50	\$565
W10005NPCX-0080	UPS Performance Check, After Hours (7x24)	51 - 80	\$653
W10005NPCX-0160	UPS Performance Check, After Hours (7x24)	81 - 160	\$696
W10005NPCX-0225	UPS Performance Check, After Hours (7x24)	161 - 225	\$761
W10005NPCX-0300	UPS Performance Check, After Hours (7x24)	226 - 300	\$826
W10005NPCX-0550	UPS Performance Check, After Hours (7x24)	301 - 550	\$1,044
W10005NPCX-0825	UPS Performance Check, After Hours (7x24)	551 - 825	\$1,218
W10005NPCX-1100	UPS Performance Check, After Hours (7x24)	826 - 1100	\$1,331
W10005NS020	Sealed Battery Preventive Maintenance, Any Time	20	\$220
W10005NS024	Sealed Battery Preventive Maintenance, Any Time	24	\$264
W10005NS030	Sealed Battery Preventive Maintenance, Any Time	30	\$330
W10005NS032	Sealed Battery Preventive Maintenance, Any Time	32	\$352
W10005NS036	Sealed Battery Preventive Maintenance, Any Time	36	\$396
W10005NS040	Sealed Battery Preventive Maintenance, Any Time	40	\$440
W10005NS048	Sealed Battery Preventive Maintenance, Any Time	48	\$475
W10005NS060	Sealed Battery Preventive Maintenance, Any Time	60	\$594
W10005NS064	Sealed Battery Preventive Maintenance, Any Time	64	\$634
W10005NS072	Sealed Battery Preventive Maintenance, Any Time	72	\$713
W10005NS080	Sealed Battery Preventive Maintenance, Any Time	80	\$792
W10005NS090	Sealed Battery Preventive Maintenance, Any Time	90	\$743
W10005NS096	Sealed Battery Preventive Maintenance, Any Time	96	\$792
W10005NS108	Sealed Battery Preventive Maintenance, Any Time	108	\$891
W10005NS120	Sealed Battery Preventive Maintenance, Any Time	120	\$990
W10005NS128	Sealed Battery Preventive Maintenance, Any Time	128	\$915
W10005NS144	Sealed Battery Preventive Maintenance, Any Time	144	\$1,030
W10005NS150	Sealed Battery Preventive Maintenance, Any Time	150	\$1,073
W10005NS160	Sealed Battery Preventive Maintenance, Any Time	160	\$1,144
W10005NS180	Sealed Battery Preventive Maintenance, Any Time	180	\$1,287
W10005NS200	Sealed Battery Preventive Maintenance, Any Time	200	\$1,430
W10005NS210	Sealed Battery Preventive Maintenance, Any Time	210	\$1,502
W10005NS216	Sealed Battery Preventive Maintenance, Any Time	216	\$1,545
W10005NS240	Sealed Battery Preventive Maintenance, Any Time	240	\$1,716
W10005NS270	Sealed Battery Preventive Maintenance, Any Time	270	\$1,931
W10005NS280	Sealed Battery Preventive Maintenance, Any Time	280	\$2,002
W10005NS300	Sealed Battery Preventive Maintenance, Any Time	300	\$2,145
W10005NS320	Sealed Battery Preventive Maintenance, Any Time	320	\$2,288
W10005NS330	Sealed Battery Preventive Maintenance, Any Time	330	\$2,360
W10005NS360	Sealed Battery Preventive Maintenance, Any Time	360	\$2,574

SERVICES

Three-phase Service Plans (*continued*)

PREVENTIVE MAINTENANCE WARRANTY YR1 (*continued*)

Style Number	Description	Range	List Price
W10005NS400	Sealed Battery Preventive Maintenance, Any Time	400	\$2,860
W10005NS440	Sealed Battery Preventive Maintenance, Any Time	440	\$3,146
W10005NS480	Sealed Battery Preventive Maintenance, Any Time	480	\$3,432
W10005NXXX-0010	UPS Preventive Maintenance, After Hours (7x24)	6 - 10	\$639
W10005NXXX-0015	UPS Preventive Maintenance, After Hours (7x24)	11 - 15	\$598
W10005NXXX-0020	UPS Preventive Maintenance, After Hours (7x24)	16 - 20	\$653
W10005NXXX-0030	UPS Preventive Maintenance, After Hours (7x24)	21 - 30	\$680
W10005NXXX-0050	UPS Preventive Maintenance, After Hours (7x24)	31 - 50	\$707
W10005NXXX-0080	UPS Preventive Maintenance, After Hours (7x24)	51 - 80	\$816
W10005NXXX-0160	UPS Preventive Maintenance, After Hours (7x24)	81 - 160	\$870
W10005NXXX-0225	UPS Preventive Maintenance, After Hours (7x24)	161 - 225	\$951
W10005NXXX-0300	UPS Preventive Maintenance, After Hours (7x24)	226 - 300	\$1,033
W10005NXXX-0550	UPS Preventive Maintenance, After Hours (7x24)	301 - 550	\$1,305
W10005NXXX-0825	UPS Preventive Maintenance, After Hours (7x24)	551 - 825	\$1,523
W10005NXXX-1100	UPS Preventive Maintenance, After Hours (7x24)	826 - 1100	\$1,664
W10005NXXX-RPP	RPP Preventive Maintenance, After Hours (7x24)	RPP	\$328
W10005NXXX-RPPB	RPP BCMS Preventive Maintenance, After Hours (7x24)	RPPB	\$420
W10006NIDC-9390	IDC Preventive Maintenance, Business Hours (5x8)	IDC	\$218
W10006NPCX-0010	UPS Performance Check, Business Hours (5x8)	6 - 10	\$511
W10006NPCX-0015	UPS Performance Check, Business Hours (5x8)	11 - 15	\$478
W10006NPCX-0020	UPS Performance Check, Business Hours (5x8)	16 - 20	\$522
W10006NPCX-0030	UPS Performance Check, Business Hours (5x8)	21 - 30	\$544
W10006NPCX-0050	UPS Performance Check, Business Hours (5x8)	31 - 50	\$565
W10006NPCX-0080	UPS Performance Check, Business Hours (5x8)	51 - 80	\$653
W10006NPCX-0160	UPS Performance Check, Business Hours (5x8)	81 - 160	\$696
W10006NPCX-0225	UPS Performance Check, Business Hours (5x8)	161 - 225	\$761
W10006NPCX-0300	UPS Performance Check, Business Hours (5x8)	226 - 300	\$826
W10006NPCX-0550	UPS Performance Check, Business Hours (5x8)	301 - 550	\$1,044
W10006NPCX-0825	UPS Performance Check, Business Hours (5x8)	551 - 825	\$1,218
W10006NPCX-1100	UPS Performance Check, Business Hours (5x8)	826 - 1100	\$1,331
W10006NXXX-0010	UPS Preventive Maintenance, Business Hours (5x8)	6 - 10	\$487
W10006NXXX-0015	UPS Preventive Maintenance, Business Hours (5x8)	11 - 15	\$490
W10006NXXX-0020	UPS Preventive Maintenance, Business Hours (5x8)	16 - 20	\$544
W10006NXXX-0030	UPS Preventive Maintenance, Business Hours (5x8)	21 - 30	\$598
W10006NXXX-0050	UPS Preventive Maintenance, Business Hours (5x8)	31 - 50	\$653
W10006NXXX-0080	UPS Preventive Maintenance, Business Hours (5x8)	51 - 80	\$734
W10006NXXX-0160	UPS Preventive Maintenance, Business Hours (5x8)	81 - 160	\$789
W10006NXXX-0225	UPS Preventive Maintenance, Business Hours (5x8)	161 - 225	\$870
W10006NXXX-0300	UPS Preventive Maintenance, Business Hours (5x8)	226 - 300	\$925
W10006NXXX-0550	UPS Preventive Maintenance, Business Hours (5x8)	301 - 550	\$1,174
W10006NXXX-0825	UPS Preventive Maintenance, Business Hours (5x8)	551 - 825	\$1,370
W10006NXXX-1100	UPS Preventive Maintenance, Business Hours (5x8)	826 - 1100	\$1,501
W10006NXXX-RPP	RPP Preventive Maintenance, Business Hours (5x8)	RPP	\$275
W10006NXXX-RPPB	RPP BCMS Preventive Maintenance, Business Hours (5x8)	RPPB	\$308
W1BP05NF192	PowerTrust Preferred Service Plan Battery PM Portion	192	\$2,096
W1BP05NF240	PowerTrust Preferred Service Plan Battery PM Portion	240	\$2,720
W1BP05NF384	PowerTrust Preferred Service Plan Battery PM Portion	384	\$3,992
W1BP05NF480	PowerTrust Preferred Service Plan Battery PM Portion	480	\$5,240
W1BP05NS048	PowerTrust Preferred Service Plan Battery PM Portion	48	\$71
W1BP05NS060	PowerTrust Preferred Service Plan Battery PM Portion	60	\$308
W1BP05NS064	PowerTrust Preferred Service Plan Battery PM Portion	64	\$387
W1BP05NS072	PowerTrust Preferred Service Plan Battery PM Portion	72	\$546
W1BP05NS080	PowerTrust Preferred Service Plan Battery PM Portion	80	\$704
W1BP05NS090	PowerTrust Preferred Service Plan Battery PM Portion	90	\$605
W1BP05NS096	PowerTrust Preferred Service Plan Battery PM Portion	96	\$704
W1BP05NS108	PowerTrust Preferred Service Plan Battery PM Portion	108	\$902
W1BP05NS120	PowerTrust Preferred Service Plan Battery PM Portion	120	\$1,100

SERVICES

Three-phase Service Plans *(continued)*

PREVENTIVE MAINTENANCE WARRANTY YR1 *(continued)*

Style Number	Description	Range	List Price
W1BP05NS128	PowerTrust Preferred Service Plan Battery PM Portion	128	\$951
W1BP05NS144	PowerTrust Preferred Service Plan Battery PM Portion	144	\$1,179
W1BP05NS150	PowerTrust Preferred Service Plan Battery PM Portion	150	\$1,265
W1BP05NS160	PowerTrust Preferred Service Plan Battery PM Portion	160	\$1,408
W1BP05NS180	PowerTrust Preferred Service Plan Battery PM Portion	180	\$1,694
W1BP05NS200	PowerTrust Preferred Service Plan Battery PM Portion	200	\$1,980
W1BP05NS210	PowerTrust Preferred Service Plan Battery PM Portion	210	\$2,123
W1BP05NS216	PowerTrust Preferred Service Plan Battery PM Portion	216	\$2,209
W1BP05NS240	PowerTrust Preferred Service Plan Battery PM Portion	240	\$2,552
W1BP05NS270	PowerTrust Preferred Service Plan Battery PM Portion	270	\$2,981
W1BP05NS280	PowerTrust Preferred Service Plan Battery PM Portion	280	\$3,124
W1BP05NS300	PowerTrust Preferred Service Plan Battery PM Portion	300	\$3,410
W1BP05NS320	PowerTrust Preferred Service Plan Battery PM Portion	320	\$3,696
W1BP05NS330	PowerTrust Preferred Service Plan Battery PM Portion	330	\$3,839
W1BP05NS360	PowerTrust Preferred Service Plan Battery PM Portion	360	\$4,268
W1BP05NS400	PowerTrust Preferred Service Plan Battery PM Portion	400	\$4,840
W1BP05NS440	PowerTrust Preferred Service Plan Battery PM Portion	440	\$5,412
W1BP05NS480	PowerTrust Preferred Service Plan Battery PM Portion	480	\$5,984
W1BP05NSEXT	PowerTrust Preferred Service Plan Battery PM Portion	EXT	\$946
W1BT06NF192	PowerTrust Service Plan Battery PM Portion	192	\$2,096
W1BT06NF240	PowerTrust Service Plan Battery PM Portion	240	\$2,720
W1BT06NF384	PowerTrust Service Plan Battery PM Portion	384	\$3,992
W1BT06NF480	PowerTrust Service Plan Battery PM Portion	480	\$5,240
W1BT06NS048	PowerTrust Service Plan Battery PM Portion	48	\$88
W1BT06NS060	PowerTrust Service Plan Battery PM Portion	60	\$220
W1BT06NS064	PowerTrust Service Plan Battery PM Portion	64	\$264
W1BT06NS072	PowerTrust Service Plan Battery PM Portion	72	\$352
W1BT06NS080	PowerTrust Service Plan Battery PM Portion	80	\$440
W1BT06NS090	PowerTrust Service Plan Battery PM Portion	90	\$550
W1BT06NS096	PowerTrust Service Plan Battery PM Portion	96	\$616
W1BT06NS108	PowerTrust Service Plan Battery PM Portion	108	\$748
W1BT06NS120	PowerTrust Service Plan Battery PM Portion	120	\$880
W1BT06NS128	PowerTrust Service Plan Battery PM Portion	128	\$968
W1BT06NS144	PowerTrust Service Plan Battery PM Portion	144	\$1,144
W1BT06NS150	PowerTrust Service Plan Battery PM Portion	150	\$1,210
W1BT06NS160	PowerTrust Service Plan Battery PM Portion	160	\$1,320
W1BT06NS180	PowerTrust Service Plan Battery PM Portion	180	\$1,540
W1BT06NS200	PowerTrust Service Plan Battery PM Portion	200	\$1,760
W1BT06NS210	PowerTrust Service Plan Battery PM Portion	210	\$1,870
W1BT06NS216	PowerTrust Service Plan Battery PM Portion	216	\$1,936
W1BT06NS240	PowerTrust Service Plan Battery PM Portion	240	\$2,200
W1BT06NS270	PowerTrust Service Plan Battery PM Portion	270	\$2,530
W1BT06NS280	PowerTrust Service Plan Battery PM Portion	280	\$2,640
W1BT06NS300	PowerTrust Service Plan Battery PM Portion	300	\$2,860
W1BT06NS320	PowerTrust Service Plan Battery PM Portion	320	\$3,080
W1BT06NS330	PowerTrust Service Plan Battery PM Portion	330	\$3,190
W1BT06NS360	PowerTrust Service Plan Battery PM Portion	360	\$3,520
W1BT06NS400	PowerTrust Service Plan Battery PM Portion	400	\$3,960
W1BT06NS440	PowerTrust Service Plan Battery PM Portion	440	\$4,400
W1BT06NS480	PowerTrust Service Plan Battery PM Portion	480	\$4,840
W1BT06NSEXT	PowerTrust Service Plan Battery PM Portion	EXT	\$473

SERVICES

Three-phase Service Plans (*continued*)

PREVENTIVE MAINTENANCE POST WARRANTY

Style Number	Description	Range	List Price
W20005NEXT	Sealed Battery Preventive Maintenance, Any Time	EBM	\$880
W20005NIDC-9390	IDC Preventive Maintenance, After Hours (7x24)	IDC	\$489
W20005NINT	Sealed Battery Preventive Maintenance, Any Time	INT	\$880
W20005NPCX-0010	UPS Performance Check, After Hours (7x24)	6 - 10	\$1,022
W20005NPCX-0015	UPS Performance Check, After Hours (7x24)	11 - 15	\$957
W20005NPCX-0020	UPS Performance Check, After Hours (7x24)	16 - 20	\$1,044
W20005NPCX-0030	UPS Performance Check, After Hours (7x24)	21 - 30	\$1,088
W20005NPCX-0050	UPS Performance Check, After Hours (7x24)	31 - 50	\$1,130
W20005NPCX-0080	UPS Performance Check, After Hours (7x24)	51 - 80	\$1,306
W20005NPCX-0160	UPS Performance Check, After Hours (7x24)	81 - 160	\$1,392
W20005NPCX-0225	UPS Performance Check, After Hours (7x24)	161 - 225	\$1,522
W20005NPCX-0300	UPS Performance Check, After Hours (7x24)	226 - 300	\$1,653
W20005NPCX-0550	UPS Performance Check, After Hours (7x24)	301 - 550	\$2,088
W20005NPCX-0825	UPS Performance Check, After Hours (7x24)	551 - 825	\$2,436
W20005NPCX-1100	UPS Performance Check, After Hours (7x24)	826 - 1100	\$2,662
W20005NS020	Sealed Battery Preventive Maintenance, Any Time	20	\$440
W20005NS024	Sealed Battery Preventive Maintenance, Any Time	24	\$528
W20005NS030	Sealed Battery Preventive Maintenance, Any Time	30	\$660
W20005NS032	Sealed Battery Preventive Maintenance, Any Time	32	\$704
W20005NS036	Sealed Battery Preventive Maintenance, Any Time	36	\$792
W20005NS040	Sealed Battery Preventive Maintenance, Any Time	40	\$880
W20005NS048	Sealed Battery Preventive Maintenance, Any Time	48	\$950
W20005NS060	Sealed Battery Preventive Maintenance, Any Time	60	\$1,188
W20005NS064	Sealed Battery Preventive Maintenance, Any Time	64	\$792
W20005NS072	Sealed Battery Preventive Maintenance, Any Time	72	\$1,426
W20005NS080	Sealed Battery Preventive Maintenance, Any Time	80	\$1,584
W20005NS090	Sealed Battery Preventive Maintenance, Any Time	90	\$1,485
W20005NS096	Sealed Battery Preventive Maintenance, Any Time	96	\$1,426
W20005NS108	Sealed Battery Preventive Maintenance, Any Time	108	\$1,782
W20005NS120	Sealed Battery Preventive Maintenance, Any Time	120	\$1,980
W20005NS128	Sealed Battery Preventive Maintenance, Any Time	128	\$1,830
W20005NS144	Sealed Battery Preventive Maintenance, Any Time	144	\$2,059
W20005NS150	Sealed Battery Preventive Maintenance, Any Time	150	\$2,145
W20005NS160	Sealed Battery Preventive Maintenance, Any Time	160	\$2,288
W20005NS180	Sealed Battery Preventive Maintenance, Any Time	180	\$2,574
W20005NS200	Sealed Battery Preventive Maintenance, Any Time	200	\$2,860
W20005NS210	Sealed Battery Preventive Maintenance, Any Time	210	\$3,003
W20005NS216	Sealed Battery Preventive Maintenance, Any Time	216	\$3,089
W20005NS240	Sealed Battery Preventive Maintenance, Any Time	240	\$3,432
W20005NS270	Sealed Battery Preventive Maintenance, Any Time	270	\$3,861
W20005NS280	Sealed Battery Preventive Maintenance, Any Time	280	\$4,004
W20005NS300	Sealed Battery Preventive Maintenance, Any Time	300	\$4,290
W20005NS320	Sealed Battery Preventive Maintenance, Any Time	320	\$4,576
W20005NS330	Sealed Battery Preventive Maintenance, Any Time	330	\$4,719
W20005NS360	Sealed Battery Preventive Maintenance, Any Time	360	\$5,148
W20005NS400	Sealed Battery Preventive Maintenance, Any Time	400	\$5,720
W20005NS440	Sealed Battery Preventive Maintenance, Any Time	440	\$6,292
W20005NS480	Sealed Battery Preventive Maintenance, Any Time	480	\$6,864
W20005NXXX-0010	UPS Preventive Maintenance, After Hours (7x24)	6 - 10	\$1,277
W20005NXXX-0015	UPS Preventive Maintenance, After Hours (7x24)	11 - 15	\$1,196
W20005NXXX-0020	UPS Preventive Maintenance, After Hours (7x24)	16 - 20	\$1,305
W20005NXXX-0030	UPS Preventive Maintenance, After Hours (7x24)	21 - 30	\$1,360
W20005NXXX-0050	UPS Preventive Maintenance, After Hours (7x24)	31 - 50	\$1,413
W20005NXXX-0080	UPS Preventive Maintenance, After Hours (7x24)	51 - 80	\$1,632
W20005NXXX-0160	UPS Preventive Maintenance, After Hours (7x24)	81 - 160	\$1,740
W20005NXXX-0225	UPS Preventive Maintenance, After Hours (7x24)	161 - 225	\$1,902
W20005NXXX-0300	UPS Preventive Maintenance, After Hours (7x24)	226 - 300	\$2,066

SERVICES

Three-phase Service Plans *(continued)*

PREVENTIVE MAINTENANCE POST WARRANTY *(continued)*

Style Number	Description	Range	List Price
W20005NXXX-0550	UPS Preventive Maintenance, After Hours (7x24)	301 - 550	\$2,610
W20005NXXX-0825	UPS Preventive Maintenance, After Hours (7x24)	551 - 825	\$3,045
W20005NXXX-1100	UPS Preventive Maintenance, After Hours (7x24)	826 - 1100	\$3,327
W20005NXXX-RPP	RPP Preventive Maintenance, After Hours (7x24)	RPP	\$655
W20005NXXX-RPPB	RPP BCMS Preventive Maintenance, After Hours (7x24)	RPPB	\$840
W20006NIDC-9390	IDC Preventive Maintenance, Business Hours (5x8)	IDC	\$435
W20006NPCX-0010	UPS Performance Check, Business Hours (5x8)	6 - 10	\$1,022
W20006NPCX-0015	UPS Performance Check, Business Hours (5x8)	11 - 15	\$957
W20006NPCX-0020	UPS Performance Check, Business Hours (5x8)	16 - 20	\$1,044
W20006NPCX-0030	UPS Performance Check, Business Hours (5x8)	21 - 30	\$1,088
W20006NPCX-0050	UPS Performance Check, Business Hours (5x8)	31 - 50	\$1,130
W20006NPCX-0080	UPS Performance Check, Business Hours (5x8)	51 - 80	\$1,306
W20006NPCX-0160	UPS Performance Check, Business Hours (5x8)	81 - 160	\$1,392
W20006NPCX-0225	UPS Performance Check, Business Hours (5x8)	161 - 225	\$1,522
W20006NPCX-0300	UPS Performance Check, Business Hours (5x8)	226 - 300	\$1,653
W20006NPCX-0550	UPS Performance Check, Business Hours (5x8)	301 - 550	\$2,088
W20006NPCX-0825	UPS Performance Check, Business Hours (5x8)	551 - 825	\$2,436
W20006NPCX-1100	UPS Performance Check, Business Hours (5x8)	826 - 1100	\$2,662
W20006NXXX-0010	UPS Preventive Maintenance, Business Hours (5x8)	6 - 10	\$500
W20006NXXX-0015	UPS Preventive Maintenance, Business Hours (5x8)	11 - 15	\$818
W20006NXXX-0020	UPS Preventive Maintenance, Business Hours (5x8)	16 - 20	\$818
W20006NXXX-0030	UPS Preventive Maintenance, Business Hours (5x8)	21 - 30	\$1,000
W20006NXXX-0050	UPS Preventive Maintenance, Business Hours (5x8)	31 - 50	\$1,000
W20006NXXX-0080	UPS Preventive Maintenance, Business Hours (5x8)	51 - 80	\$1,250
W20006NXXX-0160	UPS Preventive Maintenance, Business Hours (5x8)	81 - 160	\$1,250
W20006NXXX-0225	UPS Preventive Maintenance, Business Hours (5x8)	161 - 225	\$1,740
W20006NXXX-0300	UPS Preventive Maintenance, Business Hours (5x8)	226 - 300	\$1,849
W20006NXXX-0550	UPS Preventive Maintenance, Business Hours (5x8)	301 - 550	\$2,348
W20006NXXX-0825	UPS Preventive Maintenance, Business Hours (5x8)	551 - 825	\$2,740
W20006NXXX-1100	UPS Preventive Maintenance, Business Hours (5x8)	826 - 1100	\$3,001
W20006NXXX-RPP	RPP Preventive Maintenance, Business Hours (5x8)	RPP, PDR	\$818
W20006NXXX-RPPB	RPP BCMS Preventive Maintenance, Business Hours (5x8)	RPP w/BCMS, EMS UGK	\$818
W2BP05NF192	PowerTrust Preferred Service Plan Battery PM Portion	192	\$4,192
W2BP05NF240	PowerTrust Preferred Service Plan Battery PM Portion	240	\$5,440
W2BP05NF384	PowerTrust Preferred Service Plan Battery PM Portion	384	\$7,984
W2BP05NF480	PowerTrust Preferred Service Plan Battery PM Portion	480	\$10,480
W2BP05NS048	PowerTrust Preferred Service Plan Battery PM Portion	48	\$141
W2BP05NS060	PowerTrust Preferred Service Plan Battery PM Portion	60	\$616
W2BP05NS064	PowerTrust Preferred Service Plan Battery PM Portion	64	\$774
W2BP05NS072	PowerTrust Preferred Service Plan Battery PM Portion	72	\$1,091
W2BP05NS080	PowerTrust Preferred Service Plan Battery PM Portion	80	\$1,408
W2BP05NS090	PowerTrust Preferred Service Plan Battery PM Portion	90	\$1,210
W2BP05NS096	PowerTrust Preferred Service Plan Battery PM Portion	96	\$1,408
W2BP05NS108	PowerTrust Preferred Service Plan Battery PM Portion	108	\$1,804
W2BP05NS120	PowerTrust Preferred Service Plan Battery PM Portion	120	\$2,200
W2BP05NS128	PowerTrust Preferred Service Plan Battery PM Portion	128	\$1,901
W2BP05NS144	PowerTrust Preferred Service Plan Battery PM Portion	144	\$2,358
W2BP05NS150	PowerTrust Preferred Service Plan Battery PM Portion	150	\$2,530
W2BP05NS160	PowerTrust Preferred Service Plan Battery PM Portion	160	\$2,816
W2BP05NS180	PowerTrust Preferred Service Plan Battery PM Portion	180	\$3,388
W2BP05NS200	PowerTrust Preferred Service Plan Battery PM Portion	200	\$3,960
W2BP05NS210	PowerTrust Preferred Service Plan Battery PM Portion	210	\$4,246
W2BP05NS216	PowerTrust Preferred Service Plan Battery PM Portion	216	\$4,418
W2BP05NS240	PowerTrust Preferred Service Plan Battery PM Portion	240	\$5,104
W2BP05NS270	PowerTrust Preferred Service Plan Battery PM Portion	270	\$5,962
W2BP05NS280	PowerTrust Preferred Service Plan Battery PM Portion	280	\$6,248
W2BP05NS300	PowerTrust Preferred Service Plan Battery PM Portion	300	\$6,820

SERVICES

Three-phase Service Plans *(continued)*

PREVENTIVE MAINTENANCE POST WARRANTY *(continued)*

Style Number	Description	Range	List Price
W2BP05NS320	PowerTrust Preferred Service Plan Battery PM Portion	320	\$7,392
W2BP05NS330	PowerTrust Preferred Service Plan Battery PM Portion	330	\$7,678
W2BP05NS360	PowerTrust Preferred Service Plan Battery PM Portion	360	\$8,536
W2BP05NS400	PowerTrust Preferred Service Plan Battery PM Portion	400	\$9,680
W2BP05NS440	PowerTrust Preferred Service Plan Battery PM Portion	440	\$10,824
W2BP05NS480	PowerTrust Preferred Service Plan Battery PM Portion	480	\$11,968
W2BP05NSEXT	PowerTrust Preferred Service Plan Battery PM Portion	EXT	\$1,892
W2BT06NF192	PowerTrust Service Plan Battery PM Portion	192	\$4,192
W2BT06NF240	PowerTrust Service Plan Battery PM Portion	240	\$5,440
W2BT06NF384	PowerTrust Service Plan Battery PM Portion	384	\$7,984
W2BT06NF480	PowerTrust Service Plan Battery PM Portion	480	\$10,480
W2BT06NS048	PowerTrust Service Plan Battery PM Portion	48	\$176
W2BT06NS060	PowerTrust Service Plan Battery PM Portion	60	\$440
W2BT06NS064	PowerTrust Service Plan Battery PM Portion	64	\$528
W2BT06NS072	PowerTrust Service Plan Battery PM Portion	72	\$704
W2BT06NS080	PowerTrust Service Plan Battery PM Portion	80	\$880
W2BT06NS090	PowerTrust Service Plan Battery PM Portion	90	\$1,100
W2BT06NS096	PowerTrust Service Plan Battery PM Portion	96	\$1,232
W2BT06NS108	PowerTrust Service Plan Battery PM Portion	108	\$1,496
W2BT06NS120	PowerTrust Service Plan Battery PM Portion	120	\$1,760
W2BT06NS128	PowerTrust Service Plan Battery PM Portion	128	\$1,936
W2BT06NS144	PowerTrust Service Plan Battery PM Portion	144	\$2,288
W2BT06NS150	PowerTrust Service Plan Battery PM Portion	150	\$2,420
W2BT06NS160	PowerTrust Service Plan Battery PM Portion	160	\$2,640
W2BT06NS180	PowerTrust Service Plan Battery PM Portion	180	\$3,080
W2BT06NS200	PowerTrust Service Plan Battery PM Portion	200	\$3,520
W2BT06NS210	PowerTrust Service Plan Battery PM Portion	210	\$3,740
W2BT06NS216	PowerTrust Service Plan Battery PM Portion	216	\$3,872
W2BT06NS240	PowerTrust Service Plan Battery PM Portion	240	\$4,400
W2BT06NS270	PowerTrust Service Plan Battery PM Portion	270	\$5,060
W2BT06NS280	PowerTrust Service Plan Battery PM Portion	280	\$5,280
W2BT06NS300	PowerTrust Service Plan Battery PM Portion	300	\$5,720
W2BT06NS320	PowerTrust Service Plan Battery PM Portion	320	\$6,160
W2BT06NS330	PowerTrust Service Plan Battery PM Portion	330	\$6,380
W2BT06NS360	PowerTrust Service Plan Battery PM Portion	360	\$7,040
W2BT06NS400	PowerTrust Service Plan Battery PM Portion	400	\$7,920
W2BT06NS440	PowerTrust Service Plan Battery PM Portion	440	\$8,800
W2BT06NS480	PowerTrust Service Plan Battery PM Portion	480	\$9,680
W2BT06NSEXT	PowerTrust Service Plan Battery PM Portion	EXT	\$946

SCHEDULED SERVICE

Style Number	Description	Range	List Price
SU05NXXX-0030	Startup, After Hours (7x24)	21 - 30	\$1,740
SU05NXXX-0080	Startup, After Hours (7x24)	51 - 80	\$2,419
SU06NXXX-0030	Startup, Business Hours (5x8)	21 - 30	\$1,468
SU06NXXX-0080	Startup, Business Hours (5x8)	51 - 80	\$1,839
UP05CXXX-0010	Upgrade From 5x8 To 7x24 Startup 10kVA	6 - 10	\$217
UP05CXXX-0015	Upgrade From 5x8 To 7x24 Startup 15kVA	11 - 15	\$272
UP05CXXX-0020	Upgrade From 5x8 To 7x24 Startup 20kVA	16 - 20	\$272
UP05CXXX-0030	Upgrade From 5x8 To 7x24 Startup 30kVA	21 - 30	\$272
UP05CXXX-0050	Upgrade From 5x8 To 7x24 Startup (First Unit)	31 - 50	\$548
UP05CXXX-0080	Upgrade From 5x8 To 7x24 Startup 80kVA	51 - 80	\$580
UP05CXXX-0160	Upgrade From 5x8 To 7x24 Startup 160kVA	81 - 160	\$739
W20005NPSX-0010	Pre Site Survey, After Hours (7x24)	6 - 10	\$1,088
W20005NPSX-0015	Pre Site Survey, After Hours (7x24)	11 - 15	\$1,088
W20005NPSX-0020	Pre Site Survey, After Hours (7x24)	16 - 20	\$1,088
W20005NPSX-0030	Pre Site Survey, After Hours (7x24)	21 - 30	\$1,088

SERVICES

Three-phase Service Plans *(continued)*

SCHEDULED SERVICE *(continued)*

Style Number	Description	Range	List Price
W20005NPSX-0050	Pre Site Survey, After Hours (7x24)	31 - 50	\$1,088
W20005NPSX-0080	Pre Site Survey, After Hours (7x24)	51 - 80	\$1,088
W20005NPSX-0160	Pre Site Survey, After Hours (7x24)	81 - 160	\$1,088
W20005NPSX-0225	Pre Site Survey, After Hours (7x24)	161 - 225	\$1,635
W20005NPSX-0300	Pre Site Survey, After Hours (7x24)	226 - 300	\$1,635
W20005NPSX-0550	Pre Site Survey, After Hours (7x24)	301 - 550	\$1,635
W20005NPSX-0825	Pre Site Survey, After Hours (7x24)	551 - 825	\$1,635
W20005NPSX-1100	Pre Site Survey, After Hours (7x24)	826 - 1100	\$1,635
W20005NPSX-RPP	Pre Site Survey, After Hours (7x24)	RPP	\$1,088
W20005NPSX-RPPB	Pre Site Survey, After Hours (7x24)	RPPB	\$1,088
W2AS00N000-0015	Scheduled Assembly Service And Set Up 7x24	11 - 15	\$818
W2AS00N000-0030	Scheduled Assembly Service And Set Up 7x24	21 - 30	\$1,000
W2AS00N000-0050	Scheduled Assembly Service And Set Up 7x24	31 - 50	\$1,000
W2AS00N000-0080	Scheduled Assembly Service And Set Up 7x24	51 - 80	\$1,250
W2SU05NXXX-0010	Start Up, After Hours (7x24), First Unit	6 - 10	\$1,277
W2SU05NXXX-0015	Start Up, After Hours (7x24), First Unit	11 - 15	\$1,468
W2SU05NXXX-0020	Start Up, After Hours (7x24), First Unit	16 - 20	\$1,632
W2SU05NXXX-0030	Start Up, After Hours (7x24), First Unit	21 - 30	\$1,740
W2SU05NXXX-0050	Start Up, After Hours (7x24), First Unit	31 - 50	\$2,284
W2SU05NXXX-0080	Start Up, After Hours (7x24), First Unit	51 - 80	\$2,419
W2SU05NXXX-0160	Start Up, After Hours (7x24), First Unit	81 - 160	\$3,078
W2SU05NXXX-0225	Start Up, After Hours (7x24), First Unit	161 - 225	\$3,643
W2SU05NXXX-0300	Start Up, After Hours (7x24), First Unit	226 - 300	\$5,230
W2SU05NXXX-0550	Start Up, After Hours (7x24), First Unit	301 - 550	\$7,231
W2SU05NXXX-0825	Start Up, After Hours (7x24), First Unit	551 - 825	\$8,373
W2SU05NXXX-1100	Start Up, After Hours (7x24), First Unit	826 - 1100	\$9,242
W2SU05NXXX-RPP	Start Up, After Hours (7x24), First Unit	RPP	\$1,088
W2SU05NXXX-RPPB	Start Up, After Hours (7x24), First Unit	RPPB	\$1,393
W2SU06NXXX-0010	Start Up, Business Hours (5x8), First Unit	6 - 10	\$1,060
W2SU06NXXX-0015	Start Up, Business Hours (5x8), First Unit	11 - 15	\$1,196
W2SU06NXXX-0020	Start Up, Business Hours (5x8), First Unit	16 - 20	\$1,360
W2SU06NXXX-0030	Start Up, Business Hours (5x8), First Unit	21 - 30	\$1,468
W2SU06NXXX-0060	Start Up, Business Hours (5x8), First Unit	31 - 50	\$1,736
W2SU06NXXX-0080	Start Up, Business Hours (5x8), First Unit	51 - 80	\$1,839
W2SU06NXXX-0160	Start Up, Business Hours (5x8), First Unit	81 - 160	\$2,339
W2SU06NXXX-0225	Start Up, Business Hours (5x8), First Unit	161 - 225	\$2,769
W2SU06NXXX-0300	Start Up, Business Hours (5x8), First Unit	226 - 300	\$3,975
W2SU06NXXX-0650	Start Up, Business Hours (5x8), First Unit	301 - 550	\$5,496
W2SU06NXXX-0825	Start Up, Business Hours (5x8), First Unit	551 - 825	\$6,363
W2SU06NXXX-1100	Start Up, Business Hours (5x8), First Unit	826 - 1100	\$7,025
W2SU06NXXX-RPP	Start Up, Business Hours (5x8), First Unit	RPP	\$680
W2SU06NXXX-RPPB	Start Up, Business Hours (5x8), First Unit	RPPB	\$870
W2SUPR06NXXX-0080	BladeUPS Preassembled Startup Level 2 - 7x24	51 - 80	\$3,146
W2SUPR06NXXX-0080	BladeUPS Preassembled Startup Level 2 - 5x8	51 - 80	\$2,390
W2SUPS05NXXX-0080	BladeUPS Preassembled Startup Level 1 - 7x24	51 - 80	\$2,903
W2SUPS06NXXX-0080	BladeUPS Preassembled Startup Level 1 - 5x8	51 - 80	\$2,206
W2SU052XXX-0010	Start Up, After Hours (7x24), Second Unit	6 - 10	\$639
W2SU052XXX-0015	Start Up, After Hours (7x24), Second Unit	11 - 15	\$734
W2SU052XXX-0020	Start Up, After Hours (7x24), Second Unit	16 - 20	\$816
W2SU052XXX-0030	Start Up, After Hours (7x24), Second Unit	21 - 30	\$870
W2SU052XXX-0050	Start Up, After Hours (7x24), Second Unit	31 - 50	\$1,142
W2SU052XXX-0080	Start Up, After Hours (7x24), Second Unit	51 - 80	\$1,210
W2SU052XXX-0160	Start Up, After Hours (7x24), Second Unit	81 - 160	\$1,539
W2SU052XXX-RPP	Start Up, After Hours (7x24), Second Unit	RPP	\$544
W2SU052XXX-RPPB	Start Up, After Hours (7x24), Second Unit	RPPB	\$697

SERVICES

Three-phase Service Plans (*continued*)

SCHEDULED SERVICE (*continued*)

Style Number	Description	Range	List Price
W2SU062XXX-0010	Start Up, Business Hours (5x8), Second Unit	6 - 10	\$530
W2SU062XXX-0015	Start Up, Business Hours (5x8), Second Unit	11 - 15	\$598
W2SU062XXX-0020	Start Up, Business Hours (5x8), Second Unit	16 - 20	\$680
W2SU062XXX-0030	Start Up, Business Hours (5x8), Second Unit	21 - 30	\$734
W2SU062XXX-0060	Start Up, Business Hours (5x8), Second Unit	31 - 50	\$868
W2SU062XXX-0080	Start Up, Business Hours (5x8), Second Unit	51 - 80	\$920
W2SU062XXX-0160	Start Up, Business Hours (5x8), Second Unit	81 - 160	\$1,170
W2SU062XXX-RPP	Start Up, Business Hours (5x8), Second Unit	RPP	\$340
W2SU062XXX-RPPB	Start Up, Business Hours (5x8), Second Unit	RPPB	\$435

FBC ordering notes: Full Battery Coverage (FBC) is priced per cabinet (40 jars)/per year, can only be bought when batteries are new (less than 6 months old) and requires purchase of module corrective coverage and an annual battery PM. FBC includes battery parts, freight and labor if battery fails or is rated below 80% of capacity; should be purchased in 5 year length.

SERVICES

Three-phase Service Plans Overview

TIME AND MATERIAL SERVICE RATE SCHEDULE

The following rate schedule applies to all services rendered on non-contracted and non-warranty equipment and to all services performed on contracted equipment where the service performed is outside the scope of the contracted coverage. Labor rates are based on the actual time of delivery. Specific contract customers may be eligible for discounts on time and material charges.

3-Phase Products - Portal to Portal Labor per Hour (Onsite and Travel Time)	Current List Price
Mon. – Fri., Business Hours (8AM – 5PM):	\$270
Mon. – Fri., After Business Hours (5PM – 8AM):	\$345
Weekends and Holidays (Saturday 12:01AM – Sunday Midnight):	\$430

3-Phase Products - Minimum Labor Billing (minimum value range equal to above rates x hourly minimum)	
Equipment below 200kVA, Five day or less response (4 hour min.):	\$1,080 to \$1,720
Equipment 200kVA and above or Multi Module, Five day or less response (6 hour min.):	\$1,620 to \$2,580
Equipment 200kVA and above or Multi Module, Two day or less response (8 hour min.):	\$2,160 to \$3,440

1-Phase Products - Portal to Portal Labor per Hour (Onsite and Travel Time)	
Mon. – Fri., Business Hours (8AM – 5PM):	\$215
Mon. – Fri., After Business Hours (5PM – 8AM), Weekends and Holidays:	\$345

1-Phase Products - Minimum Labor Billing (minimum value range equal to above rates x hourly minimum)	
Equipment below 200kVA, Five day or less response (4 hour min.):	\$860 to \$1,380
Equipment 200kVA and above or Multi Module, Five day or less response (6 hour min.):	\$1,290 to \$2,070
Equipment 200kVA and above or Multi Module, Two day or less response (8 hour min.):	\$1,720 to \$2,760

Travel & Living Expenses	
Transportation:	
3-Phase Products:	Automobile mileage included in labor rates
1-Phase Products:	Automobile mileage at \$ 0.75 per mile
All others (air fare, car rental, tolls, etc.):	Actual
Lodging & Meals:	Actual

Calculation of Labor and Mileage Charges:	Portal to Portal (travel labor and mileage)
---	---

Materials/Spare Parts	Current List Price
Minimum billing:	\$130 Domestic, \$320 International

Parts Expedite Fees	
Mon. – Fri., Business Hours (8AM – 5PM):	\$130
Mon. – Fri., After Business Hours (5PM – 8AM):	\$290
Weekends and Holidays:	\$465

Freight Expense	
Freight – FOB Factory:	Actual
Same Day Delivery:	\$180 plus Actual Freight

Depot Repair Labor:	\$145 per hour
Minimum Billing:	\$145
Expediting Fee:	\$120

Note: Three-phase products include Eaton BladeUPS, Best Power Unity UT3; single-phase products include Eaton 9155, Powerware 9150, Best Power Unity UT3K, UT8K

RMA POLICY AND PRODUCT WARRANTIES

Sales Returned Merchandise Authorization (RMA) Policy

Written authority from Eaton must be obtained before any return or credit will be allowed.

Sales RMAs will be issued for new, unused equipment that is:

- A. Within 30 days of original shipment date
- B. Returned in original sealed packaging
- C. Returned in unmodified, untampered, original condition
- D. A current design

Cancellations and Erroneous Orders:

Any order for standard Eaton products may not be cancelled within thirty days of the date scheduled for shipment/delivery by Eaton. Otherwise the order may be cancelled in accordance with the following:

- Sales RMAs issued for cancellations and erroneous orders will be subject to a minimum 15% restocking/cancellation fee
- Restocking/cancellation fee for standard product will be 15%
- Restocking/cancellation fee for special, custom or configured products will be a minimum of 50%
- The buyer is responsible for both inbound and outbound freight charges

Note: Charges may be waived by mutual agreement between buyer and seller. Proper approval and authorization must be obtained and documented in writing before the transaction is initiated.

Erroneous Shipments:

Sales RMAs necessary as a result of shipping/order entry errors will be issued and transacted with no charge to the buyer. Eaton will pay inbound freight, and outbound freight will be similar service level as original shipment.

RMA Expiration:

An RMA is valid for 60 calendar days from date of authorization by Eaton, after which it is subject to cancellation.

Sales Contracts:

An active Sales Contract with clauses relating to return of product for sales credits may supersede the Sales RMA policy statements above.

To request a Sales RMA please contact:

800.356.5794

e-mail: salesrma@eaton.com

WARRANTY

Eaton Corporation Load Protection Guarantee (US and Canada)

UPS MODELS: 3105, 3S, 5S, 5SC, 5110, 5115, 5125, 5P, 5PX, 9130, 9135, 9140, 9PX, 9155, 9170+ AND FERRUPS

GUARANTOR: The Guarantor for the load protection guaranty set forth herein is Eaton ("Company").

LIMITED GUARANTY: This load protection guaranty (this "Guaranty") applies only to the original End-user (the "End-user") of any 3105, 3S, 5S, 5SC, 5110, 5115, 5125, 5130, 5P, 5PX, 9130, 9135, 9140, 9PX, 9155, 9170+ and FERRUPS Products (individually and collectively, the "Product") and cannot be transferred. This Guaranty applies even in the event that the Product is initially sold by Company for resale to an End-User.

WHAT THIS GUARANTY COVERS: For the lifetime of the Product, Guarantor promises to repair or replace, at Guarantor's option, the equipment (valued up to the limits shown below*) that is damaged by an AC power line surge, spike or other transient when properly connected to Guarantor's uninterruptible power system ("UPS"). Reimbursement for or restoration of data loss excluded. This Guaranty applies only if all of the following circumstances arise:

1. The UPS is plugged into properly grounded and wired outlets, using no extension cords, adapters, other ground wires or other electrical connectors;
2. The installation of the UPS complies with all applicable electrical and safety codes described by the National Electric Code (NEC);
3. The UPS was used under normal operating conditions and in accordance with all labels and instructions; and
4. The UPS was not damaged by accident (other than AC power line transient), misuse or abuse.

***Cumulative Limits to be paid by Guarantor under this Load Protection Guaranty:**

\$25,000 for UPS Model 3105 and 3S

\$150,000 for UPS Models 5SC, 5110, 5115, 5125, 5P and 5PX

\$250,000 for UPS Models 9130, 9135, 9140, 9PX, 9155, 9170+ and FERRUPS products

WHAT THIS GUARANTY DOES NOT COVER: Any reimbursement or repair to End-user's equipment does not include reimbursement for or restoration of any data loss. This Guaranty does not cover any defects or damages caused by: (a) failure to properly store the Product before installation, including the charge of batteries no later than the date indicated on the packaging; (b) shipping and delivery of the Product if shipping is FOB Factory; (c) neglect, accident, abuse, misuse, misapplication, or incorrect installation of Product; (d) repair or alteration of Product not authorized in writing by Company personnel or performed by an authorized Company Customer Service Engineer or Agent; (e) improper testing, operation, maintenance, adjustment, or modification of any kind to the Product not authorized in writing by Company personnel or performed by an authorized Company Customer Service Engineer or Agent; or (f) use of the Product under other than normal operating conditions or in a manner inconsistent with the Product's labels or instructions.

This Guaranty is not valid: (a) unless the End-user returns to Company the Warranty Registration Card or completes the registration form on www.powerquality.eaton.com/productregistration within thirty (30) days of purchase; or (b) if the Product's serial numbers have been removed or are illegible.

Company shall not be responsible for any charges for testing, checking, removal or installation of any items.

LIMITATION OF LIABILITY: THE REMEDIES OF THE END-USER SET FORTH HEREIN ARE EXCLUSIVE AND ARE THE SOLE REMEDIES FOR ANY FAILURE OF COMPANY TO COMPLY WITH ITS OBLIGATIONS HEREUNDER. EXCEPT AS OTHERWISE PROVIDED FOR IN THIS GUARANTY, IN NO EVENT SHALL COMPANY BE LIABLE IN CONTRACT, IN TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY) OR OTHERWISE FOR DAMAGE TO PROPERTY OR EQUIPMENT OTHER THAN THE PRODUCTS, INCLUDING LOSS OF PROFITS OR REVENUE, LOSS OF USE OF PRODUCTS, LOSS OF DATA, COST OF CAPITAL, CLAIMS OF CUSTOMERS OF THE END-USER OR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES WHATSOEVER. THE TOTAL CUMULATIVE LIABILITY OF COMPANY HEREUNDER WHETHER THE CLAIMS ARE BASED IN CONTRACT (INCLUDING INDEMNITY), IN TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY) OR OTHERWISE, SHALL NOT EXCEED THOSE SET FORTH ABOVE.

Company shall not be responsible for failure to provide repair or replacement under this Guaranty due to causes beyond Company's reasonable control.

END-USER'S OBLIGATIONS: In order to receive the benefits of this Guaranty, the End-user must use the Product in a normal way; follow the Product's operation and maintenance manual; and protect against further damage to the Product if there is a covered defect.

OTHER LIMITATIONS: Company's obligations under this Guaranty are expressly conditioned upon receipt by Company of all payments due to it (including interest charges, if any). During such time as Company has not received payment of any amount due to it for the Product, in accordance with the contract terms under which the Product is sold, Company shall have no obligation under this Guaranty.

COSTS NOT RELATED TO GUARANTY: The End-user shall be invoiced for, and shall pay for, all services not expressly provided for by the terms of this Guaranty, including without limitation, site calls involving an inspection that determines no corrective maintenance is required. Any costs for replacement equipment, installation, materials, freight charges, travel expenses or labor of Company representatives outside the terms of this Guaranty will be borne by the End-user.

TO MAKE A CLAIM: In the USA, call the Customer Reliability Center 7x24 at 800.356.5737. Outside of the USA, contact your local Eaton product sales or service representative, or call the Customer Reliability Center in the USA at 919.870.3149. For comments or questions about this Load Protection Guaranty, write to the Customer Quality Representative, 3301 Spring Forest Road, Raleigh, North Carolina 27616 USA.

WARRANTY

Limited Warranty

UPS MODELS: 3105, 3S, 5S, 5SC, 5110, 5115, 5125, 5P AND 5PX (USA AND CANADA)

WARRANTOR: The warrantor for the limited warranties set forth herein is Eaton ("Company").

LIMITED WARRANTY: This limited warranty (this "Warranty") applies only to the original End-user (the "End-user") of any 3105, 3S, 5S, 5SC, 5110, 5115, 5125, 5P and 5PX Products (individually and collectively, the "Product") purchased on or after August 19th, 2009, and cannot be transferred. This Warranty applies even in the event that the Product is initially sold by Company for resale to an End-user.

LIMITED WARRANTY PERIOD: The period covered by this Warranty for Product installed [and currently located] in the fifty (50) United States, the District of Columbia and Canada is twenty-four (24) months from the date of purchase, or thirty (30) months from the date of shipment. For units that are registered online at www.eaton.com/PQ/Register, the warranty is extended to thirty-six (36) months from the date of purchase, or forty-two (42) months from the date of shipment.

WHAT THIS LIMITED WARRANTY COVERS: The warrantor warrants that the Product and battery (individually and collectively, the "Warranted Items") are free of defects in material and workmanship. If, in the opinion of Company, a Warranted Item is defective and the defect is within the terms of this Warranty, Company's sole obligation will be to repair or replace such defective Warranted Item (including by providing service, parts and labor, as applicable), at the option of Company.

PROCEDURES FOR REPAIR OR REPLACEMENT OF WARRANTED ITEMS: The Warranted Item will be repaired or replaced at a Company site or such other location as determined by Company.

If the Warranted Item is to be replaced by Company, and the End-user supplies a credit card number or purchase order for the value of the replacement product, Company will use commercially reasonable business efforts to ship (via standard ground shipment and at no cost to the End-user) the replacement Warranted Item to the End-user within one (1) business day after Company receives notice of the warranty claim. In such case, the End-user must return (at Company's expense) the defective Warranted Item to Company in the same packaging as the replacement Warranted Item received by the End-user or as otherwise instructed by Company. If Company does not receive the defective Warranted Item, Company will either charge the End-user's credit card, or send the End-user an invoice (which the End-user agrees to pay), for the value of the replacement product.

If the Warranted Item is to be replaced by Company, but the End-user is unwilling or unable to supply a credit card number or purchase order for the value of the replacement product, Company will use commercially reasonable business efforts to ship (via standard ground shipment and at no cost to the End-user) the replacement Warranted Item to the End-user within one (1) business day after Company receives the defective product from the End-user.

In any case, Company will provide shipping instructions and will pay its designated carrier for all shipping charges for return of defective equipment and replacement of Warranted Items. Any returned Warranted Item or parts that are replaced may be new or reconditioned. All Warranted Items returned to Company and all parts replaced by Company shall become the property of Company.

WHAT THIS LIMITED WARRANTY DOES NOT COVER: This Warranty does not cover any defects or damages caused by: (a) failure to properly store the Product before installation, including the charge of batteries no later than the date indicated on the packaging; (b) shipping and delivery of the Product if shipping is FOB Factory; (c) neglect, accident, abuse, misuse, misapplication or incorrect installation; (d) repair or alteration not authorized in writing by Company personnel or performed by an authorized Company Customer Service Engineer or Agent; (e) improper testing, operation, maintenance, adjustment or modification of any kind not authorized in writing by Company personnel or performed by an authorized Company Customer Service Engineer or Agent; or (f) use of the Product under other than normal operating conditions or in a manner inconsistent with the Product's labels or instructions.

This Warranty is not valid if the Product's serial numbers have been removed or are illegible. Any Warranted Items repaired or replaced pursuant to this Warranty will be warranted for the remaining portion of the original Warranty subject to all the terms thereof.

WARRANTY

Limited Warranty (*continued*)

Company shall not be responsible for any charges for testing, checking, removal or installation of Warranted Items.

COMPANY DOES NOT WARRANT EQUIPMENT NOT MANUFACTURED BY COMPANY. IF PERMITTED BY THE APPLICABLE MANUFACTURER, COMPANY SHALL PASS THROUGH SUCH MANUFACTURER'S WARRANTIES TO END-USER.

COMPANY DOES NOT WARRANT SOFTWARE, INCLUDING SOFTWARE EMBEDDED IN PRODUCTS, THAT IS NOT CREATED BY COMPANY. WITHOUT LIMITING THE FOREGOING, COMPANY SPECIFICALLY DOES NOT WARRANT SOFTWARE (SUCH AS LINUX) THAT WAS CREATED USING AN "OPEN SOURCE" MODEL OR IS DISTRIBUTED PURSUANT TO AN OPEN SOURCE LICENSE.

THIS WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY OFFERED BY COMPANY WITH RESPECT TO THE PRODUCTS AND SERVICES AND, EXCEPT FOR SUCH FOREGOING WARRANTY COMPANY DISCLAIMS ALL OTHER WARRANTIES INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE. CORRECTION OF NON-CONFORMITIES IN THE MANNER AND FOR THE PERIOD OF TIME PROVIDED ABOVE SHALL CONSTITUTE COMPANY'S SOLE LIABILITY AND END-USER'S EXCLUSIVE REMEDY FOR FAILURE OF COMPANY TO MEET ITS WARRANTY OBLIGATIONS, WHETHER CLAIMS OF THE END-USER ARE BASED IN CONTRACT, IN TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY) OR OTHERWISE.

LIMITATION OF LIABILITY: The remedies of the End-user set forth herein are exclusive and are the sole remedies for any failure of Company to comply with its obligations hereunder. In no event shall Company be liable in contract, in tort (including negligence or strict liability) or otherwise for damage to property or equipment other than the Products, including loss of profits or revenue, loss of use of Products, loss of data, cost of capital, claims of customers of the End-user or any special, indirect, incidental or consequential damages whatsoever. The total cumulative liability of Company hereunder whether the claims are based in contract (including indemnity), in tort (including negligence or strict liability) or otherwise, shall not exceed the price of the Product on which such liability is based.

Company shall not be responsible for failure to provide service or parts due to causes beyond Company's reasonable control.

END-USER'S OBLIGATIONS: In order to receive the benefits of this Warranty, the End-user must use the Product in a normal way; follow the Product's operation and maintenance manual; and protect against further damage to the Product if there is a covered defect.

OTHER LIMITATIONS: Company's obligations under this Warranty are expressly conditioned upon receipt by Company of all payments due to it (including interest charges, if any). During such time as Company has not received payment of any amount due to it for the Product, in accordance with the contract terms under which the Product is sold, Company shall have no obligation under this Warranty. Also during such time, the period of this Warranty shall continue to run and the expiration of this Warranty shall not be extended upon payment of any overdue or unpaid amounts.

COSTS NOT RELATED TO WARRANTY: The End-user shall be invoiced for, and shall pay for, all services not expressly provided for by the terms of this Warranty, including without limitation, site calls involving an inspection that determines no corrective maintenance is required. Any costs for replacement equipment, installation, materials, freight charges, travel expenses or labor of Company representatives outside the terms of this Warranty will be borne by the End-user.

OBTAINING WARRANTY SERVICE: In the USA, call the Customer Reliability Center 7x24 at 800.843.9433. Outside of the USA, contact your local Eaton product sales or service representative, or call the Customer Reliability Center in the USA at 919.870.3028. For comments or questions about this Warranty, write to the Customer Quality Representative, 3301 Spring Forest Road, Raleigh, North Carolina 27616 USA.

WARRANTY

Two-Year Limited Warranty

UPS MODELS: 9130, 9135, 9140, 9PX AND FERRUPS UP TO 3.1 kVA (USA AND CANADA)

WARRANTOR: The warrantor for the limited warranties set forth herein is Eaton ("Company").

LIMITED WARRANTY: This limited warranty (this "Warranty") applies only to the original End-user (the "End-user") of any 9130, 9135, 9140, 9PX and FERRUPS up to 3.1 kVA Products (individually and collectively, the "Product") purchased on or after June 1, 2004, and cannot be transferred. This Warranty applies even in the event that the Product is initially sold by Company for resale to an End-user.

LIMITED WARRANTY PERIOD: The period covered by this Warranty for Product installed [and currently located] in the fifty (50) United States, the District of Columbia and Canada is twenty-four (24) months from the date of purchase, or thirty (30) months from the date of shipment.

WHAT THIS LIMITED WARRANTY COVERS: The warrantor warrants that the Product and battery (individually and collectively, the "Warranted Items") are free of defects in material and workmanship. If, in the opinion of Company, a Warranted Item is defective and the defect is within the terms of this Warranty, Company's sole obligation will be to repair or replace such defective Warranted Item (including by providing service, parts and labor, as applicable), at the option of Company.

PROCEDURES FOR REPAIR OR REPLACEMENT OF WARRANTED ITEMS: The Warranted Item will be repaired or replaced at a Company site or such other location as determined by Company.

If the Warranted Item is to be replaced by Company, and the End-user supplies a credit card number or purchase order for the value of the replacement product, Company will use commercially reasonable business efforts to ship (via standard ground shipment and at no cost to the End-user) the replacement Warranted Item to the End-user within one (1) business day after Company receives notice of the warranty claim. In such case, the End-user must return (at Company's expense) the defective Warranted Item to Company in the same packaging as the replacement Warranted Item received by the End-user or as otherwise instructed by Company. If Company does not receive the defective Warranted Item, Company will either charge the End-user's credit card, or send the End-user an invoice (which the End-user agrees to pay), for the value of the replacement product.

If the Warranted Item is to be replaced by Company, but the End-user is unwilling or unable to supply a credit card number or purchase order for the value of the replacement product, Company will use commercially reasonable business efforts to ship (via standard ground shipment and at no cost to the End-user) the replacement Warranted Item to the End-user within one (1) business day after Company receives the defective product from the End-user.

In any case, Company will provide shipping instructions and will pay its designated carrier for all shipping charges for return of defective equipment and replacement of Warranted Items. Any returned Warranted Item or parts that are replaced may be new or reconditioned. All Warranted Items returned to Company and all parts replaced by Company shall become the property of Company.

WHAT THIS LIMITED WARRANTY DOES NOT COVER: This Warranty does not cover any defects or damages caused by: (a) failure to properly store the Product before installation, including the charge of batteries no later than the date indicated on the packaging; (b) shipping and delivery of the Product if shipping is FOB Factory; (c) neglect, accident, abuse, misuse, misapplication or incorrect installation; (d) repair or alteration not authorized in writing by Company personnel or performed by an authorized Company Customer Service Engineer or Agent; (e) improper testing, operation, maintenance, adjustment or modification of any kind not authorized in writing by Company personnel or performed by an authorized Company Customer Service Engineer or Agent; or (f) use of the Product under other than normal operating conditions or in a manner inconsistent with the Product's labels or instructions.

This Warranty is not valid if the Product's serial numbers have been removed or are illegible. Any Warranted Items repaired or replaced pursuant to this Warranty will be warranted for the remaining portion of the original Warranty subject to all the terms thereof.

WARRANTY

Two-Year Limited Warranty (*continued*)

Company shall not be responsible for any charges for testing, checking, removal or installation of Warranted Items.

COMPANY DOES NOT WARRANT EQUIPMENT NOT MANUFACTURED BY COMPANY. IF PERMITTED BY THE APPLICABLE MANUFACTURER, COMPANY SHALL PASS THROUGH SUCH MANUFACTURER'S WARRANTIES TO END-USER.

COMPANY DOES NOT WARRANT SOFTWARE, INCLUDING SOFTWARE EMBEDDED IN PRODUCTS, THAT IS NOT CREATED BY COMPANY. WITHOUT LIMITING THE FOREGOING, COMPANY SPECIFICALLY DOES NOT WARRANT SOFTWARE (SUCH AS LINUX) THAT WAS CREATED USING AN "OPEN SOURCE" MODEL OR IS DISTRIBUTED PURSUANT TO AN OPEN SOURCE LICENSE.

THIS WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY OFFERED BY COMPANY WITH RESPECT TO THE PRODUCTS AND SERVICES AND, EXCEPT FOR SUCH FOREGOING WARRANTY COMPANY DISCLAIMS ALL OTHER WARRANTIES INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE. CORRECTION OF NON-CONFORMITIES IN THE MANNER AND FOR THE PERIOD OF TIME PROVIDED ABOVE SHALL CONSTITUTE COMPANY'S SOLE LIABILITY AND END-USER'S EXCLUSIVE REMEDY FOR FAILURE OF COMPANY TO MEET ITS WARRANTY OBLIGATIONS, WHETHER CLAIMS OF THE END-USER ARE BASED IN CONTRACT, IN TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY) OR OTHERWISE.

LIMITATION OF LIABILITY: The remedies of the End-user set forth herein are exclusive and are the sole remedies for any failure of Company to comply with its obligations hereunder. In no event shall Company be liable in contract, in tort (including negligence or strict liability) or otherwise for damage to property or equipment other than the Products, including loss of profits or revenue, loss of use of Products, loss of data, cost of capital, claims of customers of the End-user or any special, indirect, incidental or consequential damages whatsoever. The total cumulative liability of Company hereunder whether the claims are based in contract (including indemnity), in tort (including negligence or strict liability) or otherwise, shall not exceed the price of the Product on which such liability is based.

Company shall not be responsible for failure to provide service or parts due to causes beyond Company's reasonable control.

END-USER'S OBLIGATIONS: In order to receive the benefits of this Warranty, the End-user must use the Product in a normal way; follow the Product's operation and maintenance manual; and protect against further damage to the Product if there is a covered defect.

OTHER LIMITATIONS: Company's obligations under this Warranty are expressly conditioned upon receipt by Company of all payments due to it (including interest charges, if any). During such time as Company has not received payment of any amount due to it for the Product, in accordance with the contract terms under which the Product is sold, Company shall have no obligation under this Warranty. Also during such time, the period of this Warranty shall continue to run and the expiration of this Warranty shall not be extended upon payment of any overdue or unpaid amounts.

COSTS NOT RELATED TO WARRANTY: The End-user shall be invoiced for, and shall pay for, all services not expressly provided for by the terms of this Warranty, including without limitation, site calls involving an inspection that determines no corrective maintenance is required. Any costs for replacement equipment, installation, materials, freight charges, travel expenses or labor of Company representatives outside the terms of this Warranty will be borne by the End-user.

OBTAINING WARRANTY SERVICE: In the USA, call the Customer Reliability Center 7x24 at 800.843.9433. Outside of the USA, contact your local Eaton product sales or service representative, or call the Customer Reliability Center in the USA at 919.870.3028. For comments or questions about this Warranty, write to the Customer Quality Representative, 3301 Spring Forest Road, Raleigh, North Carolina 27616 USA.

WARRANTY

Two-Year Limited Warranty

UPS MODELS: 9155, 9170+ AND FERRUPS 4.3–18 kVA (USA AND CANADA)

WARRANTOR: The warrantor for the limited warranties set forth herein is Eaton ("Company").

LIMITED WARRANTY: This limited warranty (this "Warranty") applies only to the original end-user (the "End-user") of any 9155, 9170 and FERRUPS 4.3–18 kVA Products (individually and collectively, the "Product") purchased on or after June 1, 2004, and cannot be transferred. This Warranty applies even in the event that the Product is initially sold by Company for resale to an End-user.

LIMITED WARRANTY PERIOD: The period covered by this Warranty for Product installed [and currently located] in the fifty (50) United States, the District of Columbia and Canada is twenty-four (24) months from the date of purchase for parts, or thirty (30) months from the date of shipment for parts, and ninety (90) days from the date of purchase for labor, as further clarified in the following sections.

WHAT THIS LIMITED WARRANTY COVERS: The warrantor warrants that the Product and battery (individually and collectively, the "Warranted Items") are free of defects in material and workmanship. If, in the opinion of Company, a Warranted Item is defective and the defect is within the terms of this Warranty, Company's sole obligation will be to repair or replace such defective Warranted Items (including by providing service, parts and labor, as applicable), at the option of Company, and such repair or replacement shall be at either the End-user's location, Company's site, or such other location as determined by Company. All Warranted Items returned to Company and all parts replaced by Company shall become the property of Company. Expenses for any labor to repair the Warranted Item beyond the initial ninety (90) days are the sole responsibility of the End-user.

PROCEDURES FOR REPAIR OR REPLACEMENT OF WARRANTED ITEMS: When shipment is required of End-user: When Company determines that the Warranted Item will be repaired or replaced at a Company site or such other location, and the End-user must ship to Company the defective Warranted Item, the following procedures are required.

If the Warranted Item is to be replaced by Company, and the End-user supplies a credit card number or purchase order for the value of the replacement product, Company will use commercially reasonable business efforts to ship (via standard ground shipment and at no cost to the End-user) the replacement Warranted Item to the End-user within one (1) business day after Company receives notice of the warranty claim. In such case, the End-user must return (at Company's expense) the defective Warranted Item to Company in the same packaging as the replacement Warranted Item received by the End-user or as otherwise instructed by Company. If Company does not receive the defective Warranted Item, Company will either charge the End-user's credit card, or send the End-user an invoice (which the End-user agrees to pay), for the value of the replacement product.

If the Warranted Item is to be replaced by Company, but the End-user is unwilling or unable to supply a credit card number or purchase order for the value of the replacement product, Company will use commercially reasonable business efforts to ship (via standard ground shipment and at no cost to the End-user) the replacement Warranted Item to the End-user within one (1) business day after Company receives the defective product from the End-user.

In any case, Company will provide shipping instructions and will pay its designated carrier for all shipping charges for return of defective equipment and replacement of Warranted Items. Any returned Warranted Item or parts that are replaced may be new or reconditioned. All Warranted Items returned to Company and all parts replaced by Company shall become the property of Company.

WHAT THIS LIMITED WARRANTY DOES NOT COVER: This Warranty does not cover any defects or damages caused by: (a) failure to properly store the Product before installation, including the charge of batteries no later than the date indicated on the packaging; (b) shipping and delivery of the Product if shipping is FOB Factory; (c) neglect, accident, abuse, misuse, misapplication or incorrect installation; (d) repair or alteration not authorized in writing by Company personnel or performed by an authorized Company Customer Service Engineer or Agent; (e) improper testing, operation, maintenance, adjustment or modification of any kind not authorized in writing by Company personnel or performed by an authorized Company Customer Service Engineer or Agent; or (f) use of the Product under other than normal operating conditions or in a manner inconsistent with the Product's labels or instructions.

This Warranty is not valid if the Product's serial numbers have been removed or are illegible. Any Warranted Items repaired or replaced pursuant to this Warranty will be warranted for the remaining portion of the original Warranty subject to all the terms thereof.

Company shall not be responsible for any charges for testing, checking, removal or installation of Warranted Items.

WARRANTY

Two-Year Limited Warranty (*continued*)

COMPANY DOES NOT WARRANT EQUIPMENT NOT MANUFACTURED BY COMPANY. IF PERMITTED BY THE APPLICABLE MANUFACTURER, COMPANY SHALL PASS THROUGH SUCH MANUFACTURER'S WARRANTIES TO END-USER.

COMPANY DOES NOT WARRANT SOFTWARE, INCLUDING SOFTWARE EMBEDDED IN PRODUCTS, THAT IS NOT CREATED BY COMPANY. WITHOUT LIMITING THE FOREGOING, COMPANY SPECIFICALLY DOES NOT WARRANT SOFTWARE (SUCH AS LINUX) THAT WAS CREATED USING AN "OPEN SOURCE" MODEL OR IS DISTRIBUTED PURSUANT TO AN OPEN SOURCE LICENSE.

THIS WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY OFFERED BY COMPANY WITH RESPECT TO THE PRODUCTS AND SERVICES AND, EXCEPT FOR SUCH FOREGOING WARRANTY COMPANY DISCLAIMS ALL OTHER WARRANTIES INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE. CORRECTION OF NON-CONFORMITIES IN THE MANNER AND FOR THE PERIOD OF TIME PROVIDED ABOVE SHALL CONSTITUTE COMPANY'S SOLE LIABILITY AND END-USER'S EXCLUSIVE REMEDY FOR FAILURE OF COMPANY TO MEET ITS WARRANTY OBLIGATIONS, WHETHER CLAIMS OF THE END-USER ARE BASED IN CONTRACT, IN TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE.

LIMITATION OF LIABILITY: The remedies of the End-user set forth herein are exclusive and are the sole remedies for any failure of Company to comply with its obligations hereunder. In no event shall Company be liable in contract, in tort (including negligence or strict liability) or otherwise for damage to property or equipment other than the Products, including loss of profits or revenue, loss of use of Products, loss of data, cost of capital, claims of customers of the End-user or any special, indirect, incidental or consequential damages whatsoever. The total cumulative liability of Company hereunder whether the claims are based in contract (including indemnity), in tort (including negligence or strict liability) or otherwise, shall not exceed the price of the Product on which such liability is based.

Company shall not be responsible for failure to provide service or parts due to causes beyond Company's reasonable control.

END-USER'S OBLIGATIONS: In order to receive the benefits of this Warranty, the End-user must use the Product in a normal way; follow the Product's operation and maintenance manual; and protect against further damage to the Product if there is a covered defect.

OTHER LIMITATIONS: Company's obligations under this Warranty are expressly conditioned upon receipt by Company of all payments due to it (including interest charges, if any). During such time as Company has not received payment of any amount due to it for the Product, in accordance with the contract terms under which the Product is sold, Company shall have no obligation under this Warranty. Also during such time, the period of this Warranty shall continue to run and the expiration of this Warranty shall not be extended upon payment of any overdue or unpaid amounts.

COSTS NOT RELATED TO WARRANTY: The End-user shall be invoiced for, and shall pay for, all services not expressly provided for by the terms of this Warranty, including without limitation, site calls involving an inspection that determines no corrective maintenance is required. Any costs for replacement equipment, installation, materials, freight charges, travel expenses or labor of Company representatives outside the terms of this Warranty will be borne by the End-user.

OBTAINING WARRANTY SERVICE: In the USA, call the Customer Reliability Center 7x24 at 800.843.9433. Outside of the USA, contact your local Eaton product sales or service representative, or call the Customer Reliability Center in the USA at 919.870.3028. For comments or questions about this Warranty, write to the Customer Quality Representative, 3301 Spring Forest Road, Raleigh, North Carolina 27616 USA.

WARRANTY

Limited Warranty (Global)

UPS MODEL: BLADEUPS

WARRANTOR: The warrantor for the limited warranties set forth herein is Eaton ("Eaton").

LIMITED WARRANTY: This limited warranty (this "Warranty") applies only to the original Purchaser (the "End-user") of any BladeUPS Products (individually and collectively, the "Product") purchased and registered with Eaton and cannot be transferred. This restriction applies even in the event that the Product is initially sold by Eaton for resale to an End-user. This Warranty gives you specific legal rights, and you may also have other rights which vary from State to State (or jurisdiction to jurisdiction).

LIMITED WARRANTY PERIOD: The period covered by this Warranty for the Product is eighteen (18) months from date of Product shipment.

WHAT THIS LIMITED WARRANTY COVERS: Eaton warrants that the Product and battery (individually and collectively, the "Warranted Items") are free of defects in material and workmanship. If, in the opinion of Eaton, a Warranted Item is defective and the defect is within the terms of this Warranty, Eaton's sole obligation will be to repair or replace such defective Warranted Item (including providing service, parts and labor, as applicable), at the option of Eaton.

PROCEDURES FOR REPAIR OR REPLACEMENT OF WARRANTED ITEMS: The Warranted Item will be repaired or replaced at an Eaton site or such other location as determined by Eaton.

If the Warranted Item is to be replaced by Eaton, and the End-user supplies a credit card number or purchase order for the value of the replacement product, Eaton will use commercially reasonable business efforts to ship (via standard ground shipment and at no cost to the End-user) the replacement Warranted Item to the End-user within one (1) business day after Eaton receives notice of the warranty claim. In such case, the End-user must return (at Eaton's expense) the defective Warranted Item to Eaton in the same packaging as the replacement Warranted Item received by the End-user or as otherwise instructed by Eaton. If Eaton does not receive the defective Warranted Item, Eaton will either charge the End-user's credit card, or send the End-user an invoice (which the End-user agrees to pay), for the value of the replacement product.

If the Warranted Item is to be replaced by Eaton, but the End-user is unwilling or unable to supply a credit card number or purchase order for the value of the replacement product, Eaton will use commercially reasonable business efforts to ship (via standard ground shipment and at no cost to the End-user) the replacement Warranted Item to the End-user within one (1) business day after Eaton receives the defective product from the End-user.

In any case, Eaton will provide shipping instructions and will pay its designated carrier for all shipping charges for return of defective equipment and replacement of Warranted Items. Any returned Warranted Item or parts that are replaced may be new or re-conditioned. All Warranted Items returned to Eaton and, in any replacement endeavor, all parts removed by Eaton shall become the property of Eaton.

WHAT THIS LIMITED WARRANTY DOES NOT COVER: This Warranty does not cover any defects or damages caused by: (a) failure to properly store the Product before installation, including the charge of batteries no later than the date indicated on the packaging; (b) shipping and delivery of the Product if shipping is FOB Factory; (c) damage caused by fire, flood, lightning, vandalism, acts of God, End-user's neglect, misuse, misapplication, incorrect connection or external damage; or that has been subject to repair or alteration by End-user (or a third party) not authorized by Eaton in writing; (d) repair or alteration not performed by an authorized Eaton Customer Service Engineer or Agent; (e) improper testing, operation, maintenance, adjustment or modification of any kind not authorized in writing by Eaton personnel or performed by an authorized Eaton Customer Service Engineer or Agent; or (f) use of the Product under other than normal operating conditions or in a manner inconsistent with the Product's labels or instructions.

This Warranty is not valid if the Product's serial numbers have been removed or are illegible. Any Warranted Items repaired or replaced pursuant to this Warranty will be warranted for the remaining portion of the original Warranty subject to all the terms thereof.

Eaton shall not be responsible for any charges for testing, checking, removal or installation of Warranted Items.

EATON DOES NOT WARRANT EQUIPMENT NOT MANUFACTURED BY EATON. IF PERMITTED BY THE APPLICABLE MANUFACTURER, EATON SHALL PASS THROUGH SUCH MANUFACTURER'S WARRANTIES TO END-USER.

WARRANTY

Limited Warranty (Global) *(continued)*

EATON DOES NOT WARRANT SOFTWARE, INCLUDING SOFTWARE EMBEDDED IN PRODUCTS, THAT IS NOT CREATED BY EATON. WITHOUT LIMITING THE FOREGOING, EATON SPECIFICALLY DOES NOT WARRANT SOFTWARE (SUCH AS LINUX) THAT WAS CREATED USING AN "OPEN SOURCE" MODEL OR IS DISTRIBUTED PURSUANT TO AN OPEN SOURCE LICENSE.

THIS WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY OFFERED BY EATON WITH RESPECT TO THE PRODUCTS AND SERVICES AND, EXCEPT FOR SUCH FOREGOING WARRANTY EATON DISCLAIMS ALL OTHER WARRANTIES INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE. CORRECTION OF NON-CONFORMITIES IN THE MANNER AND FOR THE PERIOD OF TIME PROVIDED ABOVE SHALL CONSTITUTE EATON'S SOLE LIABILITY AND END-USER'S EXCLUSIVE REMEDY FOR FAILURE OF EATON TO MEET ITS WARRANTY OBLIGATIONS, WHETHER CLAIMS OF THE END-USER ARE BASED IN CONTRACT, IN TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY) OR OTHERWISE. SOME STATES OR JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF EXPRESS OR IMPLIED WARRANTIES, SO THE ABOVE EXCLUSION MAY NOT APPLY TO YOU. IN THAT EVENT, SUCH WARRANTIES ARE LIMITED IN DURATION TO THE LIMITED WARRANTY PERIOD. SOME STATES OR JURISDICTIONS DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS AND/OR EXCLUSIONS MAY NOT APPLY TO YOU.

LIMITATION OF LIABILITY: The remedies of the End-user set forth herein are exclusive and are the sole remedies for any failure of Eaton to comply with its obligations hereunder. In no event shall Eaton be liable for any indirect, incidental, special or consequential damages of any kind or type whatsoever, resulting from or in connection with any claim or cause of action, whether brought in contract or in tort (including negligence or strict liability). Some States or jurisdictions do not allow the exclusion of limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Eaton shall not be responsible for failure to provide service or parts due to causes beyond Eaton's reasonable control. In no case will Eaton's liability under this Warranty exceed the replacement value of the Warranted Items.

END-USER'S OBLIGATIONS: In order to receive the benefits of this Warranty, the End-user must register the product warranty (via mail or online at www.eaton.com/powerquality "warranty registration"); use the Product in a normal way; follow the Product's operation and maintenance manual; and protect against further damage to the Product if there is a covered defect.

OTHER LIMITATIONS: Eaton's obligations under this Warranty are expressly conditioned upon receipt by Eaton of all payments due from End-user (including interest charges, if any). During such time as Eaton has not received payment of any amount due to it for the Product, in accordance with the contract terms under which the Product is sold, Eaton shall have no obligation under this Warranty. Also during such time, the period of this Warranty shall continue to run and the expiration of this Warranty shall not be extended upon payment of any overdue or unpaid amounts.

COSTS NOT RELATED TO WARRANTY: The End-user shall be invoiced for, and shall pay for, all services not expressly provided for by the terms of this Warranty, including without limitation, site calls involving an inspection that determines no corrective maintenance is required. Any costs for replacement equipment, installation, materials, freight charges, travel expenses or labor of Eaton representatives outside the terms of this Warranty will be borne by the End-User.

OBTAINING WARRANTY SERVICE: In the United States, call the Customer Reliability Center 7x24 at 800.356.5737. Outside of the United States, contact your local Eaton product sales or service representative, or call the Customer Reliability Center in the United States at 919.870.3028. For comments or questions about this Warranty, write to the Customer Quality Representative, 3301 Spring Forest Road, Raleigh, North Carolina 27616 USA.

WARRANTY

Two-Year Limited Warranty (USA and Canada)

CONNECTIVITY DEVICES

WARRANTOR: The warrantor for the limited warranties set forth herein is Eaton ("Company").

LIMITED WARRANTY: This limited warranty (this "Warranty") applies only to the original End-user (the "End-user") of any 3, 5 and 9 series Connectivity Devices (the "Product") purchased on or after June 1, 2004, and cannot be transferred. This Warranty applies even in the event that the Product is initially sold by Company for resale to an End-user.

LIMITED WARRANTY PERIOD: The period covered by this Warranty for the Product installed [and currently located] in the fifty (50) United States, the District of Columbia, and Canada is twenty-four (24) months from the date of purchase.

WHAT THIS LIMITED WARRANTY COVERS: The warrantor warrants that the Product (the "Warranted Item") is free from defects in material and workmanship. If, in the opinion of Company, a Warranted Item is defective and the defect is within the terms of this Warranty, Company's sole obligation will be to repair or replace such defective Warranted Item (including by providing service, parts and labor, as applicable), at the option of Company.

PROCEDURES FOR REPAIR OR REPLACEMENT OF WARRANTED ITEMS: The Warranted Item will be repaired or replaced at a Company site or such other location as determined by Company.

If the Warranted Item is to be replaced by Company, and the End-user supplies a credit card number or purchase order for the value of the replacement Product, Company will use commercially reasonable business efforts to ship (via standard ground shipment and at no cost to the End-user) the replacement Warranted Item to the End-user within one (1) business day after Company receives notice of the warranty claim. In such case, the End-user must return (at Company's expense) the defective Warranted Item to Company in the same packaging as the replacement Warranted Item received by the End-user or as otherwise instructed by Company. If Company does not receive the defective Warranted Item, Company will either charge the End-user's credit card, or send the End-User an invoice (which the End-user agrees to pay), for the value of the replacement Product.

If the Warranted Item is to be replaced by Company, but the End-user is unwilling or unable to supply a credit card number or purchase order for the value of the replacement Product, Company will use commercially reasonable business efforts to ship (via standard ground shipment and at no cost to the End-user) the replacement Warranted Item to the End-user within one (1) business day after Company receives the defective Product from the End-user.

In any case, Company will provide shipping instructions and will pay its designated carrier for all shipping charges for return of defective equipment and replacement of Warranted Items. Any returned Warranted Item or parts that are replaced may be new or reconditioned. All Warranted Items returned to Company and all parts replaced by Company shall become the property of Company.

WHAT THIS LIMITED WARRANTY DOES NOT COVER: This Warranty does not cover any defects or damages caused by: (a) failure to properly store the Product before installation; (b) shipping and delivery of the Product if shipping is FOB Factory; (c) neglect, accident, abuse, misuse, misapplication or incorrect installation; (d) repair or alteration not authorized in writing by Company personnel or performed by an authorized Company Customer Service Engineer or Agent; (e) improper testing, operation, maintenance, adjustment or modification of any kind not authorized in writing by Company personnel or performed by an authorized Company Customer Service Engineer or Agent; or (f) use of the Product under other than normal operating conditions or in a manner inconsistent with the Product's labels or instructions.

This Warranty is not valid if the Product's serial numbers have been removed or are illegible. Any Warranted Items repaired or replaced pursuant to this Warranty will be warranted for the remaining portion of the original Warranty subject to all the terms thereof.

Company shall not be responsible for any charges for testing, checking, removal or installation of Warranted Items.

COMPANY DOES NOT WARRANT EQUIPMENT NOT MANUFACTURED BY COMPANY. IF PERMITTED BY THE APPLICABLE MANUFACTURER,

COMPANY SHALL PASS THROUGH SUCH MANUFACTURER'S WARRANTIES TO END-USER.

COMPANY DOES NOT WARRANT SOFTWARE (IF APPLICABLE TO THE PRODUCT), INCLUDING SOFTWARE EMBEDDED IN PRODUCTS, THAT IS NOT CREATED BY COMPANY. WITHOUT LIMITING THE FOREGOING, COMPANY SPECIFICALLY DOES NOT WARRANT SOFTWARE (SUCH AS LINUX) THAT WAS CREATED USING AN "OPEN SOURCE" MODEL OR IS DISTRIBUTED PURSUANT TO AN OPEN SOURCE LICENSE.

WARRANTY

Two-Year Limited Warranty (USA and Canada) *(continued)*

COMPANY DOES NOT WARRANT SOFTWARE (IF APPLICABLE TO THE PRODUCT), INCLUDING SOFTWARE EMBEDDED IN PRODUCTS, THAT IS NOT CREATED BY COMPANY. WITHOUT LIMITING THE FOREGOING, COMPANY SPECIFICALLY DOES NOT WARRANT SOFTWARE (SUCH AS LINUX) THAT WAS CREATED USING AN "OPEN SOURCE" MODEL OR IS DISTRIBUTED PURSUANT TO AN OPEN SOURCE LICENSE.

THIS WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY OFFERED BY COMPANY WITH RESPECT TO THE PRODUCTS AND SERVICES AND, EXCEPT FOR SUCH FOREGOING WARRANTY COMPANY DISCLAIMS ALL OTHER WARRANTIES INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT, AND FITNESS FOR A PARTICULAR PURPOSE. CORRECTION OF NON-CONFORMITIES IN THE MANNER AND FOR THE PERIOD OF TIME PROVIDED ABOVE SHALL CONSTITUTE COMPANY'S SOLE LIABILITY AND END-USER'S EXCLUSIVE REMEDY FOR FAILURE OF COMPANY TO MEET ITS WARRANTY OBLIGATIONS, WHETHER CLAIMS OF THE END-USER ARE BASED IN CONTRACT, IN TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE.

LIMITATION OF LIABILITY: The remedies of the End-user set forth herein are exclusive and are the sole remedies for any failure of Company to comply with its obligations hereunder. In no event shall Company be liable in contract, in tort (including negligence or strict liability) or otherwise for damage to property or equipment other than the Products, including loss of profits or revenue, loss of use of Products, loss of data, cost of capital, claims of customers of the End-user or any special, indirect, incidental or consequential damages whatsoever. The total cumulative liability of Company hereunder whether the claims are based in contract (including indemnity), in tort (including negligence or strict liability) or otherwise, shall not exceed the price of the Product on which such liability is based.

Company shall not be responsible for failure to provide service or parts due to causes beyond Company's reasonable control.

END-USER'S OBLIGATIONS: In order to receive the benefits of this Warranty, the End-user must use the Product in a normal way; follow the Product's user's guide; and protect against further damage to the Product if there is a covered defect.

OTHER LIMITATIONS: Company's obligations under this Warranty are expressly conditioned upon receipt by Company of all payments due to it (including interest charges, if any). During such time as Company has not received payment of any amount due to it for the Product, in accordance with the contract terms under which the Product is sold, Company shall have no obligation under this Warranty. Also during such time, the period of this Warranty shall continue to run and the expiration of this Warranty shall not be extended upon payment of any overdue or unpaid amounts.

COSTS NOT RELATED TO WARRANTY: The End-User shall be invoiced for, and shall pay for, all services not expressly provided for by the terms of this Warranty, including without limitation, site calls involving an inspection that determines no corrective maintenance is required. Any costs for replacement equipment, installation, materials, freight charges, travel expenses or labor of Company representatives outside the terms of this Warranty will be borne by the End-User.

OBTAINING WARRANTY SERVICE: In the USA, call the Customer Reliability Center 7x24 at 800.356.5737. Outside of the USA, contact your local product sales or service representative, or call the Customer Reliability Center in the USA at 919.870.3149. For comments or questions about this Warranty, write to the Customer Quality Representative, 3301 Spring Forest Road, Raleigh, North Carolina 27616 USA.

WARRANTY

Limited Warranty (USA and Canada)

EPDU ENCLOSURE POWER DISTRIBUTION UNITS

WARRANTOR: The warrantor for the limited warranties set forth herein is Eaton ("Company").

RACKMOUNTED LIMITED WARRANTY: This limited warranty (this "Warranty") applies only to the original End-user (the "End-user") of any Eaton Rackmounted Power Distribution Units (the "Product") purchased on or after July 1, 2012, and cannot be transferred. This Warranty applies even in the event that the Product is initially sold by Company for resale to an End-user.

LIMITED WARRANTY PERIOD: The period covered by this Warranty for Product installed [and currently located] in the fifty (50) United States, the District of Columbia and Canada is twenty-four (24) months from the date of purchase, or thirty (30) months from the date of shipment. For units that are registered online at www.eaton.com/PQ/Register, the warranty is extended to thirty-six (36) months from the date of purchase, or fortytwo (42) months from the date of shipment.

WHAT THIS LIMITED WARRANTY COVERS: The warrantor warrants that the Product (the "Warranted Item") is free from defects in material and workmanship. If, in the opinion of Company, a Warranted Item is defective and the defect is within the terms of this Warranty, Company's sole obligation will be to repair or replace such defective Warranted Item (including by providing service, parts and labor, as applicable), at the option of Company.

PROCEDURES FOR REPAIR OR REPLACEMENT OF WARRANTED ITEMS:

Standard Product: Defined as ePDU product with the product number sequence PWxxxxxxx or eXXXXX, (whereas x can be any value). The Warranted item will be repaired or replaced by the Company.

Custom Product: Defined as ePDU product with any product number sequence that does not equal a standard product as noted above. The Warranted item will be repaired at a Company site or such other location as determined by Company.

If the Warranted Item is to be replaced by Company, and the End-user supplies a credit card number or purchase order for the value of the replacement Product, Company will use commercially reasonable business efforts to ship (via standard ground shipment and at no cost to the End-user) the replacement Warranted Item to the End-user within one (1) business day after Company receives notice of the warranty claim. In such case, the End-user must return (at Company's expense) the defective Warranted Item to Company in the same packaging as the replacement Warranted Item received by the End-user or as otherwise instructed by Company. If Company does not receive the defective Warranted Item, Company will either charge the End-user's credit card, or send the End-user an invoice (which the End-user agrees to pay), for the value of the replacement Product.

If the Warranted Item is to be replaced by Company, but the End-user is unwilling or unable to supply a credit card number or purchase order for the value of the replacement Product, Company will use commercially reasonable business efforts to ship (via standard ground shipment and at no cost to the End-user) the replacement Warranted Item to the End-user within one (1) business day after Company receives the defective Product from the End-user.

In any case, Company will provide shipping instructions and will pay its designated carrier for all shipping charges for return of defective equipment and replacement of Warranted Items. Any returned Warranted Item or parts that are replaced may be new or reconditioned. All Warranted Items returned to Company and all parts replaced by Company shall become the property of Company.

WHAT THIS LIMITED WARRANTY DOES NOT COVER: This Warranty does not cover any defects or damages caused by: (a) failure to properly store the Product before installation; (b) shipping and delivery of the Product if shipping is FOB Factory; (c) neglect, accident, abuse, misuse, misapplication or incorrect installation; (d) repair or alteration not authorized in writing by Company personnel or performed by an authorized Company Customer Service Engineer or Agent; (e) improper testing, operation, maintenance, adjustment or modification of any kind not authorized in writing by Company personnel or performed by an authorized Company Customer Service Engineer or Agent; or (f) use of the Product under other than normal operating conditions or in a manner inconsistent with the Product's labels or instructions.

This Warranty is not valid if the Product's serial numbers have been removed or are illegible. Any Warranted Items repaired or replaced pursuant to this Warranty will be warranted for the remaining portion of the original Warranty subject to all the terms thereof.

Company shall not be responsible for any charges for testing, checking, removal or installation of Warranted Items.

WARRANTY

Two-Year Limited Warranty (USA and Canada) *(continued)*

COMPANY DOES NOT WARRANT EQUIPMENT NOT MANUFACTURED BY COMPANY. IF PERMITTED BY THE APPLICABLE MANUFACTURER, COMPANY SHALL PASS THROUGH SUCH MANUFACTURER'S WARRANTIES TO END-USER.

COMPANY DOES NOT WARRANT SOFTWARE (IF APPLICABLE TO THE PRODUCT), INCLUDING SOFTWARE EMBEDDED IN PRODUCTS, THAT IS NOT CREATED BY COMPANY. WITHOUT LIMITING THE FOREGOING, COMPANY SPECIFICALLY DOES NOT WARRANT SOFTWARE (SUCH AS LINUX) THAT WAS CREATED USING AN "OPEN SOURCE" MODEL OR IS DISTRIBUTED PURSUANT TO AN OPEN SOURCE LICENSE.

THIS WARRANTY IS THE SOLE AND EXCLUSIVE WARRANTY OFFERED BY COMPANY WITH RESPECT TO THE PRODUCTS AND SERVICES AND, EXCEPT FOR SUCH FOREGOING WARRANTY COMPANY DISCLAIMS ALL OTHER WARRANTIES INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE. CORRECTION OF NON-CONFORMITIES IN THE MANNER AND FOR THE PERIOD OF TIME PROVIDED ABOVE SHALL CONSTITUTE COMPANY'S SOLE LIABILITY AND END-USER'S EXCLUSIVE REMEDY FOR FAILURE OF COMPANY TO MEET ITS WARRANTY OBLIGATIONS, WHETHER CLAIMS OF THE END-USER ARE BASED IN CONTRACT, IN TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE.

LIMITATION OF LIABILITY: The remedies of the End-user set forth herein are exclusive and are the sole remedies for any failure of Company to comply with its obligations hereunder. In no event shall Company be liable in contract, in tort (including negligence or strict liability) or otherwise for damage to property or equipment other than the Products, including loss of profits or revenue, loss of use of Products, loss of data, cost of capital, claims of customers of the End-user or any special, indirect, incidental or consequential damages whatsoever. The total cumulative liability of Company hereunder whether the claims are based in contract (including indemnity), in tort (including negligence or strict liability) or otherwise, shall not exceed the price of the Product on which such liability is based.

Company shall not be responsible for failure to provide service or parts due to causes beyond Company's reasonable control.

END-USER'S OBLIGATIONS: In order to receive the benefits of this Warranty, the End-user must use the Product in a normal way; follow the Product's user's guide; and protect against further damage to the Product if there is a covered defect.

OTHER LIMITATIONS: Company's obligations under this Warranty are expressly conditioned upon receipt by Company of all payments due to it (including interest charges, if any). During such time as Company has not received payment of any amount due to it for the Product, in accordance with the contract terms under which the Product is sold, Company shall have no obligation under this Warranty. Also during such time, the period of this Warranty shall continue to run and the expiration of this Warranty shall not be extended upon payment of any overdue or unpaid amounts.

COSTS NOT RELATED TO WARRANTY: The End-user shall be invoiced for, and shall pay for, all services not expressly provided for by the terms of this Warranty, including without limitation, site calls involving an inspection that determines no corrective maintenance is required. Any costs for replacement equipment, installation, materials, freight charges, travel expenses or labor of Company representatives outside the terms of this Warranty will be borne by the End-user.

OBTAINING WARRANTY SERVICE: In the USA, call the Customer Reliability Center 7x24 at 800.356.5737. Outside of the USA, contact your local Eaton product sales or service representative, or call the Customer Reliability Center in the USA at 919.870.3149. For comments or questions about this Warranty, write to the Customer Quality Representative, 3301 Spring Forest Road, Raleigh, North Carolina 27616 USA.

WARRANTY

Limited Factory Warranty For Eaton Three-phase UPS Products

THREE-PHASE PRODUCTS

WARRANTOR: The warrantor for the limited warranties set forth herein is Eaton ("Eaton").

LIMITED WARRANTY: This limited warranty (this "Warranty") applies only to the original End-user (the "End-user") of the Eaton three-phase UPS Products (the "Product") and cannot be transferred. This Warranty applies even in the event that the Product is initially sold by Eaton for resale to an End-user.

LIMITED WARRANTY PERIOD: The period covered by this Warranty for Product installed [and currently located] in the fifty (50) United States and the District of Columbia is twelve (12) months from the date of Product startup or eighteen (18) months from date of Product shipment, whichever occurs first, for parts coverage and 90 days from the date of Product startup for labor coverage. The period covered by this Warranty for Product installed [and currently located] outside of the fifty (50) United States and the District of Columbia is twelve (12) months from the date of Product startup or eighteen (18) months from date of Product shipment, whichever occurs first, for parts coverage.

WHAT THIS LIMITED WARRANTY COVERS: The warrantor warrants that the Eaton three-phase UPS electronics, Eaton-built accessories, and Eaton-built battery cabinets, (individually and collectively, the "Warranted Items") are free from defects in material and workmanship. If, in the opinion of Eaton, a Warranted Item is defective and the defect is within the terms of this Warranty, Eaton's sole obligation will be to repair or replace such defective item (including by providing service, parts and labor, as applicable), at the option of Eaton. The Warranted Item will be repaired or replaced onsite at the End-user's location or such other location as determined by Eaton. Any parts that are replaced may be new or reconditioned. All parts replaced by Eaton shall become the property of Eaton.

WHAT THIS LIMITED WARRANTY DOES NOT COVER: This Warranty does not cover any defects or damages caused by: (a) failure to properly store the Product before installation, including the "trickle charge" of batteries no later than the date indicated on the packaging; (b) shipping and delivery of the Product if shipping is FOB Factory; (c) neglect, accident, fire, flood, lightning, vandalism, acts of God, Customer's neglect, abuse, misuse, misapplication, incorrect installation; (d) repair or alteration, not authorized in writing by Eaton personnel or performed by an authorized Eaton Customer Service Engineer or Agent; or (e) improper testing, operation, maintenance, adjustment or any modification of any kind not authorized in writing by Eaton personnel or performed by an authorized Eaton Customer Service Engineer or Agent.

This Warranty is not valid: (a) unless an authorized Eaton Customer Service Engineer (in USA) or Agent (outside of USA) performs startup and commissioning of the Product; (b) if the Product is moved to a new location by someone other than an authorized Eaton Customer Service Engineer (in USA) or Agent (outside of USA); or (c) if the Product's serial numbers have been removed or are illegible. Any Warranted Items repaired or replaced pursuant to this Warranty will be warranted for the remaining portion of the original Warranty subject to all the terms thereof. Labor warranty is not provided for Product located outside of the fifty (50) United States or the District of Columbia. Any equipment, parts or materials included in the Product and not manufactured by Eaton are warranted solely by the manufacturer of such equipment, parts or materials and are not included as part of this warranty. Batteries are not warranted by Eaton.

THIS WARRANTY IS THE END-USER'S SOLE REMEDY AND IS EXPRESSLY IN LIEU OF, AND THERE ARE NO OTHER, EXPRESSED OR IMPLIED GUARANTEES OR WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED).

LIMITATION OF LIABILITY: In no event shall Eaton be liable for any indirect, incidental, special or consequential damages of any kind or type whatsoever, or based on any claim or cause of action, however denominated. Eaton shall not be responsible for failure to provide service or parts due to causes beyond Eaton's reasonable control. In no case will Eaton's liability under this Warranty exceed the replacement value of the Warranted Items.

END-USER'S OBLIGATIONS: In order to receive the benefits of this Warranty, the End-user must use the Product in a normal way; follow the Product's operators and maintenance manual; and protect against further damage to the Product if there is a covered defect.

OTHER LIMITATIONS: Eaton's obligations under this Warranty are expressly conditioned upon receipt by Eaton of all payments due to it (including interest charges, if any). During such time as Eaton has not received payment of any amount due to it for the Product, in accordance with the contract terms under which the Product is sold, Eaton shall have no obligation under this Warranty. Also during such time, the period of this Warranty shall continue to run and the expiration of this Warranty shall not be extended upon payment of any overdue or unpaid amounts.

COSTS NOT RELATED TO WARRANTY: The End-user shall be invoiced for, and shall pay for, all services not expressly provided for by the terms of this Warranty, including without limitation, site calls involving an inspection that determines no corrective maintenance is required. Any costs for replacement equipment, installation, materials, freight charges, travel expenses or labor of Eaton representatives outside the terms of this Warranty will be borne by the End-user.

OBTAINING WARRANTY SERVICE: In the USA, call the Eaton Customer Reliability Center 7x24 at 800.843.9433. Outside of the USA, call your local Eaton sales or service representative, or call the Eaton Customer Reliability Center in the USA at 919.870.3028. For comment or questions about this Limited Factory Warranty, write to the Customer Quality Representative, 3301 Spring Forest Road, Raleigh, North Carolina 27616 USA.

WARRANTY

Limited Factory Warranty For Eaton 9355 UPS Products

9355

WARRANTOR: The warrantor for the limited warranties set forth herein is Eaton Corporation, an Ohio Corporation ("Eaton").

LIMITED WARRANTY: This limited warranty (this "Warranty") applies only to the original End-user (the "End-user") of the 9355 UPS Products (the "Product") and cannot be transferred. This Warranty applies even in the event that the Product is initially sold by Eaton for resale to an End-user.

WHAT THIS LIMITED WARRANTY COVERS: The warrantor warrants, within the terms of this Warranty, that the Eaton three-phase UPS electronics, Eaton-built accessories and Eaton-built battery cabinets, (individually and collectively, the "Warranted Items") are free from defects in material and workmanship.

For Product installed (and currently located) in the fifty (50) United States and the District of Columbia, if, in the opinion of Eaton, a Warranted Item is defective, Eaton's sole obligation, at the option of Eaton, will be to refurbish or replace such defective Warranted Item (including the costs of providing diagnosis, service, and labor ["labor coverage"]). The defective Warranted Item will be refurbished or replaced onsite at the End-user's location or such other location as determined by Eaton. Any parts that are replaced may be new or reconditioned. All parts replaced by Eaton shall become the property of Eaton.

For Product installed (and currently located) outside the fifty (50) United States and the District of Columbia, if, in the opinion of Eaton, a Warranted Item is defective, Eaton's sole obligation, at the option of Eaton, will be to refurbish or replace such defective Warranted Item. (not including the costs of labor coverage). The defective Warranted Item will be refurbished or replaced onsite at the End-User's location or such other location as determined by Eaton. Any parts that are replaced may be new or reconditioned. All parts replaced by Eaton shall become the property of Eaton.

LIMITED WARRANTY PERIOD:

The period covered by this Warranty for Product installed (and currently located) in the fifty (50) United States and the District of Columbia is ninety (90) days from the date of Product purchase for labor coverage and twelve (12) months from the date of Product purchase or eighteen (18) months from date of Product shipment, whichever occurs first, for the refurbishment/replacement of parts.

The period covered by this Warranty for Product installed (and currently located) outside of the fifty (50) United States and the District of Columbia is twelve (12) months from the date of Product purchase or eighteen (18) months from date of Product shipment, whichever occurs first, for the refurbishment/replacement of parts.

WHAT THIS LIMITED WARRANTY DOES NOT COVER:

This Warranty does not cover any defects or damages caused by: (a) failure to properly store the Product before installation, including the "trickle charge" of batteries no later than the date indicated on the packaging; (b) shipping and delivery of the Product if shipping is FOB Factory; (c) neglect, accident, fire, flood, lightning, vandalism, acts of God, Customer's neglect, abuse, misuse, misapplication, incorrect installation; (d) repair or alteration, not authorized in writing by Eaton personnel or performed by an authorized Eaton Customer Service Engineer or Agent; or (e) improper testing, operation, maintenance, adjustment or any modification of any kind not authorized in writing by Eaton personnel or performed by an authorized Eaton Customer Service Engineer or Agent.

This Warranty is not valid: if the Product's serial numbers have been removed or are illegible. Any Warranted Items repaired or replaced pursuant to this Warranty will be warranted for the remaining portion of the original Warranty subject to all the terms thereof. Labor warranty is not provided for Product located outside of the fifty (50) United States or the District of Columbia. **Any equipment, parts or materials included in the Product and not manufactured by Eaton are warranted solely by the manufacturer of such equipment, parts or materials and are not included as part of this warranty. Batteries are not warranted by Eaton.**

THIS WARRANTY IS THE END-USER'S SOLE REMEDY AND IS EXPRESSLY IN LIEU OF, AND THERE ARE NO OTHER, EXPRESSED OR IMPLIED GUARANTEES OR WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED).

LIMITATION OF LIABILITY: In no event shall Eaton be liable for any indirect, incidental, special or consequential damages of any kind or type whatsoever, or based on any claim or cause of action, however denominated. Eaton shall not be responsible for failure to provide service or parts due to causes beyond Eaton's reasonable control. In no case will Eaton's liability under this Warranty exceed the replacement value of the Warranted Items.

WARRANTY

Limited Factory Warranty For Eaton 9355 UPS Products (*continued*)

END-USER'S OBLIGATIONS: In order to receive the benefits of this Warranty, the End-user must register the product warranty (via mail or online at www.eaton.com/powerquality "product registration"); use the Product in a normal way; follow the Product's operators and maintenance manual; and protect against further damage to the Product if there is a covered defect.

OTHER LIMITATIONS: Eaton's obligations under this Warranty are expressly conditioned upon receipt by Eaton of all payments due to it (including interest charges, if any). During such time as Eaton has not received payment of any amount due to it for the Product, in accordance with the contract terms under which the Product is sold, Eaton shall have no obligation under this Warranty. Also during such time, the period of this Warranty shall continue to run and the expiration of this Warranty shall not be extended upon payment of any overdue or unpaid amounts.

COSTS NOT RELATED TO WARRANTY: The End-user shall be invoiced for, and shall pay for, all services not expressly provided for by the terms of this Warranty, including without limitation, site calls involving an inspection that determines no corrective maintenance is required. Any costs for replacement equipment, installation, materials, freight charges, travel expenses or labor of Eaton representatives outside the terms of this Warranty will be borne by the End-user.

OBTAINING WARRANTY SERVICE: In the USA, call the Eaton Customer Reliability Center 7x24 at 800.843.9433. Outside of the USA, call your local Eaton sales or service representative, or call the Eaton Customer Reliability Center in the USA at 919.870.3028. For comment or questions about this Limited Factory Warranty, write to the Customer Quality Representative, 3301 Spring Forest Road, Raleigh, North Carolina 27616 USA.

WARRANTY

Limited Factory Warranty For Eaton 93E UPS Products

93E

WARRANTOR: The warrantor for the limited warranties set forth herein is Eaton ("Eaton").

LIMITED WARRANTY: This limited warranty (this "Warranty") applies only to the original Purchaser (the "End-User") of the Eaton 93E UPS Products (the "Product") and cannot be transferred. This restriction applies even in the event that the Product is initially sold by Eaton for resale to an End-User. This Warranty gives you specific legal rights, and you may also have other rights which vary from State to State (or jurisdiction to jurisdiction).

WHAT THIS LIMITED WARRANTY COVERS: Eaton warrants, within the terms of this Warranty, that the Eaton three-phase UPS electronics, Eaton-built accessories, and Eaton-built battery cabinets, (individually and collectively, the "Warranted Items") are free from defects in material and workmanship.

For Product installed (and currently located) in the fifty (50) United States and the District of Columbia, if, in the opinion of Eaton, a Warranted Item is defective, Eaton's sole obligation, at the option of Eaton, will be to refurbish or replace such defective Warranted Item (including the costs of providing diagnosis, service, and labor ["labor coverage"]). The defective Warranted Item will be refurbished or replaced onsite at the End-User's location or such other location as determined by Eaton. Any parts that are replaced may be new or reconditioned. In any replacement endeavor, all parts removed by Eaton shall become the property of Eaton.

For Product installed (and currently located) outside the fifty (50) United States and the District of Columbia, if, in the opinion of Eaton, a Warranted Item is defective, Eaton's sole obligation, at the option of Eaton, will be to refurbish or replace such defective Warranted Item. (not including the costs of labor coverage). The defective Warranted Item will be refurbished or replaced onsite at the End-User's location or such other location as determined by Eaton. Any parts that are replaced may be new or reconditioned. In any replacement endeavor, all parts removed by Eaton shall become the property of Eaton.

LIMITED WARRANTY PERIOD: The period covered by this Warranty for Product installed (and currently located) in the fifty (50) United States and the District of Columbia is six (6) months from the date of Product purchase for labor coverage when no startup is performed by an authorized Eaton Customer Service Engineer or Agent or twelve (12) months from the date of Product purchase with startup performed by an authorized Eaton Customer Service Engineer or Agent and twelve (12) months from the date of Product purchase or eighteen (18) months from date of Product shipment, whichever occurs first, for the refurbishment/replacement of parts.

The period covered by this Warranty for Product installed (and currently located) outside of the fifty (50) United States and the District of Columbia is twelve (12) months from the date of Product purchase or eighteen (18) months from date of Product shipment, whichever occurs first, for the refurbishment/replacement of parts.

WHAT THIS LIMITED WARRANTY DOES NOT COVER: This Warranty does not cover any defects or damages caused by: (a) failure to properly store the Product before installation, including the "trickle charge" of batteries no later than the date indicated on the packaging; (b) shipping and delivery of the Product if shipping is FOB Factory; (c) neglect, accident, fire, flood, lightning, vandalism, acts of God, End-User's neglect, abuse, misuse, misapplication, incorrect installation; (d) repair or alteration, not authorized in writing by Eaton personnel or performed by an authorized Eaton Customer Service Engineer or Agent; or (e) improper testing, operation, maintenance, adjustment, or any modification of any kind not authorized in writing by Eaton personnel or performed by an authorized Eaton Customer Service Engineer or Agent.

This Warranty is not valid: if the Product's serial numbers have been removed or are illegible. Any Warranted Items repaired or replaced pursuant to this Warranty will be warranted for the remaining portion of the original Warranty subject to all the terms thereof. Eaton does not provide a labor warranty for Product located outside of the fifty (50) United States or the District of Columbia. Any equipment, parts or materials included in the Product and not manufactured by Eaton are warranted solely by the manufacturer of such equipment, parts or materials and are not included as part of this Warranty. Batteries are not warranted by Eaton.

THIS WARRANTY IS THE END-USER'S SOLE REMEDY AND IS EXPRESSLY IN LIEU OF, AND THERE ARE NO OTHER, EXPRESSED OR IMPLIED GUARANTEES OR WARRANTIES (INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED). SOME STATES OR JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF EXPRESS OR IMPLIED WARRANTIES, SO THE ABOVE EXCLUSION MAY NOT APPLY TO YOU. IN THAT EVENT, SUCH WARRANTIES ARE LIMITED IN DURATION TO THE LIMITED WARRANTY PERIOD. SOME STATES OR JURISDICTIONS DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS AND/OR EXCLUSIONS MAY NOT APPLY TO YOU..

LIMITATION OF LIABILITY: In no event shall Eaton be liable for any indirect, incidental, special or consequential damages of any kind or type whatsoever, resulting from or in connection with any claim or cause of action, whether brought in contract or in tort (including negligence and strict liability). Some States or jurisdictions do not allow the exclusion of limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. Eaton shall not be responsible for failure to provide service or parts due to causes beyond Eaton's reasonable control. In no case will Eaton's liability under this Warranty exceed the replacement value of the Warranted Items.

WARRANTY

Limited Factory Warranty For Eaton 93E UPS Products (*continued*)

END-USER'S OBLIGATIONS: In order to receive the benefits of this Warranty, the End-User must register the product warranty (via mail or online at www.powerquality.eaton.com/Product-Registration "product registration"); use the Product in a normal way; follow the Product's operators and maintenance manual; and protect against further damage to the Product if there is a covered defect.

OTHER LIMITATIONS: Eaton's obligations under this Warranty are expressly conditioned upon receipt by Eaton of all payments due from End-User (including interest charges, if any). During such time as Eaton has not received payment of any amount due to it for the Product, in accordance with the contract terms under which the Product is sold, Eaton shall have no obligation under this Warranty. Also during such time, the period of this Warranty shall continue to run and the expiration of this Warranty shall not be extended upon payment of any overdue or unpaid amounts.

COSTS NOT RELATED TO WARRANTY: The End-User shall be invoiced for, and shall pay for, all services not expressly provided for by the terms of this Warranty, including without limitation, site calls involving an inspection that determines no corrective maintenance is required. Any costs for replacement equipment, installation, materials, freight charges, travel expenses or labor of Eaton representatives outside the terms of this Warranty will be borne by the End-User.

OBTAINING WARRANTY SERVICE: In the United States, call the Eaton Customer Reliability Center 7x24 at 800-843-9433. Outside of the United States, call your local Eaton sales or service representative, or call the Eaton Customer Reliability Center in the United States at 919-870-3028. For comment or questions about this Limited Factory Warranty, write to the Customer Quality Representative, 3301 Spring Forest Road, Raleigh, North Carolina 27616 USA.

WARRANTY

Pulsar series

LIMITED WARRANTY & PROPRIETARY RIGHTS FOR PULSAR SERIES SINGLE-PHASE PRODUCTS (T-11)

STANDARD LIMITED WARRANTY FORM (APPLICABLE WITHIN THE UNITED STATES, CANADA AND LATIN AMERICA)

EATON STANDARD SINGLE-PHASE LIMITED WARRANTY

Eaton warrants single phase products manufactured by Eaton to be free from defects in materials and workmanship for the following applicable time periods beginning with the date of purchase by or for the first End-user ("Purchaser"):

The following products are covered by a one (1) year warranty period:

- Power-Sure 700 Power Conditioners

The following products are covered by a two (2) year warranty period:

- Nova AVR, Evolution, Evolution S, EX, MX, MX Frame and EX RT
- Power-Suppress 100 Ultra-Isolator Noise Suppressors and Power-Sure 800 Power Conditioners

The following products are covered by a three (3) year warranty period:

- Eclipse Personal

The following products are covered by a five (5) year warranty period:

- Power-Suppress T7

The following products are covered by a ten (10) year warranty period;

- Eclipse Pro and Eclipse ProTel

The terms and conditions of this standard limited warranty also apply to extended warranty coverage for the Pulsar series.

Any defects in materials or workmanship must be reported to Eaton within the applicable warranty period. Where labor is not included in the warranty, any labor performed by Eaton shall be billed to Purchaser at, and Purchaser agrees to pay, Eaton standard labor rates then in effect for all warranty work performed hereunder. Eaton shall have the sole right to determine if any defective parts are to be repaired at the job site or whether they are to be returned to the factory for repair or replacement. All items returned to Eaton for repair or replacement must be sent freight prepaid to its factory. Purchaser must obtain Eaton Return Materials Authorization ("RMA") prior to returning items. The conditions stated herein must be met for Eaton warranty to be valid. Eaton will not be liable for any damage done by unauthorized repair work, unauthorized replacement parts, from any misapplication of the subject product, for damage due to accident, abuse or act of God (such as earthquake, flood, inclement weather, rain or fire), or relating to Purchaser's failure to follow proper environmental conditions for the product.

In no event shall Eaton be liable for loss, damage, or expense directly or indirectly arising from the use of or any defects in the subject product, or from any other cause, except as expressly stated in this warranty. EXCEPT AS EXPRESSLY STATED IN THIS WARRANTY, EATON MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE OR NON-INFRINGEMENT. SOME STATES OR JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF EXPRESS OR IMPLIED WARRANTIES, SO THE ABOVE EXCLUSION MAY NOT APPLY TO YOU. IN THAT EVENT, SUCH WARRANTIES ARE LIMITED IN DURATION TO THE LIMITED WARRANTY PERIOD. SOME STATES OR JURISDICTIONS DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS AND/OR EXCLUSIONS MAY NOT APPLY TO YOU.

Eaton is not liable for and Purchaser waives any right of action it has or may have against Eaton for any consequential or special damages arising out of any breach of warranty, and for any damages Purchaser may claim for damage to any property or injury or death to any person arising out of its purchase or the use, operation or maintenance of the subject product. In no event will Eaton be liable for any labor subcontracted or performed by Purchaser for preparation of the warranted item for return to an Eaton factory or for preparation work for field repair or replacement, and Eaton will not be responsible to pay any invoice therefore. Some States and jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty shall be exclusive of any and all other warranties express or implied and may be modified only by a writing signed by an authorized officer of Eaton. This warranty shall extend to the Purchaser but to no one else. Accessories supplied by Eaton, but manufactured by others, carry any warranty the manufacturers have made to Eaton, and which can be passed on to Purchaser.

EATON makes no warranty with respect to whether the products sold hereunder infringe any patent, U.S. or foreign, and Purchaser represents that any

WARRANTY

Pulsar series (*continued*)

specially ordered products do not infringe any patent. Purchaser agrees to indemnify and hold EATON harmless from any liability by virtue of any patent claims where Purchaser has ordered a product conforming to Purchaser's specifications, or conforming to Purchaser's specific design. Purchaser has not relied and shall not rely on any oral representation regarding any products sold hereunder and any oral representation shall not bind EATON and shall not be part of any warranty.

This warranty gives you specific legal rights, and you may also have other rights which vary from State to State or jurisdiction to jurisdiction.

PROPRIETARY RIGHTS STATEMENT

The information in this manual is the property of EATON, and represents a proprietary article in which EATON retains any and all intellectual property rights, including exclusive rights of use and/or manufacture and/or sale. Possession of this information does not convey any permission to reproduce, print, manufacture, or have made the article or articles shown herein. Such permission may be granted only by specific written authorization signed by an authorized officer of EATON.

IBM, PC-AT, ES/9000, and AS/400 are trademarks of International Business Machines Corporation. Other trademarks that may be used herein are owned by their respective companies and are referred to in an editorial fashion only.

Eaton DPQD, 8709 Kerns Street, San Diego, CA 92154 · 800.279.7776 · www.eaton.com/powerquality · www.eaton.com/mgeops

For Single-phase Warranty applicable outside of the United States, Canada and Latin America, contact the appropriate EATON Regional Office.

NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

179

[illegible]

Learn more at
powerquality.eaton.com
1.800.356.5794

Eaton
Electrical Sector
1000 Eaton Boulevard
Cleveland, OH 44122 USA
Eaton.com

8609 Six Forks Road
Raleigh, NC 27615 U.S.A.
Toll Free: 1.800.356.5794
Eaton.com

© 2013 Eaton
All Rights Reserved
Printed in USA
SLT02LTA
October 5, 2013

Eaton is a registered trademark
of Eaton Corporation.

All other trademarks are property
of their respective owners.