

VPC25/VPC27

Slot in PC module User Guide



Model No.	P/N	Model No.	P/N
VS18617	VPC25-W53-P1	VS18617	VPC25-W33-P1-1T
VS18617	VPC25-W53-P1-1T	VS18617	VPC25-W53-P2
VS18617	VPC25-W33-P1	VS18617	VPC27-W55-P2


Thank you for choosing ViewSonic®

As a world-leading provider of visual solutions, ViewSonic® is dedicated to exceeding the world's expectations for technological evolution, innovation, and simplicity. At ViewSonic®, we believe that our products have the potential to make a positive impact in the world, and we are confident that the ViewSonic® product you have chosen will serve you well.


Once again, thank you for choosing ViewSonic®!

1. Interface

VPC-P1




VPC-P2




Item	Description	
1	WIFI antenna interface	
2	Anti-theft lock	
3	Connect the display to a DisplayPort connector	
4	USB 2.0 interface	
5	Standard RJ45 (10M/100M/1G) Internet connection interface (This network port is only used for PC)	
6	Working indicator light	
7	Reset	
8	Power	
9	Connected to device with HDMI input function	
10	USB 3.0 interface	
11	USB type C interface	
12	Connects the device to headphones or speakers	
13	Connects to a microphone	


2. Installation

2-1




2-2





3. Internet Connection




4. Input Selection



To select an Input Source:

- **1.** Press INPUT on the remote control, press the setting button (a) on the front panel, or press the (a) setting icon from the toolbar to display the Input Settings menu.
- 2. Press ▼ / ▲ / ◀ / ▶ to select PC.
- **3.** Press $\binom{OK}{OK}$ on the remote control, or touch the input source.
- **4.** Press on the remote control, or touch a blank area outside of the menu to exit.

5. USB Connection



6. Specifications

IO ports		1 x Display Port	
		1 x HDMI	
		1 x LAN	
		2 x USB 2.0 (5V/0.5A)	
		4 x USB 3.0 (5V/0.9A)	
		1 x USB type C	
		1 x Earphone	
		1 x Microphone	
Power		100V-240V AC 50/60HZ	
Operating	Temperature	32°F to 113°F (0°C to 45°C)	
Conditions	Humidity	10% ~ 90% non-condensing	
	Altitude	0 meter to +5000 meters above sea level	
Storage	Temperature	-4°F to 140°F (-20°C to 60°C)	
Conditions	Humidity	10% ~ 90% non-condensing	
	Altitude	0 meter to +5000 meters above sea level	
Dimensions	Physical(mm)	246.1 x 263.4 x 32.2	
Weight	Physical(kg)	1.95	
Power consumption	on	95W	
Frequency Range and Output Power		2402 to 2480 MHz(BT) 2.0 dBm	
(Max.)		2402 to 2480 MHz(LE) 3.73 dBm	
		2412 to 2472 MHz 17.41 dBm	
		5150 to 5250 MHz 18.94 dBm	
		5250 to 5350 MHz 18.94 dBm	
		5470 to 5725 MHz 18.94 dBm	

Regulatory and Service Information

Compliance Information

This section addresses all connected requirements and statements regarding regulations. Confirmed corresponding applications shall refer to nameplate labels and relevant markings on the unit.

FCC Compliance Statement

This device complies with part 15 of FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: You are cautioned that changes or modifications not expressly approved by the party responsible for compliance could void your authority to operate the equipment.

Industry Canada Statement

CAN ICES-003(B) / NMB-003(B)

Contains FCC ID: PD9AX200NG / PD9AX201NG / PD9AX210NG

IC ID: 1000M-AX200NG / 1000M-AX201NG / 1000M-AX210NG

*Choose one of three options.

CE Conformity for European Countries



The device complies with the EMC Directive 2014/30/EU and Low Voltage Directive 2014/35/EU and Radio Equipment Directive (RED) 2014/53/EU.

The following information is only for EU-member states:

The mark shown to the right is in compliance with the Waste Electrical and Electronic Equipment Directive 2012/19/EU (WEEE). The mark indicates the requirement NOT to dispose the equipment as unsorted municipal waste, but use the return and collection systems according to local law. In all EU member states, operation of 5150-5350MHz is restricted to indoor use only. This device should be installed and operated with a minimum distance of 20cm between the radiator and your body.



Declaration of RoHS2 Compliance

This product has been designed and manufactured in compliance with Directive 2011/65/EU of the European Parliament and the Council on restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS2 Directive) and is deemed to comply with the maximum concentration values issued by the European Technical Adaptation Committee (TAC) as shown below:

Substance	Proposed Maximum Concentration	Actual Concentration	
Lead (Pb)	0.1%	< 0.1%	
Mercury (Hg)	0.1%	< 0.1%	
Cadmium (Cd)	0.01%	< 0.01%	
Hexavalent Chromium (Cr6+)	0.1%	< 0.1%	
Polybrominated biphenyls (PBB)	0.1%	< 0.1%	
Polybrominated diphenyl ethers (PBDE)	0.1%	< 0.1%	
Bis (2-ethylhexyl) phthalate (DEHP)	0.1%	< 0.1%	
Butyl benzyl phthalate (BBP)	0.1%	< 0.1%	
Dibutyl phthalate (DBP)	0.1%	< 0.1%	
Diisobutyl phthalate (DIBP)	0.1%	< 0.1%	

Certain components of products as stated above are exempted under the Annex III of the RoHS2 Directives as noted below:

- Copper alloy containing up to 4% lead by weight.
- Lead in high melting temperature type solders (i.e. lead-based alloys containing 85% by weight or more lead).
- Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.
- Lead in dielectric ceramic in capacitors for a rated voltage of 125V AC or 250V DC or higher.

Indian Restriction of Hazardous Substances

Restriction on Hazardous Substances statement (India). This product complies with the "India E-waste Rule 2011" and prohibits use of lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers in concentrations exceeding 0.1 weight % and 0.01 weight % for cadmium, except for the exemptions set in Schedule 2 of the Rule.

Product Disposal at End of Product Life

ViewSonic® respects the environment and is committed to working and living green. Thank you for being part of Smarter, Greener Computing. Please visit the ViewSonic® website to learn more.

USA & Canada:

https://www.viewsonic.com/us/company/green/go-green-with-viewsonic/#recycle-program

Europe:

http://www.viewsoniceurope.com/eu/support/call-desk/

Taiwan:

https://recycle.epa.gov.tw/

Customer Service

For technical support or product service, see the table below or contact your reseller.

NOTE: You will need the product's serial number.

Country/ Region	Website	Country/ Region	Website			
Asia Pacific & Africa						
Australia	www.viewsonic.com/au/ Bangladesh		www.viewsonic.com/bd/			
中国 (China)	www.viewsonic.com.cn	香港 (繁體中文)	www.viewsonic.com/hk/			
Hong Kong (English)	www.viewsonic.com/hk-en/	India	www.viewsonic.com/in/			
Indonesia	www.viewsonic.com/id/	Israel	www.viewsonic.com/il/			
日本 (Japan)	www.viewsonic.com/jp/	Korea	www.viewsonic.com/kr/			
Malaysia	www.viewsonic.com/my/	Middle East	www.viewsonic.com/me/			
Myanmar	www.viewsonic.com/mm/	Nepal	www.viewsonic.com/np/			
New Zealand	www.viewsonic.com/nz/	Pakistan	www.viewsonic.com/pk/			
Philippines	www.viewsonic.com/ph/	Singapore	www.viewsonic.com/sg/			
臺灣 (Taiwan)	www.viewsonic.com/tw/	ประเทศไทย	www.viewsonic.com/th/			
Việt Nam	www.viewsonic.com/vn/	South Africa & Mauritius	www.viewsonic.com/za/			
Americas						
United States	www.viewsonic.com/us	Canada	www.viewsonic.com/us			
Latin America www.viewsonic.com/la						
Europe						
Europe	www.viewsonic.com/eu/	France	www.viewsonic.com/fr/			
Deutschland	www.viewsonic.com/de/	Қазақстан	www.viewsonic.com/kz/			
Россия	www.viewsonic.com/ru/	España	www.viewsonic.com/es/			
Türkiye	www.viewsonic.com/tr/	Україна	www.viewsonic.com/ua/			
United Kingdom	www.viewsonic.com/uk/					

